Auction

Houston, TX - February 12-14, 2019

Atlantic Coffee Solutions

Tuesday, Wednesday & Thursday February 12th, 13th & 14th, 2019 Starting at 10:00 am

Atlantic Coffee Solutions 3900 Harrisburg Blvd. Houston, TX 77003





AUCTION:

Tuesday, Wednesday & Thursday February 12th, 13th & 14th

Starting at 10:00 am

FACILITY:

Atlantic Coffee Solutions

3900 Harrisburg Blvd. Houston, TX 77003

INSPECTION:

February 11, 2019

from 9:00 am to 4:00 pm or earlier by appointment

OTHER DETAILS:

Removal Dates

Small items must be removed by Friday, February 15, 2019. All items must be removed by Friday, March 1, 2019.

Attention Riggers

General Liability Insurance for \$2,000,000 required to Liquidity Services, Rabin Worldwide and Atlantic Coffee Solutions.

For check out info

Please contact Clayton Apo 920.251.0241 | clayton.apo@rabin.com

An 18% buyer's premium will apply to all items sold.

Atlantic Coffee Solutions Auction Schedule:

Day 1 – Tuesday, February 12th

starting at 10:00 am Lots: 101 to 796

Day 2 – Wednesday, February 13th

starting at 10:00 am Lots: 801 to 1417

Day 3 – Thursday, February 14th

starting at 10:00 am Lots: 1501 to 2142

Sales Tax

Rabin Worldwide is required by law to collect the applicable sales tax on all items sold unless at the time of purchase the buyer provides the appropriate resale certificate, properly completed, together with some identification which proves the individual is in the business of buying and selling such merchandise within the state.

Sales tax will be refunded to out of state buyers when one of the following is provided:

Dealers must provide a properly executed bill of lading showing shipment by a third party carrier to an out-of-state location, designating Rabin Worldwide as the shipper accompanied with a properly completed resale certificate from their state, together with some identification which proves the individual is in the business of buying and selling such merchandise within that particular state.

Where the state allows exemption from sales tax for buyers who runs a manufacturing business which is known to make use of the kind of equipment being purchased, the buyers must also provide proof that the items will be used for manufacturing within the particular state, and a properly executed bill of lading

showing shipment by a third party carrier to an out-ofstate location, designating Rabin Worldwide as the shipper.

Out of state buyers who are taxable in their state, must show proof that payment of sales tax was made on the merchandise purchased and a properly executed bill of lading showing shipment by a third party carrier to an out-of-state location, designating Rabin Worldwide as the shipper.

As designated shipper, Rabin Worldwide is not responsible for any damages to shipment in-transit or any other expenses related to the shipping.

Buyers from the State of California must provide resale exemption number at the time of purchase to avoid paying California sales tax.

Equipment being used within California is subject to California Use Tax which must be collected at the time of purchase, regardless of the state of purchase.

Without appropriate paperwork, all sales tax must be collected at the time of purchase. However, sales tax will be refunded in full at such time as proper documentation has been provided to the auctioneer.

Cash Payment of \$10,000 or Greater

For any purchase paid in cash, with a value of \$10,000 or greater, the buyer is required to complete United States Treasury Department form number 8300. These forms are available from the auctioneer and must be completed and returned to the auctioneer at the time of purchase.

The items in this catalog will be sold by a licensed auctioneer, in accordance with local laws governing public auctions, and according to posted "Terms of Sale". Anyone else soliciting merchandise that is not listed in this catalog will be asked to leave the premises

These Terms and Conditions of Sale ("Sale Terms") govern all items which are offered for sale by RABIN WORLDWIDE, INC. ("Rabin Worldwide") and any of its employees, agents, designees, affiliates, joint venture partners, and coauctioneers (together with Rabin Worldwide, collectively, "RABIN") to a buyer (the "Buyer") of any machinery, equipment or other personal property items offered by RABIN and purchased by Buyer (collectively, the "Purchased Items"). The owner of the items upon which Buyer will be bidding may be owned either by Rabin or by another entity who has retained RABIN to sell such items (the "Owner"). RABIN reserves the right to modify these Sale Terms at any time and any such modification shall become part of these Sale Terms. By registering at the auction, onsite or online, the Buyer agrees that it has read and fully understands these Sale Terms and agrees to be bound by these Sale Terms.

1. Payment. If Buyer is the winning bidder for the Purchased Items, full payment of the purchase price for the Purchased Items due to RABIN (the "Purchase Price"), must be made in United States Dollars, and must be made on the day of sale as set forth in the invoice sent to Buyer at the end of the auction (the "Invoice"). Payment is due and payable in cash, by cashier's check, wire transfer, company check, VISA, MasterCard, or American Express credit card payable to Rabin Worldwide. For any Purchased Items paid in cash with a value of \$10,000 or greater, Buyer is required to complete United States Treasury Form Number 8300 and return it to RABIN at the time of purchase. Buyer shall pay RABIN a late penalty on all amounts over 30 days past due computed at the greater of (i) 18% per annum, and (ii) the maximum rate permitted by applicable California law. If Buyer fails to pay the Purchase Price in accordance with these Sale Terms, Buyer agrees that it remains responsible for payment of the Purchase Price and RABIN shall have the right to commence all legal actions against Buyer for collection of the entire Purchase Price amount. Buyer shall also be liable for any and all costs and expenses incurred by RABIN arising out of or in connection with RABIN's efforts to collect any unpaid amounts hereunder including, without limitation, attorney or collection agency fees and expenses. No

forbearance, indulgence, or delay by RABIN in taking any action hereunder shall be deemed a waiver of any rights of RABIN hereunder. Until RABIN has received payment in full of the Purchase Price, the Rigger Equipment Removal and Site Access Agreement executed by the rigger named therein, Rabin Worldwide, the owner of the Real Property and Buyer (the "Rigger Removal Agreement"), if applicable, and any other documents required by RABIN, Buyer shall have no right to dismantle or remove any of the Purchased Items from the real property located at the auction site (the "Real Property").

- 2. Taxes. Prices do not include any federal, state or local taxes, which are in addition to the Purchase Price and must be paid by Buyer where applicable and may be added by RABIN to the Invoice unless Buyer furnishes RABIN with an acceptable tax exemption certificate. In addition, any and all foreign duties and taxes are also the responsibility of Buyer and Buyer hereby indemnifies and holds RABIN harmless from any and all claims, costs, expenses and liability incurred by RABIN resulting from Buyer's failure to pay any foreign duties and taxes. If an acceptable tax exemption certificate is not submitted at the time of payment, Buyer may submit said exemption certificate within ten (10) business days to RABIN, and the tax originally paid will be refunded back to the Buyer. The failure of RABIN to include any such federal, state or local taxes does not excuse the Buyer from responsibility for paying any such taxes and Buyer hereby indemnifies and holds RABIN harmless from any and all claims, costs, expenses and liability incurred by RABIN resulting from Buyer's failure to pay any federal, state or local taxes.
- **3. Buyer's Premium.** RABIN will charge and retain a nonnegotiable buyer's commission ("Buyer's Premium") on the proceeds of any sale based on the final and accepted bid for the Purchased Items. The Buyer's Premium will be 15% for onsite bidders and 18% for online bidders. There will be an additional 4% handling charge on the total invoice for all credit card transactions. The Buyer's Premium will be posted on the Real Property and announced prior to the auction.
- **4. Title.** Title shall pass to Buyer upon the satisfactory completion of all of the following: (i) RABIN's receipt of full payment for the Purchased Items in accordance with these Sale Terms; (ii) the Purchased Items have been removed from the Real Property in compliance with the Rigger Removal Agreement, if applicable; (iii) all damage,

if any, to the Real Property and to any other personal property located at the Real Property caused by removing the Purchased Items has been repaired to the satisfaction of RABIN and the owner of the Real Property; (iv) Buyer shall not be in breach of any of items set forth in these Sale Terms.

- 5. INSPECTION. BUYER SHALL BE DEEMED TO HAVE **RELIED ENTIRELY UPON ITS OWN INSPECTIONS AND** INVESTIGATIONS OF ALL OF THE ITEMS UPON WHICH **BUYER WILL BE BIDDING AND/OR PURCHASING. BUYER** HEREBY ACKNOWLEDGES THAT BUYER AND BUYER'S AGENTS OR REPRESENTATIVES HAVE HAD THE OPPORTUNITY TO INSPECT, OR HAVE INSPECTED, ALL OF THE ITEMS UPON WHICH BUYER WILL BE BIDDING AND/OR PURCHASING. BUYER AGREES THAT BY SUBMITTING A BID FOR ANY ITEM, BUYER SHALL BE DEEMED TO HAVE INSPECTED ALL OF THE ITEMS UPON WHICH BUYER WILL BE BIDDING AND/OR PURCHASING. AFTER A SALE OF PURCHASED ITEMS HAS BEEN CONFIRMED, THE BUYER SHALL BE DEEMED TO HAVE INSPECTED ALL PURCHASED ITEMS AT THE TIME OF SALE CONFIRMATION.
- **6. Acceptance by Buyer.** Buyer agrees that its acceptance of the Purchased Items shall constitute an acknowledgment by Buyer that the Purchased Items satisfies any and all obligations of RABIN hereunder. Buyer may not revoke its acceptance for any reason whatsoever.
- 7. Safety Standards. Buyer expressly assumes all responsibility to obtain all safety equipment and to meet all applicable local, state federal and foreign laws, regulations and standards, including but not limited to laws relating to remediation, restoration or protection of the environment or natural resources, the storage, treatment, management, generation, transportation, or disposal of any toxic materials or waste material, whether hazardous or not, the conservation of natural resources and resource allocation or exposure of persons or property to Hazardous Materials ("Environmental Laws") in removing any of the Purchased Items. Buyer further agrees to comply with the Rigger Removal Agreement, if applicable.
- **8. Removal of Purchased Items.** Purchased Items can only be removed from the Real Property within the removal time as announced at the sale and as indicated on the Invoice (the "Removal Deadline"). No Purchased

- Items can be removed, segregated, or dismantled by Buyer before the conclusion of the auction. Prior to removal of any Purchased Items, the entire Invoice for all Purchased Items must be paid in full in order to gain access to the Real Property. Buyer must present a representative of RABIN with an original Invoice marked "PAID" and a fully executed Rigger Removal Agreement, if applicable.
- 9. Failure to Remove Purchased Items/Bankruptcy. If Purchased Items are not removed by the Removal Deadline (i) such Purchased Items will be deemed abandoned by the Buyer, (ii) Buyer shall forfeit all monies paid to RABIN for such Purchased Items, and (iii) Buyer shall forfeit any rights to such Purchased Items. In addition, Buyer shall be responsible for all damages suffered by RABIN, including, but not limited to, any dismantling, transportation, storage or other costs, including attorneys' fees and expenses incurred by RABIN as a consequence of Buyer's failure to remove such Purchased Items. Buyer hereby grants to RABIN a security interest in the Purchased Items to secure Buyer's obligation to remove the Purchased Items from the Real Property not later than the Removal Deadline and in compliance with the terms of the Rigger Removal Agreement, if applicable. Buyer hereby authorizes RABIN the right to file and/or record such documents and financing statements as are necessary or useful to perfect such security interest in the Purchased Items as provided in this Section 9, and Buyer shall execute and deliver to RABIN such documents as requested in connection therewith. In the event Buyer fails to remove the Purchased Items on or before the Removal Deadline, RABIN shall have the right to foreclose its security interest in the Purchased Items by a public or private sale in accordance with applicable law. In addition, in the event any one or more of the following shall occur, any and all obligations of RABIN hereunder, including without limitation, any obligations to Buyer in respect of the Purchased Items shall immediately terminate and without further action by RABIN: (a) Buyer files a voluntary petition in bankruptcy or a bankruptcy petition is filed against Buyer; (b) Buyer becomes insolvent or makes an assignment for the benefit of its creditors; or (c) Buyer discontinues its business or a receiver is appointed for Buyer or its business.
- **10. Integration; Modifications.** Buyer acknowledges that these Sale Terms, the Invoice, the Rigger Removal Agreement, if applicable, a bill of sale, if applicable, and

all attachments and exhibits hereto and thereto, (a) are the only terms and conditions of sale for the Purchased Items, (b) are intended by the parties as a complete and exclusive statement of the terms of their agreement in respect of the Purchased Items, and (c) supersede all prior agreements, written or oral in respect of the auction and Purchased Items, except for any and all announcements made by the auctioneer on the day of the auction concerning the Sale Terms, which Buyer acknowledges and agrees to be bound. Any variation from the terms hereof contained in the Buyer's acceptance of the Purchased Items is hereby rejected.

11. Auction Registration; Deposit. To register for any live auction onsite, bidders must provide a refundable deposit in the amount determined by RABIN and either posted onsite or requested by a RABIN representative, in the form of cash, cashier's check, wire transfer, company check, VISA, MasterCard, or American Express credit card payable to Rabin Worldwide. To register for the online component of any live auction conducted by bidspotter.com, bidders will be required to submit a valid VISA, MasterCard, or American Express credit card and complete the online registration information. Whether onsite or online, RABIN reserves the right to request a refundable deposit or an increased deposit in an amount warranted by the value of the sale, but in no event greater than 25% of the Purchase Price, if Buyer is the successful bidder of the Purchased Items which shall be paid at the time Buyer becomes the winning bidder of the Purchased Items. If Buyer is the winning bidder for the Purchased Items, the refundable deposit set forth in this Section 11 shall become non-refundable and such amount together with the increased deposit set forth in the second sentence of this Section 11, shall be applied toward payment of the Purchase Price and the provisions of Section 1 will control. The credit card will not be charged except in the event of failure to pay.

12. Online Bids. RABIN will accept bids from Buyers who wish to bid, but cannot attend the auction. The bids must be placed online at www.bidspotter.com. All bids will be recorded and synced with those bids received onsite in real time, with the highest bid price, winning the item(s), regardless of being placed online or onsite. Any taxes and/or Buyer's Premium will be added to the winning bid price. Buyers who choose to bid at any auction online using bidspotter.com shall do so at their own risk. RABIN cannot guarantee the transmission of online bids when situations or circumstances beyond RABIN's control

interfere with the normal operation of bidspotter.com. RABIN has no responsibility or liability for items lost at auction due to any system malfunction of bidspotter.com. It is the responsibility of the Buyer to follow instructions of bidspotter.com to properly operate the online bidding system.

13. Bidding. If any dispute arises between two or more bidders, the auctioneer has the right in its sole and absolute discretion to determine the winning bidder or to re-offer and resell the item or lot in dispute. RABIN shall have no liability arising from any dispute between two bidders. RABIN reserves the right to group one or more lots into one or more selling items or lots, or to add to or delete items or lots at its sole discretion. RABIN reserves the right to set the bidding increments. RABIN also reserves the right to reject any bid which is only a fractional advance over the preceding bid. RABIN, or the owners, reserves the right to set and/or to modify a minimum price.

14. Hazardous Materials. Buyer acknowledges that Purchased Items may contain Hazardous Materials. **BUYER HEREBY INDEMNIFIES, DEFENDS, PROTECTS AND** HOLDS HARMLESS, THE INDEMNIFIED PARTIES FROM AND AGAINST ANY AND ALL CLAIMS, DAMAGES, LIABILITIES, ACTIONS, CAUSES OF ACTION, COSTS AND JUDGMENTS, INCLUDING WITHOUT LIMITATION, ATTORNEYS' FEES, ARISING FROM OR RELATING TO ANY RELEASE OF ASBESTOS, PCBS OR OTHER HAZARDOUS MATERIALS IN CONNECTION WITH THE REMOVAL AND TRANSPORTATION OF THE PURCHASED ITEMS FROM THE REAL PROPERTY AND ANY USE OR FUTURE SALE OF THE PURCHASED ITEMS BY THE BUYER OR ANY THIRD **PARTIES.** As used in these Sale Terms "Hazardous Materials" means (a) substances that are defined or listed in, or otherwise classified pursuant to, any applicable laws or regulations, including but not limited to Environmental Laws, as "hazardous substances," "hazardous materials," "hazardous wastes," "toxic substances," or any other formulation intended to define, list, or classify substances by reason of deleterious properties such as ignitability, corrosivity, reactivity, carcinogenicity, reproductive toxicity, or "EP toxicity," (b) oil, petroleum, or petroleum derived substances, natural gas, natural gas liquids, synthetic gas, drilling fluids, produced waters, and other wastes associated with the exploration, development, or production of crude oil, natural gas, or geothermal resources, (c) any flammable substances or explosives or

any radioactive materials, and (d) asbestos in any form or electrical equipment that contains any oil or dielectric fluid containing levels of polychlorinated biphenyls in excess of 50 parts per million. As used in these Sale Terms, "Indemnified Parties" means collectively RABIN, the owner of the Real Property, the Owner and their respective managers, officers, directors, shareholders, members, agents, attorneys, employees, successors and assigns.

15. Buyer's Responsibility and Indemnity. Buyer acknowledges the Real Property where items upon which Buyer may be bidding are located, held or presented for inspection, may be potentially dangerous places which may include noxious, corrosive or pressurized substances or Hazardous Materials being present, heavy equipment being operated, and live electric circuits. Buyer and its agents and representatives present at the Real Property before, during or after an auction shall be deemed to be present at their own risk. Buyer further acknowledges that RABIN shall have no liability for any injuries sustained to Buyer and its agents and representatives, nor damages to or loss of property which may occur from any cause whatsoever. Removal of Purchased Items shall be at the sole expense, risk and liability of the Buyer. In addition, all freight and insurance charges are the responsibility of Buyer unless otherwise agreed by RABIN and Buyer in writing. Buyer shall be responsible for and pay all expenses, losses and damages that may arise from the removal and transportation of the Purchased Items from the Real Property, and all losses, damages, debts and liabilities incurred by Buyer in connection with Buyer's purchase and removal of the Purchased Items and all other expenses relating or incidental thereto. **BUYER HEREBY INDEMNIFIES, DEFENDS, PROTECTS AND** HOLDS HARMLESS, THE INDEMNIFIED PARTIES FROM AND AGAINST ALL SUITS, CLAIMS, COSTS, DAMAGES AND EXPENSES, INJURIES TO ANY PROPERTY OR PERSONS (INCLUDING DEATH) INCLUDING, WITHOUT LIMITATION, ATTORNEYS' FEES, ARISING OUT OF OR IN **CONNECTION WITH BUYER'S ATTENDANCE AT THE** AUCTION, VISITS TO THE REAL PROPERTY, PURCHASE, OWNERSHIP, DISMANTLING, REMOVAL FROM THE REAL PROPERTY, TRANSPORTATION, REASSEMBLY, USE AND/OR RESALE OF THE PURCHASED ITEMS, OR THE PERFORMANCE OF ANY OF THE OBLIGATIONS OF BUYER.

16. No Warranties. Neither RABIN nor the Owner make any representations, warranties or guarantees,

expressed or implied, as to the genuineness, authenticity, quantity, quality, condition, usability, salability, weight, measure, count, make, model, year, age, mechanical condition, performance, description, or other specifications of any items upon which Buyer will be bidding or in any lot(s). Neither RABIN nor the Owner shall be liable for any fault or defect in any lot(s). RABIN shall not be held liable for any inaccurate, incomplete or incorrect description, of any items or lot(s) upon which Buyer will be bidding, or in any media pertaining to the auction, whether in a catalog, advertisement, website listing, or otherwise. Descriptions of items are prepared FOR GUIDE PURPOSES ONLY and shall not be relied upon by the Buyer for accuracy or completeness.

BUYER ACKNOWLEDGES THAT NO REPRESENTATIVE OF RABIN HAS AUTHORITY TO MAKE ANY REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE PURCHASED ITEMS.

THE PURCHASED ITEMS SOLD BY RABIN HEREUNDER ARE SOLD "AS IS", "WHERE IS", AND WITHOUT REPRESENTATION, WARRANTY OR RECOURSE OF ANY KIND OR NATURE. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, ALL IMPLIED OR EXPRESS WARRANTIES ARISING UNDER THE UNIFORM COMMERCIAL CODE OR UNDER ANY OTHER APPLICABLE LAW INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, EVEN IF THAT PURPOSE IS KNOWN TO RABIN OR OWNER, ARE HEREBY DISCLAIMED BY RABIN AND OWNER IN THEIR ENTIRETY. IN ADDITION, RABIN AND OWNER MAKE NO REPRESENTATIONS OR WARRANTIES AS TO THE TITLE, POSSESSION, QUIET ENJOYMENT, LOCATION OR COMPLETENESS OF THE PURCHASED ITEMS. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

17. Default/Non-Compliance. In addition to the matters set forth in Section 1 above, if Buyer fails to pay the Purchase Price for any of the Purchased Items, RABIN may resell such items at a public or private sale without further notice. If, at such a sale, such item(s) is sold for a lesser price; the defaulting Buyer will be responsible to pay for the difference together with all charges, fees and/or expenses, including but not limited to, the cost of removal and resale of the abandoned item(s), commissions, and legal fees incurred by Rabin as a result of resale.

- **18.** Limitation of RABIN's Liability. RABIN shall not be liable to Buyer for any damages, including, without limitation, incidental, consequential, exemplary, punitive, statutory, treble or special damages or damages for breach of contract, tort (including negligence), strict liability, patent infringement or otherwise arising out of or in any way related to the (i) auction, (ii) Purchased Items or any act or omission of RABIN concerning the Purchased Items, (iii) removal and/or delivery of any Purchased Items from the Real Property, or (iv) dismantling, removal, transport, reassembly, use, operation, maintenance, or repurchase and/or resale of the Purchased Items by any person.
- **19. Acts of Others.** RABIN is not responsible for the acts or omissions of (i) of any party who provided any items to the auctioneer for sale, (ii) owner or lessor of the Real Property, or (iii) any party who provides services to the auctioneer and/or Buyer, including, but not limited to telecommunication, internet bidding services, removal, rigging, or shipping, of Purchased Items.
- **20. Headings.** The section headings in these Sale Terms are inserted for convenience only and are not intended to modify or define any term or provision of these Sale Terms.
- 21. Governing Law; Jurisdiction. THESE SALE TERMS SHALL BE DETERMINED UNDER, GOVERNED BY, AND CONSTRUED IN ACCORDANCE WITH THE LAWS OF THE STATE OF CALIFORNIA WITHOUT GIVING EFFECT TO PROVISIONS FOR CHOICE OF LAW THEREUNDER. EACH OF THE PARTIES HERETO AGREES THAT ALL ACTIONS OR PROCEEDINGS ARISING IN CONNECTION WITH THESE SALE TERMS SHALL BE TRIED AND LITIGATED ONLY IN THE STATE COURTS AND, TO THE EXTENT PERMITTED BY APPLICABLE LAW, FEDERAL COURTS LOCATED IN THE SAN FRANCISCO COUNTY, CALIFORNIA.
- **22. Severability.** If any provision of these Sale Terms is deemed illegal, invalid or unenforceable, the legality, validity and enforceability of the remaining parts, shall not be affected.

Auction

Houston, TX - February 12, 2019

Day 1 - Atlantic Coffee Solutions

Tuesday, February 12, 2019 Starting at 10:00 am

Atlantic Coffee Solutions 3900 Harrisburg Blvd. Houston, TX 77003

Lots - 101 to 796

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
Day 1 - Star	ts in Expe	erimental Kitchen	123	1	Orbinox gate valve, model 203636MI, 316 stainless, 8"
101	1	Mettler Toledo scale, model PG802-S, s/n 1121391028, cap. max 801g e= 0.1 g, min 0.5g d=	124		[Lot] (9) Ball valves, stainless, (8) 3", (1) 2 1/2"
		0.01g;			
102	1	Weigh Tronix platform scale, model PC-805-50, s/n	110		KW
		SRL7000540B, cap. 50 lb/25 kg, 13 1/2" x 12" platform	126		[Lot] (2) Allen Bradley controls, (1) Panel View 1000, (1) Redi Panel
103		[Lot] (2) Line scales, (1) Ohaus Scout Pro SP6000, s/n 7126310634, cap. 6000g, d= 1g, (1) Highland HCB302, s/n AE76302294, cap 300g x 0.01 g	127	1	Allen Bradley adjustable frequency AC motor drive, model 1332, 3/4 - 20 hp
104	1	Buffalo Technologies R D coffee roaster, model Jabez Burns, s/n 4066	128		[Lot] (2) Allen Bradley adjustable frequency AC motor drives, model 1332, 3/4 - 20 hp
105	1	W.S. Tyler sieve shaker, model RX-29, s/n 21949, with sieves	129	1	Micro Motion mass flow sensor, model DS02GS113SU, s/n 235677, 1 1/2"
106	1	Curtis coffee grinder, model GSG-3BLK, s/n 12158824	130	1	Micro Motion mass flow sensor, model DS02GS113SU, s/n 241259, 1 1/2"
107	1	Curtis coffee grinder, model GSG-3BLK, s/n 12158824	131	1	Rosemount pressure transmitter, model 3051, with
108	1	Mahlkonig coffee grinder, model K32S1071, s/n 586822			Hart Protocol
109	1	Hobart vintage coffee grinder, model 3430, s/n	132		[Lot] (2) Rosemount pressure transmitters, model 3051, with Hart Protocol
		1885977	133		[Lot] (2) Rosemount pressure transmitters, model
110	1	Modern Process coffee mill			3051, with Hart Protocol
111	1	Probat coffee roaster, model L12, s/n 924011, 110 V, single phase, 60 Hz, 12 V, natural gas, 96000 BTU/hr,	134		[Lot] (2) Rosemount pressure transmitters, model 3051, with Hart Protocol
		pressure 6" 1120	135		[Lot] (2) Rosemount pressure transmitters, model
112	1	Probat coffee roaster, model LN5, s/n 8040258, 12 amps, 110 V, single phase, natural gas, 48000			3051, with Hart Protocol
		BTU/hr, pressure 7" H20, 5" H20	136		[Lot] (2) Rosemount pressure transmitters, model 3051, with Hart Protocol
		Curtis hot water dispensers, model WB5GT63000	137		[Lot] (2) Rosemount pressure transmitters, model
114	1	Spitoon, samplers measuring devices			8711
115		[Lot] (2) 2-Tier Carts	138		[Lot] (2) Rosemount pressure transmitters, model 8711
116	1	Shelf unit, 4-tier, with contents	139		[Lot] (2) Rosemount pressure transmitters, model
117	1	Granite pedestal table, 5' diameter lazy susan style	133		8711
440		with (5) rolling stools	140		[Lot] (2) Rosemount pressure transmitters, model
		black swivel armchair			3051
		Dayton pedestal fan, 24"	141		[Lot] (2) Rosemount pressure transmitters, model 8700, with (2) valves
120		[Lot] Coffee urn and tray, commemorative, vintage, silver plate	142	1	Grundfos vertical pump, model
121	1	Valsource Int actuator valve, model 667/EZ	442		A96126861P117320001, 3", 15 hp
122	1	Orbinox gate valve, model 203636MI, 316 stainless, 8"	145	1	Fristam centrifugal pump, model FPR712-110, a/n FPR7121307943, stainless, 2" x 2 1/2", 2 hp

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
144	1	Siemens-Allis induction motor, model RG/134, s/n 751143991411, 600 hp, 4160 V, 60 Hz, 75.8 amps,	165	1	VideoJet ink jet coder, mod. Excel 1701/AF, s/n 030450012WD
145	1	1775 rpm Westinghouse motor, model KG1502/AEHGTK, 150	166	1	Ishida check weigher, mod. DACSW030SBPBI, s/n 1999007702/104038
146	1	hp, 2300/4160 V, 60 Hz, 33.6 amps, 3600 rpm Baldor motor, model ECP84400T4, 100 hp, 460 V, 60	167	1	Ishida check weigher, mod. DACSW030SBPBI, s/n 2000013402/117648
147	1	Hz, 112 amps, 1785 rpm Baldor motor, model 10K723Y97761, 20 hp, 460 V,	168	1	Cardinal platform scale, mod. 210, s/n E30109-0358, ballroller platform, 24" x 24"
148	1	60 Hz, 23 amps, 1770 rpm Baldor motor, model ECP84106T4, 20 hp, 460 V, 60	169	1	Cardinal platform scale, mod. 210, roller platform, 24" x 24", (rollers 26" long)
		Hz, 22 amps, 3510 rpm Tuthill vacuum pump, model RLRC300FA2, s/n	170	1	Cardinal platform, mod. Storm 190, s/n E227130052,
		3575001801	171	1	roller platform, 18" x 18" Cardinal platform scale, mod. Storm 190, s/n
		Goulds pump, model 6X8-15/138.75, s/n S/O6847152913			E031130082, roller platform, 24" x 24", (rollers 26" long)
151	1	Roots rotary lobe blower, model 406RAM, s/n	172	1	HD stand, 56" x 26", mobile
152	1	1010921380 Roots rotary lobe blower, model 68URA1, s/n	173	1	Clyde Union/SPX reciprocating pump, mod. 3/4X2 174TD28, s/n 86038A504, (cart mounted)
153	1	1104932196 Roots rotary lobe blower, model 616RAM, s/n	174	1	(1) Ryobi pressure washer, mod. RY14122, s/n BM14502D020304; and (1) Westward model 49C152
154	1	1401982114 Roots rotary lobe blower, model 412JHRCS, s/n	175	1	Max Pak vertical baler, model MP60HD, s/n 8109357, 440-460-480 volt, 15 hp
		50063234 Buhler air lock, model MIAGING, s/n 36/38	176	1	Genie electric lift, mod. GL8, s/n GL0539740, with built-in charger, 400 lb. cap.
		Prater air lock, model 3AV100020, s/n 7030461566	177	1	Genie wynch lift, 500 lb. cap.
		Signode case taper, model USC-120-1, s/n 2WS05276, never installed, no tape head			SpeedAire air compressor, mod. RYN50A, s/n 4826, vertical mount, SCFM 5.5 @ 90 psi, hp (ISO1217) 28
158	1	Signode case taper, model USC-12-1, s/n 90504136, bottom, belt drive, mobile	179		gal, mobile [Lot] Belt lacers, (4) belt lacers, (1) crimper and
159	1	Markem-Imaje smart laser system, model C350/C350L, s/n US14200209			supplies (contents 4-door mobile storage cabinet with cabinet)
160	1	VideoJet ink jet coder, model 1710, s/n	180	1	Brown Sharpe vernier gauge
		1121808C19ZH	181	1	Starrett outside micrometer set, 1" - 6"
161	1	VideoJet ink jet coder, model 1710, s/n	182	1	Mitutoyo outside micrometer, 8" - 9"
162		1121806C19ZH	183	1	SPI outside micrometer, 8" - 9"
102	1	VideoJet ink jet coder, model 1710, s/n 1121712C19ZH	184	1	SPI outside micrometer, 8" - 9"
163	1	VideoJet ink jet coder, model Excel 2000, s/n	185	1	Mitutoyo outside micrometer, 6" - 7"
464		050381002WD	186		[Lot] (5) Outside micrometers, (1) 2" - 3", (3) 1" - 2", (1) 0" - 1"
164	1	VideoJet ink jet coder, model Excel 1701/AF, s/n 032890019WD	187	1	Starrett inside micrometer set

LOT QTY	DESCRIPTION	LOT QT	Y DESCRIPTION
188	[Lot] (2) Bore guage sets, (1) incomplete	206	1 Fallas case packer, model Index 220, with 14"W x
189	[Lot] (3) Dial guage sets, with (1) dial guage		64"L, 14" W x 20"L, product feed conveyor, 8"W x 42" discharge conveyor to case sealer, 21" x 4' drop
190	[Lot] Precision equipment including (2) T guage sets, (2) magnetic bases, (4) taper guage		hopper, auto adjust beam height, box glides 7 pusher, AB panel view 550, pneumatic /vacuum and programmable control panels, gear drives, approx 8'
191 2	Stainless clad storage cabinet, 2-door, (1) folds open		W x 14'L x 5'H shipping dimension.
192 1	Stainless clad storage cabinet, 3-door	207	1 3M-Matic case sealer, model 12AF / CTD2000-TRV1, s/n 4754 / 3007, top/bottom, 3"W, 115V, 3.8A, 60hz,
193 1	Stainless table, 60" x 36" x 32", 2-tier, mobile		440W, 1998, 33"L bag turner with (2) 5"W conveyor
194 1	Stainless table, 60" x 36" x 30", 2-tier, mobile	•••	belts, 2002
195 1	Stainless table, 60" x 36" x 34", 2-tier, mobile	208	1 Signode /Marsh case sealer, model Gemeni -UCS- 120-1 / Patrion Plus, s/n ZWS05265, top seal, with
196 3	Mobile SS tables, 36" x 20" x 31", 36" x 20" and 60" x 30" x 36" H		16" - 18"W x 78"L roller conveyor with gear drive, 110V, 250W, 60hz, with Marsh Partrion Plus coder with (2) print heads, and 2nd Marsh Patrion Plus
197 1	Linx inkjet coder, mod. 8940 P63, s/n A0819		printer with (2) printheads mounted on inclined
198 1	Linx inkjet coder, mod. 8940 P63, s/n A0818	200	conveyor belt 1 [Lot] Discharge Conveyor, 25'l x 11-1/2"w incline
199 1	VideoJet inkjet coder, mod. 1710, s/n 112809C19ZH	203	conveyor with table top plastic conveyor belt cross
200 1	Diagraph inkjet coder, mod. IV4000, s/n 1V74701050		over stair
Continues in Stick Pa	Pack Packaging Rm, 1 st Floor, Bldg. 20	210	1 Copeland Discus chiller/hvac unit, model 3DS3A150E-TFD-200, s/n E101B01451S, including
201 1	Viking Masek stick pack machine, model ST800, s/n 3241, 10 lanes, with with volumetric servo auger filler, type DS011/10, s/n 3242 - 2012, individual discharge chutes, powered film unwind/tension		Semi-hermetic AC Compressor, 460,3ph/60hz, with Miller Picking Air Handling unit model 6-A8G21VR12S8R27M2, s/n M0688-5609, 7.5hp, 16'W x 7'deep x 4.5'high footprint (equipment 3 37329)
	control, auto film tracking, film slitter and forming tubes, sealing/clamp jaw, quick connect change over parts, bag size @ 0.67" x 1.57" min, 3.15" x 7.88" max, 80 cycle/minute max, 17.75"dia x 23.62"W max film roll capacity, with integrated programmable	211	1 Dayton dehumidifier, model 5KNZ7A, low-grain dehumidifier, 24"W x 37"H x 22" deep, 323cfm, 30-90RH range, capacity -60%RH /24hr, 115V, 1ph/60hz, 10.2A, mobile
	controller cabinet, Siemens Simatic touch HMI, 480V, 3ph/60hz, 30cfm @ 90psi, shipping dim/weight @ 7' x 7' x 12' approx 2000lbs, mfg 2013	212	1 Viking Masek granulated filling head, 10 lanes volumetric filler for dry granulated product with (2) side mount gear drives, with product agitator,
202 1	Markem Imaje coder, model 9232, s/n US130903339, with mono jet printhead, 7" touch screen HMI, 6.6m/s, 32dot font height, 1N-100-240VAC, 05-0.3A,	213	mounted on mobile stainless frame, with lid cover, approx 5" dia outlet.
	50/60hz, 60VA, plus model M-02 Patlite signal tower, mfg 2013	213	1 Viking Masek spare parts, parts for servo auger filler on pallet, plus tubes, diverters, panel lamp on 2 pallets
203 1	Safeline metal detector, 8" apperture ceiling mount, no dump valve, with wall mount remote control, (equipment # CCP 419)	214	[Lot] Stainless Tables, (2) 48W"L x24 W x34"H bull nose edge, (1) 30"L x 24" w x 25" H plus (2) computer operator stations/cabinets
204 1	Viking Masek mobile conveyor, model DPD10, s/n 3519, 10"W x 48"L x 54" incline x 90"L with 2" H x 6.5"W cleated rubber belt @ 3" intervals, 2013	215	[Lot] Slide Gates Platform, (2) pneumatic slide gates, with diverter plus carbon steel work platform with ladder.
205 1	Inclined Conveyor, 36"W x 12'L x 34"/16"H, with modular plastic conveyor belt, 1/2hp gear drive @	216	1 Big Bag Hoist, 2 ton capacity, with ss dump hopper (located outside of Stick Pack Rm)
	60:1 ratio, stainless frame, mobile base.	217	1 Big Bag Hoist, 2 ton capacity, with ss dump hopper

LOT	QTY DESCRIPTION	LOT	QTY DESCRIPTION
	Powdered Soft Drink Mix, 3 rd Floor, Bld		1 SS Cone Hopper, 7' dia x 28" straight x 6' cone, with 18" MH, Salina Vortex pneumatic slide gate, equipment # HP2604)
	s/n 5674, double ribbon, 44"W x 120"L t Deep U-bottom mixing tank, with produ -44" w x 48" L with gratings, (2) 44" W x wire safety screen, manual paddle gate,	through x 54" act feed hatch 36" L welded	1 SS Collection Bin, 8' dia x 44" staight x 44" cone, with 24"dia MH, 12"W x 8'L x 9"deep stainless shaker discharge
	operated hatch cover. Belt driven, 100h gear drive @ 19.03 ratio, 460V, 112A, 3p PF, control box, 10"dia center bottom of penumatic slide gate, (approx 120 CF vo	ph/60hz, 87.4 utlets with	1 Carrier Vibrating Inc shaker feeder, model IDL - M1280S7-2, s/n 25155, 360 deg rotary, 1/4" stroke, 892rpm, 1ph/60hz, carbon steel frame /base,55"L x 55"W fixed base, with 12"W x 8" deep x 7'L vibratory
219	1 Ribbon Blender, 23" W x 78" L x 35" dee with 8" center bottom outlet, Dezurik pr slide gate, AB Panelview 550 touch pad I top hinged cover, 32" W x 78" L welded gratings, gear drive approx 25 hp, (Appro foot volume)	neumatic HMI, dual flip wire safety	discharge pan, with lid cover 10" inlet/outlet, 1 Flex Kleen dust collector, model 22.5/36M-PVBL-36., s/n 200520, all stainless, 48"W x 48"L x 5'-6"H x 9' total height with NY blower series 20, 12dia " inlet x 6" dia bottom discharge, 6 valves, carbon steel frame support, 2 levels carbon steel work platform, 55 x 45
220	1 Palamatic Handling vacuum lifter, s/n Ba 005372-A, with cartridge filter, vacuum	numan	x 55, 45 x 45, 42 / 7' H with 5 steps, gated decks. 1 Auger head, stainless, approx 6"dia x 24"L with 8"dia
221	1 Jib Crane, 150 lbs capacity, pivot swing,		outfeed, 8"dia bottom discharge, 0.5hp gear drive, (equipment # 3)
222	[Lot] CM Coffing chain hoists, (1) 1/2, (2 trolley electric chain hoist with (2) 10" x bridge plus (1) Gorbell beam, pendant co	14' I-Beam 233	1 Midwest Pressure system air booster regulator, with SMC model VBA-404-T04-Z booster regulator, 15-145psi, Speedaire model 2TWC3 13 gallons capacity
223	1 Work Platform, 14' W x 14' L x 42" H app dimension with 4 steps stairway, 3"dia k aluminum chequered plate deck,		air tank 1 CM electric chain hoist, 1/2 tons with 3"W x 6"H x
224	1 Torit Donaldson dust collector, model Di 1G932799-001, all stainless, 45"W x 60" approx, with (4) downflo oval filers, bag 6" bottom spout, attached drum lid, 230 3ph/60hz, 3TEFC, wall mount control pa	L x 118" H 235 in bag out, 0/460V, anel, (3)	16'L I-beam [Lot] Spare Parts, on metro rack, including shaker parts, Custom Advance model, 1844, s/n 81301, 14" dia screen, plus Dings Magnetic, inline magnet, 10" x 8" inlet/outlet
	associated 10' to 12" ducting to (3) remoments after filter boxes .	ote wall 235A	[Lot] Spiroflow bag off system, includes bagging station with scale on 1st floor; secondary collection
Located in 2	2 nd Floor, Bldg. 20		bin with valve and discharge on 2nd floor; stainless collection hopper with valve, shaker discharge and
225	[Lot] Pallet Rack, 2 sections, (2) 9'H x 42' 8'L cross beam, (2) 8'H x 42"W uprights, beam, welded wire deckings	(6) 10'L cross	controller on 3rd floor with valve, Ground Floor, West Receiving Dock
226	Custom Metalcraft tote dumper, model 30689-1, with 6" dia x 5'L stainless screw 1hp gear drive, 208/230/460V, stainless hatch/hopper, single ram air actuated ti	v conveyor, feed lt, 1/2"	1 Torit Day dust collector, model 54 HPH, s/n s/n l6084024, 10'L x 5' W x 5'H striaght x 42" cone with 59"H legs support, with (1) H R Paper Savage baghouse blower 120/240V
227	Unitite valve, on carbon steel frame star 1 KWS Manufacturing screw conveyor, mo	257	1 Load King vertical baler, model 1030253-3V-6030-3, s/n 11237, (equipment # VFB-19)
	4, s/n PO# TX08-2424KN, stainless, 4" di 31rpm, with 1hp /1760rpm gear drive, o steel base with wheel casters, 1993 (equ	ia x 52"L, 238	1 Kongskilde centrifgual collection syst., model MTK300, with Dustorm filter under / over pressure filter collection tank approx 6'dia x 12'H with 55"h with inductive sensor scraper bottom, vortex slide gate discharge, model KE-W side relift vent, dust inlet, power pulse cleaning system, site glass, legs

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
220		support and associated 8" to 12" dia ducting from pump to tank.	250	1	Pod Cassette Loading Syst, 6 pack feed, cassette transfer and conveyors from Pod filler 1 2, including, Table top conveyors approx 84' long to bagging
239	1	Control Metering big bag loader 1, A Filling machine, s/n C39262002, with surge hopper, 6'L x 6' W x 45"straight x 55" cone, with 18" dia MH, level control			machine, associated gear drives, plus (13) pod cassettes
		with legs support on load cell, 58" L x 58"W checkered plate platfom, 8"slide gate discharge, 8"	251	1	Feed Conveyor, Incline 180 deg 14'L with gear drive
		dia feed outlet, carbon steel construction.	252	1	Conveyor Control Panel, with (16) AB Powerflex 40, Cat# 22B-D1P4N104, 0/5hp, 1606XL power supply
240	1	Spiroflow big bag loader 2, model C1Filler -205004, s/n 20210A, with 58"L x 59"W platform Rice Lake			units, Control logix 1756, stainless cabinet.
		scale, 6"dia feed slide gate, bag deflate/inflate switch, (2) Spiroflow model CD36-650 vibrator, 2002	253	1	Wolf FFS pod filler, model VPP-250KVM-10, s/n 2.05.001, with Allen Bradley integrated
241	1	Transcell Tech /Flexweight platform scale, model T-1 500E, s/n 7D200110017285, with 5'L x 5"W steel platform			programmable controllers, control panel with, control logix 5561, Kinetix 6000 axis servo, panel view 600, Markem Smart Date 3, BBK 4 edge block bottom seal, 480V, nitrogen metering control panel,
242	1	CO2 Monitor, with sensor and control box	254		2 position, mfg 2005
243	1	Denso cooling fan, model Classic 18 -Movin Cool/15SFU1, s/n 0500-0010, 208/230v, 1ph/60hz, mobile, 6" dia outlets,	254	1	Ishida checkweigher, model DACS-W-030-SB/PB-I, s/n 46508, with 10" W x 50"L feed conveyor, 120V, 4.5A, 3ph/60hz, mfg 2000
Pod Filling &	& Packagin	g Line (Lots 244 to 266)	255	1	HAUG leak detector, model PACK -VAC -PVEL181210, s/n 570901, 18? x 12? x 10? Compressed air, 30
244	1	OPEM PARMA pod filler a, model FC290, s/n 504, 16 stations @ 6 pods per station, Control cabinet with AB integrated programmable drives and controls,			seconds vacuum test capacity, with 1/4 hp gast vacuum pump, plus VWR traceable controller w/n 160428484. plus (1) stainless table.
		290 pods/minute, 4"w x 22"L discharge conveyor, filter paper handling and cutting rollers, 480V, 60hz, 0.6MPa, mfg 2004, with CFM filter dust collector, Type 9507W-R, s/n 06AE848, 06AE878 (North Pod	256		[Lot] CHSC full bag conveyor, 3-1/2"W x 30'L, 2 gear drives with plastic table top conveyor belt. (from Wolf lot 253)
245	1	Filling)	257		[Lot] QI industry transfer conveyor, 10"W x 53"L sanitary belt conveyor, 1/3hp gear drive with guides,
245	1	OPEM PARMA pod filler b, model FC290, s/n 506, 16 stations @ 6 pods per station, Control cabinet with			aluminum leg supports.
		AB integrated programmable drives and controls, 290 pods/minute, 4"w x 22"L discharge conveyor, filter paper handling and cutting rollers, 480V, 60hz, 0.6MPa, mfg 2004, with CFM filter dust collector,	258		[Lot] Nercon full bag conveyor, (1) 8"W x 23'L, (1) 10"W x 15'L, (1) 10"w x 28'L with (3) 1hp/ 1725rpm gear drive, photo sensor, with slotted table top conveyor belt,
		Type 9507W-R, s/n 06AE179 (South Pod Filling)	259	1	RA Pearson case erector, s/n 892096602, 0.75hp,
246	1	CFM portable dust collector, model Type 3507WR, s/n 06AE878, 280/480V, 6.3kw, 3ph/60hz, 145kg,			460V, 3ph/60hz, with Nordson /Valcomelton hotmelt glue machine,
247	4	mobile, 2004	260	1	Elliot case sealer, model HMT-Mini, s/n 95-10-2, full
		CFM portable dust collector, model Type 3507WR, s/n 06AE178, 280/480V, 6.3kw, 3ph/60hz, 145kg, mobie, 2004			case sealer, with 112" total L feed belt, indexing sensor, Nordson 3500-IEA32/D hotmelt gluing machine, 9"W x 50" top roller guide, 5-25 case per minute
248	1	CFM portable dust collector, Type R305V, s/n 06AE849, 280/480V, 6.3kw, 3ph/60hz, 145kg, mobie, 2004	261	1	Ketan labeler, model K50, s/n 410944, LCD touch pad control, 4.25 to 16" label capacity @ 90'/minute, manual adjust, mobile base
249	1	Pod Feeder Screw, stainless, 4"dia x 12'L screw with flexicon product feed hopper for pod 1 2	262	1	Ketan labeler, model K50, s/n 410908, LCD touch pad control, 4.25 to 16" label capacity @ 90'/minute, manual adjust, mobile base

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
263	1	Marsh case coder, model Patrion Plus, s/n 131931022BL, (2) large character printer, QWERTY keyboard with LCD display, 20 to 200 ft/min capacity, with photo sensor, (1) printhead 100/230V, 50/60hz,		1 Spantech incline conveyor, s/n 11010000, 29"W x 24'L, incline conveyor with gear drive, with maxi span conveyor belt
264		[Lot] Marsh case coder, model Patrion Plus, (2) large character printer, QWERTY keyboard with LCD display, 20 to 200 ft/min capacity, with photo sensor, 100/230V, 50/60hz, (no printhead)	273	1 Fallas pick place machine, model Flexpicker, s/n D3021210-02, with ABB Delta 3 guided robot type IRB360, with 28"W x 16'L infeed conveyor 15"W x 1" x 12" flighted belt take away conveyor, ABB main switch panels, 2 door programmable controllers
265	1	Transfer Conveyor, extending from case sealer to spiral elevator	274	control panel, 480V, 3ph/60hz, 1 Empty Case Carton Conveyor, 180 deg 12"W x 42'L
266	1	Spiral Lift Co. spiral elevator, model Portec -AA1818- SP810DEE, s/n 145161-10114-MOD-3, with (2) 1.5hp @ 25:1 ratio, approx dim, 80"dia x 193"H, carbon		with (2) Gear drives, guides, slotted conveyor belt, on/off switch boxes, photo sensors, poly clear top cover, from pick place to Case erector
IRS Filter-Pak	k Packagir	steel, 3 loop, interroll positive drive belt system, ag Line (Lots 267 to 278)	275	1 Emerald Auto case erector, model CEH, s/n 50452, with 6"W x 50"L carton drop hopper, with 1/2hp/1725 rpm gear drives, 480V, 1/2hp max,
267	1	Hayssen FFS filter pac filler, model 8-16HR, s/n S86585, with Automation Supply Engineering Accu FIII speedster model 100, s/n 950302-2, servo auger		3ph/60hz, 15Amp, with programmable controller control panel, with protective enclosure, with Nordson Pro Blue s/n SA11C74096
		powder filler, with stainless product hopper, programmable controllers cntrol panel, nitrogen flow meter box, air switch, temp control, PanelVlew 1000	276	1 Ishida checkweigher, model DACS-W-030-SB/PB-I, s/n 41918, with (2) 12"W x 24"L feed conveyor, 120V, 4.5A, 3ph/60hz, mfg 1999
268	1	HMI, 6.00-2.50 forming tube, mfg 2000 /1999 Hayssen FFS filter pac filler, model 8-16HR, s/n	277	1 Emerald Auto case sealer, with Nordson ProBlue hot melt
		U83464, with Automation Supply Engineering Accu FIII speedster model 75, s/n 1417, servo auger powder filler, with stainless product hopper, programmable controllers cntrol panel, nitrogen flow meter box, PanelVlew 1000 HMI, air switch, temp	278	1 Compacker case packer, model EP 11-3, s/n EP1196002, horizontal twin infeed / side discharge, hand crank adjust, with Nordson series 3400 hot melt gluing machine. 230v, 60hz with control panel
•••		control, 6.00-2.50 forming tube, mfg 1992/1997	Additional	Filter Pak Area Equipment
269	1	Hayssen FFS filter pac filler, model 12-16HR, s/n U82911, with servo auger powder filler s/n 1001, with stainless product hopper, programmable controllers control panel, nitrogen flow meter box, air switch, temp control, 6.00 - 2.50 forming tube,	279	1 Marsh case coders, model Patrion Plus, (2) large character printer, QWERTY keyboard with LCD display, 20 to 200 ft/min capacity, with photo sensor, 100/230V, 50/60hz, (no printhead)
270	1	115V, 1ph/60hz, 30A, mfg 1991/1997 Hayssen FFS filter pac filler, model 8-12HR, with	280	1 Elliot case sealer, inline top seal with chain and belt feed feed conveyor
		AccuFill Speedster servo auger powder filler model 175, sn 1416, with stainless product feed hopper, 240V, 3ph, 20A, brushless motor @ 3.5hp / 3000 rpm, 0-150hz rating, 1997, programmable controllers	281	[Lot] Slat Belt Case Conv, includes (7) empty full case conveyors, 8" 12"W x 115' approx total length, extending from Compacker to spiral, form IRS filling to pick place to alvey overhead conveyor,
		control panel, nitrogen flow meter box, air switch, temp control, currently set @ 95 empty bags/min, 6.00"-1.875" forming tube, 115V, 1ph/60hz, 30A	282	1 Spiral Elevator, 16"W x 10' total height x 54"dia plus 1 segment 10'L overhead with gear drive
271		[Lot] Spantech bagger discharge conv., 6"W x 12"H x 90' approx total length with gear drives, with multi	283	1 Transfer Conveyor, 3"W x 14'L with gear drive (from cross over stair to lot 278)
		span chain link conveyor belts, extends from baggers to Fallas Flexpicker	284	1 Bosch vacuum pump, model Mink MM-1144-AV, s/n 2015568, dry claw positive displacement, 53ACFM/58CFM, 3hp, 1800rpm, 96m3/h, 60hPa

LOT)TY	DESCRIPTION	LOT	QTY	DESCRIPTION
285	_ 1	Bosch vacuum pump, model Mink MM-1144-AV, s/n 50025868, dry claw positive displacement, 53ACFM/58CFM, 3hp, 1800rpm, 96m3/h, 60hPa	297	1	Tap Tone bag checkers, model TT2000, with HMI remote transducer /sensor /reject station 115V,
285A	_ 1	Roots rotary lobe blower, model 12 x 12, s/n 46647, 200 hp motor (located directly behind wall of Bosch	298	1	Flex-Link lowerator, with 3" gripper belt, aluminum extrusion frame assembly, 1hp gear drive, 6'H x 3'L discharge x 3'L infeed sections
286	_ 1	vacuum pumps [Lot] Cross Over Stair, carbon steel, 3 4 steps, 24" wide	299	1	Douglas Machine tray packer 1, with bottom top magazine hopper, 64"L x 14"W, operator's infeed, crossover, discharge conveyor, starwheel discharge, tray/lid vacuum control panel, protective door
287	_ 1	Compacker case packer, model EP 11-3, s/n EPII95137, horizontal twin infeed / side discharge, hand crank adjust, with Nordson series 3400 hot melt gluing machine. 230v, 60hz with control panel	300		enclosure, 460V, 3ph/60hz, [Lot] Conveyor, approx 30' total linear feet length x 7-1/2"W with roller top low friction plastic chain
288	_	Salwasser robotic case packer, model OBC-2	301	1	conveyor, gear drives, carbon steel frame Weldotron tray wrapper, model 1208C, s/n IV75912, 460v,1ph/60hz,
		/Sureway PAKGD4-8, s/n 9901564, continuous motion, 6 lanes, with stainless feed conveyors ,3"W x 9' 14'L, 3/4hp gear drives.	302	1	Conveyor, (2) feed conveyors to case elevators, 8'L x 18"total frame width with 2- 7-1/2" plastic chain belts, gear ddrives
291	_	Markem case coder, model 5000 Series, s/n 442311, touch dry ink jet printer, with (2) printhead Currie case elevator, s/n CE3768, 9'H, with 3"w x	303	1	Currie elevator, s/n CE-3 559, with aluminum flights, infeed conveyor with sensor, gear drive approx 8'H, 480V, 3ph/60hz
	_	36"L table top steel belt feed conveyor, indexing switch /sensors, aluminum elevator flights @ 3"W x 16"L x 3"H, with gear drives, 460V, 3ph/60hz,			Lots 304 to 318)
292	_ 1	Jib Cranes, (3) 1/4 ton electric chain hoist, 1/2 ton trolley, 5', 6', 8'L x 3"x6"I beam,	304	1	SIG Swiss Industrial brick pack packager, model RSBSV, s/n 516243097, 120 ppm, continuous motion horizontal form fill seal brick pack machine with, 20
SIG Brick Pack Line 294		SIG Swiss Industrial brick pack packager, model RSBSV, s/n 517243110, 120 ppm, continuous motion horizontal form fill seal brick pack machine with, 20 stations rotary vacuum wheel station, film feed carriage, folding roller, bag ejector, approx 2"x 3-1/2"x 7" deep bag pocket chain transport to vacuum			stations rotary vacuum wheel station, film feed carriage, folding roller, bag ejector, approx 2"x 3-1/2"x 7" deep bag pocket chain transport to vacuum wheel, product feeder with 2-fill 1-top up filler, operator's speed/vibrator/weight check panels, cross slide/pusher to discharge belt, main PLC drive control panel, bulk fill weight logic cabinet, (equipment # SIG -2)
		wheel, product feeder with 2-fill 1-top up filler, operator's speed/vibrator/weight check panels, cross slide/pusher to discharge belt, main PLC drive	305	1	Tap Tone bag checkers, model TT-2000, s/n 641, with HMI remote transducer /sensor /reject station 115V,
295	_ 2	control panel (equipment # SIG -1 / NOTE: out of service, some parts removed and can be found on the table and in cabinet as tagged) Tap Tone bag checkers, model TT2000, s/n 640, with HMI remote transducer /sensor /reject station 115V,	306	1	Alpine Conveyor, with 2hp gear drive, 50:1 ration, 1750/1730rpm, aluminum aluminum extrusion frame, extend from SIG-2 take off to lowerator -2, approx 7 pass x 300 total linear feet length x 3-1/2"W with 6"H side guards with Rexnord 1701 Tab 2" acetal plastic chain conveyor.
296	_ 1	SECO Engineering alpine conveyor, with 2hp gear drive, 50:1 ration, 1750/1730rpm, aluminum	307	1	Tap Tone bag checkers, model TT-2000, with HMI remote transducer /sensor /reject station 115V,
		aluminum extrusion frame, extend from SIG-1 take off to lowerator -1, approx 4 pass x 248 total linear feet length x 3-1/2"W with 6"H side guards (NOTE: no plastic chain belt)	308	1	Flex-Link lowerator, with 3" gripper belt, aluminum extrusion frame assembly, 1hp gear drive, 6'H x 3'L discharge x 3'L infeed sections

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
309	1	Douglas Machine tray packer 2, with bottom top magazine hopper, 64"L x 14"W, operator's infeed,	324	1	Elliot case erector, with 9-1/2"W x 7'L feed 460V, 3ph/60hz,
		crossover, discharge conveyor, starwheel discharge, tray/lid vacuum control panel, protective door enclosure, 460V, 3ph/60hz,	325	1	3M-Matic case sealer, model 12AF - 48800, s/n 5649, top seal, adjustable case seal,
310	1	Marsh case coder, model Patrion Plus, with print head	326	1	ID Technology labeler, model 250, corner wrap, swing arm applicator on mobile base.
311	1	Weldotron tray wrapper, model 12080, with roller infeed table, sealing jaws, film rollers, case pusher to shrink tunnel,	327	1	Currie case elevator, s/n CE-3539, 9'H, with 3"w x 36"L table top steel belt feed conveyor, indexing switch /sensors, aluminum elevator flights @ 5"W x 22"L x 3"H, 460V, 3ph/60hz, (26"W x 38"L x 9'H)
312	1	Conveyor, plastic chain conveyors, 10'L 16'L x 4"Wwith gear drives	327A		[Lot] Full Case Conveyors, 8"W x 125' total length slat belt conveyors, (1) rollers, 24"W x 20'L, (2) roller
313	1	Currie case elevator 1, s/n CE-3-482, with aluminum flights, infeed conveyor with sensor, gear drive approx 8'H, 480V, 3ph/60hz			accumulation and diverter tables, 3'W x 4'L 4'w x 5'L with 6 gear drives, (from Zip top elevator to young Pouch line and out to dock, approx total length -
314	1	Stainless Furnishings, (1) 6'L x 2'W x 38"H, with drawers and canopy, (2) HMI station cabinets	328		250'L) [Lot] DSL filler parts, (8) stainless filler augers with 2-
315	1	Lyons parts cabinet, 9 drawers with partitions, parts included, bearings, air cylinders, fittings, on wheel casters (gray)			1/2" 3-1/2"dia column, type 70943DSL, 73904DSL, 73402DSL, tube formers, size 6.00" (on pallet inside cabinet - NOT INCLUDED))
316	1	Cross Over Stair, 6 steps aluminum x 24"W with	329	1	Stainless Cabinet, 2 door, 21"W x 45"L x 74"H
		safety railing, checkered plate flooring	330		[Lot] Cabinet with Parts, 2 door aluminum cabinet
317		[Lot] Bucket Elevators	331		with assorted parts for zip top line
318		[Lot] Spare Parts, for SIG brick pack lines with (3) 2 door storage cabinets	331		[Lot] Vidmar parts cabinet, 6 drawers with partitions and parts included, mobile base
Zip Top Bag	Line (Lots	_	332		[Lot] Lyon parts cabinet, 9 drawers with partitions and parts included, mobile base
319	1	Boss zip top bag filler, with ASE model 50 double auger head /stainless product hopper, 24"dia x 20"deep, with servo, programmable controls, scale, Festo pneumatic, temp nitrogen panels, AB	333	1	General Processing System product reclaim machine, model 40, s/n 2027, with model 224, s/n 2027 bag chopper, 16" rotary drum screen, with 4" discharge, gear drive, on mobile base
		Panelview 6000 HMI, 480V, sartorius digital instrument, Red Lion HMI	334	1	Flexicon stainless hopper, 36"W x 36"L x36"deep, 4-1/2" discharge, 10" feed inlet, with 3" dia stainless X
320	1	Bosch bag sealer, model CBS-D, s/n 1029366, continous motion with 15" sealing bar, doboy 10"W x 10' conveyor,350' - 1200'/min heat sealing capacity, single point gap adjustment, with digital AC drive controller, 230V 1ph/60hz,	335	1	17'L flex auger on mobile base Stainless Hopper, 18"L x 18"W x 28"deep with hinged top lid cover, wire weld safety screen, 2"dia x 24" bottom discharge, on mobile base
321	1	Ishida checkweigher, model DACS-W-050-SB/PB-I, s/n 52711, 120V, 4.5a, 60hz, with 12"W conveyor belt, 11lbs capacity, mfg 2002	336	1	Stainless Hopper, 18"L x 18"W x 28"deep with hinged top lid cover, wire weld safety screen, 2"dia x 24" bottom discharge, on mobile base
322	1	Slat Belt Case Conv, 12"W x 44"L, 12"W x 4'L, with reject pusher, geardrives, register	337	1	Stainless Hopper, 18"L x 18"W x 28"deep with hinged top lid cover, wire weld safety screen, 2"dia x 24" bottom discharge, on mobile base
323		[Lot] Conveyors, 7-1/2"W x 55'L total 90 180deg with plastic slat belt, (2) gear drives	338	1	Stainless Hopper, 18"L x 18"W x 28"deep with hinged top lid cover, wire weld safety screen, 2"dia x 24" bottom discharge, on mobile base

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
339		[Lot] Film Roll Rack, stainless, 2 high, 12"W rack, on mobile base			nitrogen flow meter box, temp control, 11" forming tube, 115V, 1ph/60hz, 30A (Bosch 2)
340	1	BestFlex flexible conveyor, 19"W x 74"L collapsed dim X 20"H with wheel casters	354	1	Spiroflow big bag frame, model C1 Filler, s/n 20210B, with freestanding control and monitor,
341		[Lot] Film Roll Racks, (5) carbon steel film racks	Wolf Stand	d-up Bag Fill	ing Line (Lots 355 & 356)
342		[Lot] Film Roll Racks, (5) carbon steel film racks	355	1	Wolf FFS standup bag filler, model VPP-250KVM-10,
343		[Lot] Film Roll Racks, (5) carbon steel film racks			s/n 205002, 12 oz., with AccuFill Speedster servo auger powder filler with stainless product feed
344	1	Haug PacVac leak detector, model PVEL242015, s/n 667301, with Gast vacuum pump, 27"L X 23"W x 16"H			hopper, 240V, 3ph, 20A, programmable controllers control panel, nitrogen flow meter box, temp control, vibratory cap dispenser, aluminum inspection /work platform with ladder, HMI swing
345	2	CFM dust collectors, model R305V / 3156, s/n 06AE850, industrial mobile units, 140cfm, 66.73sft			arm (HMI incomplete) 2 horizontal fold station, forming tube, 115V, 1ph/60hz, 30A (2005)
246		filter area, direct container intake 260/440V, 3ph/60hz	356	1	Bedford Tech bag sealer, model 2500, s/n 137, with switch control box,1996 $$
346	1	Work Platform, stainless and aluminum construction with 2 step stair, handrail (platform for Douglass tray former 1 2 Not INCLUDED)	357		[Lot] Conveyor, (3) plastic chain conveyors, (1) 16'L x $4"W\mbox{-}"S",$ (1) 45'L x $4"W$ with 180 $$ 90deg segmnts, gear drives
Proceed to	Fin Seal Ba	ngging Area	358	1	Conveyor, plastic chain conveyors, approx 55' total
347	1	Bosch FFS fin seal bagger #2, model SVB-3600, s/n 429, with AccuFill Speedster servo auger powder filler with stainless product feed hopper, 240V, 3ph, 20A, programmable controllers control panel, nitrogen flow meter box, temp control, 3.875" forming tube, Jaguar II Nords print, handheld	359		linear feet length x 12"W x 16"H with gear drives [Lot] Conveyor, (2) plastic chain conveyors, (1) 70"L x 24"W with 2-12"W belts, (1) 60"L x 15"W with 2-7- 1/2"W belts, with gear drives (by Alvey conveyor take off)
		controller, 115V, 1ph/60hz, 30A	Special De	livery Filter	Pack Line (Lots 360 to 380)
348	1	GF Equipment packer feeder, with incline take away conveyor, 3"W belt with 1-1/2"H flight @ 8" intervals, gear drive	360	1	Young Co. filter pouch filler, stand up pouch machine with Mateer auger product inline feeder, stainless product hopper, Operator control panel, auger filler microset and temp control, on board 2 door electrical wiring panel (filler #1)
349	1	Signode case sealer, top/bottom seal with roller conveyors,			
350	1	Bosch FFS fin seal bagger 1, model SVB-3600, s/n 430, with AccuFill Speedster servo auger powder filler with stainless product feed hopper, 240V, 3ph, 20A, programmable controllers control panel, nitrogen flow meter box, temp control, 3.875"	361	1	Young Co. filter pouch filler, stand up pouch machine with Mateer auger product inline feeder, stainless product hopper, Operator control panel, auger filler microset and temp control, on board 2 door electrical wiring panel (filler#2)
351	1	forming tube, 115V, 1ph/60hz, 30A (Bosch 2) GF Equipment packer feeder, s/n 19, with incline take away conveyor, 3"W belt with 1-1/2"H flight @ 8" intervals, gear drive	362	1	Young Co. filter pouch filler, stand up pouch machine with Mateer auger product inline feeder, stainless product hopper, Operator control panel, auger filler microset and temp control, on board 2
352	1	Signode case sealer, top/bottom seal with roller conveyors	363	1	door electrical wiring panel (filler#3) Young Co. filter pouch filler, stand up pouch
353	1	Bosch FFS "big bag" bagger, model SVB-3600, s/n 428, with AccuFill Speedster servo auger powder filler with stainless product feed hopper, 240V, 3ph, 20A, programmable controllers control panel,			machine with Mateer auger product inline feeder, stainless product hopper, Operator control panel, auger filler microset and temp control, on board 2 door electrical wiring panel (filler#4)

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
364		[Lot] Conveyor, 8"W x 115'L approx (from Filler 1-4 to lot 366)	377	1	Package Machinery vertical case packer, model Dyna Pak-S28, s/n 10446, 1.5hp max, shelf speed @ 1-8,
365	1	PLC Control Panel, Young special delivery PLC racks			currently set for 2lbs bean 2x6, with 14"W x 45"L conveyor, 16"W x 6'L incline feed conveyors, 18"W x
365A	1	Screw Conveyor, ceiling mounted product distribution screw conveyors, approx 22'L x 10" dia from 5' to 14'L x 5"dia branch distribution, (approx 8" 3" screw) with (4) gear drives, with (1) dump valve			20"L collapsible positioning loading trays with programmable controllers panel, Allen Bradley PV550, mandrel width x height adjustment from 13-3/8" -21-1/4" x 16-1/2"-22-7/8, with vacuum case pick up station with 24"W x 5'L transfer conveyor
365B	2	Quickdraft pressure blowers, model Mark I,			with sanitary belt, gear drive,480V, 3ph/60hz, programmable controllers panel
366	1	Nercon incline conveyor, 4 lanes, 36"W x 15' L with 8"W table top conveyor belt	377A	1	Package Machinery case positioner, model Dyna Pak, with head vacuum case pick up, 18"W x 48"L
367	1	Whizlifter bucket elevator, model CBT / CBT2, s/n 864397, with 19"L x 8" 3" W x 4" deep bucket, 28"L x 23" W x 11'H carbon steel housing, product infeed drop station with 4 lanes 8" belt, 4 product gate	378		conveyor. Elliot case sealer, model 85-AT, s/n 88323, with gear drive, control panel,
368	1	infeed to bucket. Package Machinery ffs bagger, model TWH-2, s/n 7970698, with 9.00" forming tube, Jaguar II 52i / Norwood printer, inline product hopper	379		[Lot] Conveyors, (1) 9"W x 6'L x 25"total width 90deg, (1) 12"W x 18'L x 24"total width 180 deg, each with (2) 9" and 12" conveyor belts, gear drives, photo sensor/registers.
369	1	Acurex Icore checkweigher, model Mark III-MK111-FR32SPL, s/n 501100, with 10"W x 19" L conveyor with belt 10" x 30"L conveyor no belt	380	<u>-</u>	[Lot] Package Machinery spare parts, model Dyna Pak, (4) Mandrels, 31", 35", 36" L, 1 x 8 x 3lbs, 1 x 6 x 2 lbs
370	1	Nercon transfer conveyor, 8"W x 65'L, 8W x 88"L with slat conveyor belt, (3) gear drives (from bagger	381		[Lot] Cross Over Stairs, (3) carbon steel 3 steps, (2) aluminum 2 steps
371	1	lot 368 to Dyna Pak) Elliot case erector, model A0BG, s/n 86-77838, with 4'W x 5'L magazine, vacuum pick up, bottom taper.	382		[Lot] Test Instruments, including (2) oxygen sensors, Vacuum pump, bag pressure tester
372		[Lot] Conveyors, 20"W x 45'L power roller conveyors,	383		[Lot] Stainless Furnishings, (1) Stainless table, (4) HMI cabinets
		with gear drives, photo sensors (from dyna Pak to lot 371)	384		Marsh coder, model M-Patrion -G220 p/n 27171, s/n 26925328008, with print head (note printhead
373	1	Package vertical case packer, model Dyna Pak, with (2) 10"W x 6'L feed conveyors, 10"w x 4'L x 3"H side guard incline gravity product drop, programmable	Cloud Filling Line	1 (Lo	mounted on conveyor in cloud line 1) ts 385 to 390)
074		controllers panel	385	1	Jones cloud filler 1, s/n SR578, continuous motion, 32 station pouch fill station, product distribution
374	1	Elliot case sealer, model 85-AT, s/n 91-4-19, with (1) 8"W x 7'L x 24"H discharge conveyor with 8" W idler roller conveyor belt, 18" total width, with gear drive, photo sensor/register			hopper, 42" dia rotary table, nitrogen metering monitor, temp, vacuum, level controllers, 460V, 3ph/60hz, control voltage, 230/115, currently set @ 0.75-2.50oz, 635-585package/minute, wall mount
	1	Currie elevator, s/n CE3411, with 16"L x 6 " W x 3 "H angle seat, 3 " x 3 'L feed steel belt conveyor, gear drives, 40 "L x 20 "W x 11 'H total enclosure dim, phot sensors			stainless servo drive control panel, with Butler Auto SP1-12 x 24L, s/n J7032-RH, web film splicer, 03LH, 460V, 1ph/60hz, 24"W max roll, 600fpm max speed, 2 lanes stainless pneumatic tilt discharge conveyor, FK200 silencer, real time add back switch, micro set
376	1	Elliot case erector, model 80EG, s/n 80-88747, 45"W x 66"L drop hopper, electrical control panel, 12"W x 8'L chain belt discharge from from vacuum to tuck /flap station, bottom tape apply	385A		tension control [Lot] Jones change parts, in freestanding stainless parts storage cabinet, included

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
386	_ 1	Acurex Icore checkweigher, model Mark III, with 16"W x 34"L conveyors			dia rotary table, nitrogen metering monitor, temp, vacuum, level controllers, 460V, 3ph/60hz, control
387	_ 1	Elliot case sealer, model 85-AT, inline top seal with chain and belt feed feed conveyor			voltage, 230/115, currently set @ 0.75-2.50oz, 635-585package/minute, with Butler Auto SP1-12 x 24L, s/n J7032-01LH, web film splicer, 03LH, 460V,
388	_ 1	Currie case elevator, s/n CE3-271, 16"L x 5"W x 2"H flights, 40"L x 19"W x 9'H elevator housing, with 3"w x 36"L feed conveyor, limit switch/sensors, gear drives			1ph/60hz, 24"W max roll, 600fpm max speed, 2 lanes stainless pneumatic tilt discharge conveyor, FK200 silencer, real time add back switch, micro set tension control
389	_ 1	Table to /Power Roller Conveyors, (1) 6'L x 12"W, (1) 18"w x 66"L power roller with 9"W conveyor belts,	397A		[Lot] Tilt Up/Down Transfer Conveyor, (3) 20 "L x 9 "W pneumatically controlled (line 1, 2, 3)
		photo eye/sensors, (1) 32"L x 18"W power roller with 12"W conveyor belt with reject pusher with gear	397В		[Lot] Jones change parts, in freestanding stainless parts storage cabinet, included
390	_ 1	drives Slat Conveyors, (6) full case conveyors, including 7-	398	1	Elliot case sealer, model 85-AT, s/n 90-10-25, inline top seal with chain and belt feed feed conveyor
		1/2"W x 8-1/2'L, 22-1/2'L, 14'L, 12'L 12"W x 5'L with (5) gear drives	399	1	Currie case elevator, s/n CE3-575, 16"L x 5"W x 2"H flights, 40"L x 19"W x 9'H elevator housing, with 3"w
Cloud Filling Line 2 391	•	Its 391 to 396) Jones cloud filler 2, s/n SR3579, continuous motion,			x 36"L feed conveyor, limit switch/sensors, gear drives
331	_ 1	32 station pouch fill station, product distribution	Wexxar Case Ere	ectors	
		hopper, 42" dia rotary table, nitrogen metering monitor, temp, vacuum, level controllers, 460V, 3ph/60hz, control voltage, 230/115, currently set @ 0.75-2.50oz, 635-585package/minute, with Butler Auto SP1-12 x 24L, s/n J7032-01LH, web film splicer, 03LH, 460V, 1ph/60hz, 24"W max roll, 600fpm max speed, 2 lanes stainless pneumatic tilt discharge	401	1	Wexxar compact case erector, model WTF, s/n 2114, 6'L x 28"W dual screw carton magazine hopper, bottom seal, 460V, 3ph/60hz, 2.0A, 1/3hp, approx from 15-20cpm, approx from 6"w to 20"W x, 7"-20"L, x 6"-20"deep capacity, with rogrammable control panel.
		conveyor, FK200 silencer, real time add back switch, micro set tension control	402	1	Wexxar compact case erector, model WTF, s/n 2113, 6'L x 28"W dual screw carton magazine hopper,
391A	_ 1	[Lot] Jones change parts, in freestanding stainless parts storage cabinet, included			bottom seal, 460V, 3ph/60hz, 2.0A, 1/3hp, approx from 15-20cpm, approx from 6"w to 20"W x, 7"- 20"L, x 6"-20"deep capacity, with rogrammable
392	_ 1	Icore checkweigher, model Auto 8000, with 16"W x 34"L conveyors			control panel.
393	_ 1	Elliot case sealer, model 85-AT, s/n 99-1-15, inline top seal with chain and belt feed feed conveyor	403	1	Wexxar compact case erector, model WTF, 6'L x 28"W dual screw carton magazine hopper, bottom seal, 460V, 3ph/60hz, 2.0A, 1/3hp, approx from 15-
394	_ 1	Spiral Lift Co. spiral elevator, 16" total width x 9'H x 64" dia, 4 loops, with 12"W conveyor belt plus 12"W x 4'L straight segment @ top with gear drive, carbon steel, 3 loop, interroll positive drive belt system,	404	1	20cpm, approx from 6"w to 20"W x, 7"-20"L, x 6"-20"deep capacity, with rogrammable control panel. Currie case elevator, s/n CE-3-574, 16"L x 5"W x 2"H flights, 40"L x 19"W x 9'H elevator housing, with 3"w
395	_ 1	Conveyors, (5) full 7 empty case conveyors, 7'L x 12"W, 7'L x 12"-"S", 9'L x 12", 9'L x 12"W -90deg,			x 36"L feed conveyor, limit switch/sensors, gear drives
396	_ 1	[Lot] Conveyors, 16"L xx 12"W power roller with rejet pusher, 6'L x 12"w table top with gear drives, photo eye/sensors	405		[Lot] Full Empty Case Conveyors., 12"W x approx 95'total length with gear drives, photo eye/sensors with (1) 4'L x 3'W inline diverter /accumulation conveyor with (3) 12"W slat belt (extending from
Cloud Filling Line 3	(Lo	ots 397 to 399)			wexxar to currie, take off to power roller lot 406) lot 401-404)
397	_ 1	Jones cloud filler 3, continuous motion, 32 station pouch fill station, product distribution hopper, 42"			

LOT QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
406	[Lot] Empty Case Conveyors, (1) $18'L \times 12''W-180$ deg, (1) $7'L \times 12''W$, (1) $24'L \times 12''W-45$ 90 deg, with gear drives.			gas air valves control panels, natural gas, combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect
407	[Lot] Matthews power roller empty case conveyor, 12" 24" wide x approx 250'L, 3 decks, power roller conveyors, with photo eye/sensors, gear drives on carbon steel frame supports, (from Wexxar to line 2 filler area)	419	419 1	Probat batch roaster 2, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x 14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with, gas air valves control panels, natural gas,
408	[Lot] Stainless HMI Stations, (5) stainless for cloud filler line 1 to 3			combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect
410	[Lot] Alvey full case conveyor, model item# 824536MV, s/n 002-EDU/UB-06-2/16LHUH1-76B- EAG, 16" total width x approx 875'L with 12"W V- belts on take off, approx 15-20 gear drives, and PLC control panel (extend from zip top line to filter 7 pod filling to pallletizing area) [Lot] Cross Over Stairs, (2) 3 steps x 24"W carbon	420	1	Probat batch roaster 3, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x 14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with, gas air valves control panels, natural gas, combustion air switch/blower, associated burner
	steel frame			valves metering instruments, cylinder drives, ducting to first disconnect
Located outside of Clo	oud Filling Room 1 Big Bag Frame 3, with Prater rotary valve model PAV-	421	421 1	Probat batch roaster 4, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x 14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with, gas air valves control panels, natural gas, combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect
Proceed Down Rail Do	120, 1.5kw /1660rpm, 18"L x 18"W x 15" deep stainless feed hopper, 1 ton CM chain hoist on 62"L x62"W x 156"H carbon steel support			
412 1	Roots rotary lobe blower, model Whispair Forty PSL 409J, s/n 209950886, 50hp/1770rpm rework blower, 480V, with silencer on skid (located in room behind Big Bag frame	422	1	Probat batch roaster 5, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x 14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with, gas air valves control panels, natural gas, combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect
413 1	Rework Baghouse, 48"L x 48"W x 118H straight x 52" cone on 90"H angle legs support with Semco -0VRV-02 rotary valve, with 3/4hp gear drive, 6"dia discharge outlet, 14"dia side outlet			
414 1	Nash vacuum pump, model CL-402, remanufacture 2008, 3"x3", 50hp gear drive, on skid (pump#2)	423	1	Probat batch roaster 6, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x
415 1	Nash vacuum pump, model CL-402, 3" x 3", 50hp gear drive, on skid (pump#1)		14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with, gas air valves control panels, natural gas,	
416 1	Vacu-Max rework vacuum pump, model GABMBPA, s/n S116050, 5hp, with silencer, on skid, 2"x2", 480V		combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect	
417 1	Vacuum Pump, model KLR -130-S, s/n 0799-840808, 2"x2", 5hp,480V	424	1	Probat batch roaster 7, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x
Proceed to Roast & G	rind Room, 4 th Floor, Bldg. 12			14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with,
418 1	Probat batch roaster 1, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x 14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with,			gas air valves control panels, natural gas, combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
425	1	Probat batch roaster 8, 500lbs/batch green beans, 250lbs/ batch roasted beans capacity with 99"dia x	443	1	MPE/BF Gump Co. coffee grinder 15, Type 88-D, s/n H1295, 1000 lbs /hr capacity, head # B-1796/F2484
		14"H stainless rotary drying bed stirrer, top cover with sight glass, operators control switch panel, with, gas air valves control panels, natural gas,	444	1	MPE/BF Gump Co. coffee grinder 15d, Type 88-D, 1000 lbs /hr capacity, head # B-1222/F2390
		combustion air switch/blower, associated burner valves metering instruments, cylinder drives, ducting to first disconnect	445	1	MPE/BF Gump Co. coffee grinder 16, Type 88-D, s/n H1176, 1000 lbs /hr capacity, head # B-677/F2322
MPE/Gump Grind	lers		446	1	MPE/BF Gump Co. coffee grinder 17, Type 88-D, s/n H2437, 1000 lbs /hr capacity, head # B-815 /F875
426	1	MPE/BF Gump Co. coffee grinder 1, Type 88-D, s/n H788, 1000 lbs /hr capacity, head # F819	447	1	MPE coffee grinder fw, model No 888., 3000 lbs /hr capacity, head # B-810/F371
427	1	MPE/BF Gump Co. coffee grinder 2, Type 88-D, 1000 lbs /hr capacity, head # B-537	448	1	MPE coffee grinder fe, model No 888., 3000 lbs /hr capacity
428	1	MPE/BF Gump Co. coffee grinder 3, Type 88-D, s/n H398, 1000 lbs /hr capacity, head # B-136/F1474	449	1	MPE/BF Gump Co. coffee grinder 18, Type 88-D, 1000 lbs /hr capacity, head # B-1162/F2275
429	1	MPE/BF Gump Co. coffee grinder 4, Type 88-D, s/n H1286, 1000 lbs /hr capacity, head # F829	450	1	MPE/BF Gump Co. coffee grinder 19, Type 88-D, s/n H1516, 1000 lbs /hr capacity, head # B-938/F2265
430	1	MPE/BF Gump Co. coffee grinder 5, Type 88-D, s/n H1759, 1000 lbs /hr capacity, head # B-1024/F813	451	1	MPE/BF Gump Co. coffee grinder 20, Type 88-D, s/n H1962, 1000 lbs /hr capacity, head # B-978/F2338
431	1	MPE/BF Gump Co. coffee grinder 6, Type 88-D, s/n H2568, 1000 lbs /hr capacity, head # B-952/F1041	452	1	MPE/BF Gump Co. coffee grinder 21, Type 88-D, s/n H269, 1000 lbs /hr capacity, head # B-611/F2337
432	1	MPE/BF Gump Co. coffee grinder 7, Type 88-D, s/n H1392, 1000 lbs /hr capacity, head # B-1183/F1116	453	1	MPE/BF Gump Co. coffee grinder 22, Type 88-D, s/n H538, 1000 lbs /hr capacity, head # B-B-412/F1117
433	1	MPE/BF Gump Co. coffee grinder 8, Type 88-D, s/n H912, 1000 lbs /hr capacity, head # B-716/F1196	454	1	MPE/BF Gump Co. coffee grinder 23, Type 88-D, s/n H887, 1000 lbs /hr capacity, head # B-343/F2410
434	1	MPE/BF Gump Co. coffee grinder 9, Type 88-D, s/n H1590, 1000 lbs /hr capacity, head # B-1161/F621	455	1	MPE coffee grinder, model GPX series, 12"x 12" x 12"deep stainless feed hopper, (NOTE: no head
435	1	MPE/BF Gump Co. coffee grinder 10, Type 88-D, s/n H1623, 1000 lbs /hr capacity, head # B-1390/F1340	456	1	cover) MPE coffee grinder, model GPX series, 12"x 12" x
436	1	MPE/BF Gump Co. coffee grinder 11, model 800 Series, 3000 lbs /hr capacity	457	1	12"deep stainless feed hopper MPE coffee grinder, model GPX series, 12"x 12" x
437	1	MPE/BF Gump Co. coffee grinder 12, model 800 Series, 3000 lbs /hr capacity	458	1	12"deep stainless feed hopper Blower, with 1/2hp dayton motor, in stainless
438	1	MPE/BF Gump Co. coffee grinder 12a, Type 88-D, s/n H570, 1000 lbs /hr capacity, head # B-955/F1114			enclosusure MPE/BF Gump Co. coffee grinder, Type 88-D, 1000
439	1	MPE/BF Gump Co. coffee grinder 12b, Type 88-D, 1000 lbs /hr capacity, head # B-829/F1045			lbs /hr capacity, head # F 870 (located on 8th Floor, Bldg 17)
440	1	MPE/BF Gump Co. coffee grinder 13, Type 88-D, s/n H2242, 1000 lbs /hr capacity, head # F2230	460	1	MPE/BF Gump Co. coffee grinder, Type 88-D, 1000 lbs /hr capacity head # 794 (located on 8th Floor, Bldg 17)
441	1	MPE/BF Gump Co. coffee grinder 14, Type 88-D, s/n H1682, 1000 lbs /hr capacity, head # B331/2505	461	1	MPE/BF Gump Co. coffee grinder, Type 88-D, located in agglomeration bldg, floor 5 or 6
442	1	MPE/BF Gump Co. coffee grinder 14d, Type 88-D, s/n H1345, 1000 lbs /hr capacity, head # B-325/F2450			

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
		Area near adjacent to Lot 454	476	1 Electric Chain Hoist, 1/2 ton with I beam, super sack bag lifting /spreader
463	1	Roots Dresser rotary blower, model Ram Whispair- 412J, s/n 9909200824, 40hp/1775rpm	477	
464	1	Roots Dresser rotary blower, model 412-RAM-J, s/n 805968760, 40hp/1775rpm	478	2 Manual Chain Hoists, with trolleys with 4"w x 6"H I beam (within grinding machine areas)
465	1	Roots Dresser rotary blower, model 616JVRCS	Located on	North Side of 4 th Floor
		Whispair, s/n 89-82897, 100hp	479	2 Ross Waldron continuous batch roasters, 5,000
466	1	Roots Dresser rotary blower, model 412JJVRCS Whispair, s/n 97122624, 50hp/1765rpm		8,000lbs/hr capacity, (1) 2 zones, 36"dia x 8' cooling drum section, 8'W x 20'L hot section (Equipment #
467	1	MAC air lock, model RV-102, s/n 59892-001-2, with stainless receiving hopper with wire screen, approx 20"L x 20"W		ITR2) with 30" 40" dia rotary roasting drums; other unit is 2 zones, 42"dia x 8'W x 14'L cooling drum section, 8'W x 30'L hot section(Equipment # ITR3) including gear drives, maxon gas metering and
Located in Next				supply lines control, associated ductings, burners, inspection /service doors with sight glasses, valve
468	2	U Shaped Blenders, 12'L x 60"W x 68"H (hull dimension) with stainless ribbon blending agitator approx 58"dia, with flip top cover, 40hp gear drive, 1775rpm, plus surge hopper on load cell with	480	controls, (NOTE: please inspect with riggers) [Lot] Isolate Inc. air cooling system, model ISO- 12KTADCWV, s/n 1021-07-547, 460V, 3ph/60hz, heatcraft coil approx 8'L x 30"W x 8'H enclosure
		pneumatic slide gate discharge to blender, carbon steel (NOTE : please inspect location with rigger)	482	[Lot] Vacu-Max System, vacuum receiving hopper,
469	1	Coffee Grinding Shop, contents includes chain hoists, storage cabinets, work tables, etc.		24"dia x 6'H, 5.5/10hp blower- model- DR858BB, item 21119/sn 5336, (1) 24"dia x 3'H ceiling mount vacuum hopper with pneumatic slide gate
470	1	Bean Batch Scale, 10 head mulit head 500lbs per batch capacity scale with 45" dia scale hopper on top, 6'L x 34"W x 46"deep surge hopper below, 11'H legs support with air lock, associated drive	484	[Lot] Allen Bradley Centerline itr-2 mcc panels, (1) 5 sections /24 switch disconnect, (1) 8 sections / 26 disconnect, (2) 5 sections /22 disconnect, (1) 8 sections / 44 switch disconnect, 5 sections /26 switch
471	1	Bean Batch Scale, 10 head mulit head 500lbs per batch capacity scale with 45" dia scale hopper on top, flow diverter, (2) surge hopper below - 4'L x 28"W x 28" deep 11'H legs support, with air locks, associated drive.		disconnect, plus (1) Yaskawa Variespeed P7 ac drive (NOTE: MCC that control lighting panels are not included and maybe subject for approval, 1 MCC have 2 sections to stay - panel conduit cut to first disconnect, no pulling of wires beyond panels)
472	1	Bean Batch Scale, 500lbs per batch capacity scale with 45" dia scale hopper on top, flow diverter, (2) surge hopper below - 4'L x 28"W x 28" deep 11'H legs support, with air locks, associated drive plus (1) Stainless screw conveyor, approx 6"dia x 12'L approx (part of screw conveyor on the other side of the wall outside bldg.)	485	[Lot] Allen Bradley Centerline itr-3 mcc panels, (1) 6 sections/20 switch disconnect, (1) 6 sections / 28 switch disconnect, (1) 3 doors PLC control panels, plus (1) Yaskawa Varispeed P ac drive (2) 2-doors storage cabinets with Miscellaneous automation and flow/analytical instruments included. (NOTE: panel conduit cut to first disconnect, no pulling of wires beyond panels)
473		[Lot] Programmable Control Rm, with racks of Allen Bradley 1771 PLC, switch panels, approx 25 PLC racks	486	1 [Lot] Stainless Trasnfer Bins, (3) 4'sq x 36"H with hinged flip top lid covers, cone bottom, butterfly
474		[Lot] MCC Panel, for mill grinding dept, with Allen Bradley motor control panels		valves, bottom discharge, (1) 36"dia x 30" deep with lid cover, on mobile base(NOTe: 1 located by
475		[Lot] Q.C. Room, including (2) Ro-Tap sieve shakers, (1)Mahlkonig type K32S10/71 grinder, (2) Stainless tables approx 4'L x 30" (inside room by Probat roasters)	487	roasting grinding area) 1 Budgit electric chain hoist, 1/2 ton capacity with 3"W x 6"H x 8'L beam plus super sack bag lifter/spreader

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
488	1	IG Plus platform scale, model 310, with 4'sq steel platform	498	1	Product Saver add back unit, model 2032, s/n 241, stainless with 34"L x 14" dia rotary screen seperator,
Proceed to	2 nd Floor, E	Bldg. 12			8"sq discharge, Dayton -2H575A drive, 20" dia receiving hopper, 8"dia screw feeder, control panel,
489	1	SLI hopper conveyor, model FC82-55, stainless, 8'L x 9'H with 8"W with 2"H flight @ 9-1/2" oc, with gear			Sew Euro main drive, Mac rotary valve collection bin, rotary cutters, (for cloud 1 real time add back)
		drive, approx 45 deg incline on stainless frame support	499	1	Product Saver add back unit, model 2032, stainless with 34"L x 14" dia rotary screen seperator, 8"sq discharge, Dayton -2H575A drive, 20" dia receiving
490	1	Wortex granulator rework unit, model FFL-816, s/n 1354, with 1-1/4 size screen, size 16 blowers, L16 blades, control panel, 52"L x 42"W x40"H straight x 20" cone stainless hopper, 30" rotary drum on 45"H			hopper, 8"dia screw feeder, control panel, Sew Euro main drive, Mac rotary valve collection bin, rotary cutters, (for cloud 1 real time add back)
		legs support with wheel casters, approx 5'H inspection platform with ladder, 1.5hp semco airlock.	500	1	Product Saver add back unit, model 2032, stainless with 34"L x 14" dia rotary screen seperator, 8"sq
491		Collection Bin, with 1 ton capacity overhead bag hoist with 4"W x 6"H x 12'L beam			discharge, Dayton -2H575A drive, 20" dia receiving hopper, 8"dia screw feeder, control panel, Sew Euro main drive, Mac rotary valve collection bin, rotary
492	1	Product Saver recovery unit, model 2028/2029, s/n 224/040, pod add back /rework machine,	501	1	cutters, (for cloud 1 real time add back) Kongskilde add back blower, model Multiair 1100S,
		stainlesswith 17"L x 14"dia rotary screen seperator, vibratory bottm discharge, approx 1/4hp drive,			s/n 16460041, high pressure blower, 10hp, 20A, 44psi @ 100cfm, 21psi@ 1650cfm, 160/200V
493	1	Jacobson hammermill, model P-160-DFF, s/n 36876, with 4" dia screw feeder, 10hp drive @ 9:95 ration,			overgang style, 480V switch box, 615lbs shipping weight (for cloud portion filling line)
		with 74"L x 32"W x 14"deep cable suspended Rotex gyratory reciprocationg motion screener, model 202A-AL/SS, s/n R011088, major 102lbs/minor 46lbs, with 2hp drive @ 300 rpm (for cloud # 3)	502	1	Kongskilde add back blower, model Multiair 1100S, high pressure blower, 10hp, 20A, 44psi @ 100cfm, 21psi@ 1650cfm, 160/200V overgang style, 480V switch box, 615lbs shipping weight (for cloud portion
494	1	Jacobson hammermill, model P-160-DFF, s/n 3778, with 4" dia screw feeder, 10hp drive @ 9:95 ration,	503	1	filling line)
		with 74"L x 32"W x 14"deep cable suspended Rotex gyratory reciprocating motion screener, model 202A-AL/SS, s/n R161290, major 102lbs/minor 46lbs, with 2hp drive 2 300rpm (for cloud # 2)	505	I	Kongskilde add back blower, model Multiair 1100S, s/n 000367, high pressure blower, 10hp, 20A, 44psi @ 100cfm, 21psi@ 1650cfm, 160/200V overgang style, 480V switch box, 615lbs shipping weight (for cloud portion filling line)
495	1	Jacobson hammermill, model P-160-DFF, s/n 37859, with 4" dia screw feeder, 10hp drive @ 9:95 ration, with 74"L x 32"W x 14"deep cable suspended Rotex gyratory reciprocating motion screener, model 202A-AL/SS, s/n R151294, major 210lbs, with 2hp drive @	504	1	Kongskilde multi-cutter, model MC3000, s/n 02- 1023C, with direct coupled flanged 1.5kw/0.75kw drive motor, angled rotating rotor, shaftless cutting chamber, mfg 2002
		300rpm (for cloud # 1)	505	1	Kongskilde multi-cutter, model MC3000, s/n 02- 1023A, with direct coupled flanged 1.5kw/0.75kw
496	1	Jacobson hammermill, model P-160-DFF, s/n 37364, with 4" dia screw feeder, 10hp drive @ 9:95 ration, with 74"L x 32"W x 14"deep cable suspended Rotex			drive motor, angled rotating rotor, shaftless cutting chamber, mfg 2002
		vibratory reciprocating motion screener, model 202A-AL/SS, s/n R290190, major 102lbs/minor 46lbs, with 2hp drive @ 300rpm(for Sig 2)	506	1	Kongskilde multi-cutter, model MC3000, s/n 02- 1023B, with direct coupled flanged 1.5kw/0.75kw drive motor, angled rotating rotor, shaftless cutting
497	1	Rotex screener, model 202A-AL/SS, s/n R290190, 74"L x 32"W x 14"deep cable suspended Rotex vibratory reciprocating motion screener, 102lbs/minor 46lbs, with 2hp drive @ 300rpm(for Sig 2)	507		chamber, mfg 2002 [Lot] Surge Hopper, product supply hopper with (1) Vacu-Max model MDL105017.01 /sn 1233892 transfer hopper 16"dia x 24"H with 8"discharge to surge hopper 26"L x 20"W x 46"h striaght x 20" cone with sight glass, 12"dia MH, with (2) 12" x 12" drawer

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
		type finger magnet seperators, inspection platform with ladder and safety rail (discharge to Wolf FFS)	Instant Filli	ing & Capping Line A (Lots 518 to 524)
508		[Lot] MPE tubular drag conveyor, model Chain -Vey, food grade chain, 650 cubic foot /hr capacity with 4"dia disc, 5"dia 304 s/s tubings, with Sew Euro drive-MM30d-503-00, 3kw with 18" x 18" U-track housing, with flush out hopper, 6"dia discharge, ceiling mount (extend from 2nd floor to ground floor) [Lot] Surge Hopper, (2) product hopper, 40"dia x	518	1 Mc Brady Engineering a line cleaner, model 600, s/n HSA681-10, 450 jars/min, air/water/sanitary capable, 3"W build in infeed /discharge conveyors, rubber gripper belt, separate gripper gear ddrives, with Torit Donaldson dust collector model 60 Cabinet QS, 460V/3ph/60hz, with (1) 8'L x 5"W conveyor, Drive control cabinet with AB flex 40 drives, 1hp /1725 gear drives, 10'L x 3'W x 56"H housing /enclosure, flip top safety cover
		16"H straight x 30" cone, 40"dia x 20"H straight x 28" cone with (2) 12" x 12" drawer type finger magnet seperators, pneumatic slide gate dump valves, on/on switch box, bindicators, sight glass, 12"dia MH, 3450rpm vibratory bottom discharge support		1 A Line Filler, 24 filling heads rotary filler, with CP parts, guides starwheel, timing screw, 24"L x 5"W discharge conveyor, gear drives, all stainless contact filling parts, cladddings, carbon steel basecabinet.
510		(discharge to Bosch ffs 2) [Lot] Surge Hopper, (2) product hopper, 40"dia x 48"H x 36"cone, with (2) 12" x 12" drawer type finger magnet seperator, bindicator, sight glass, 12"dia MH,	520	1 Safeline a line metal detector, model Beacons Alarm, s/n 1151304, 85-123/1V, 50/60hz, 15A, with servo driven reject station, plus 6'L x 5"W conveyor belt mfg 2017
F11		10"dia bottom discharge, (2) Desurik penumatic slide gate dump valves, size 10 8, 3450rpm discharge vibrator motor, on/off switch box, (discharge to Bosch ffs)	521	1 Barry-Wehmiller / Pneumatic Scale a line capper, 12 stainless capping heads, CP parts, guides, star wheels, 35psi, with 10'L x 5" W conveyor, gear drives, stainless, carbon steel cabinet /base, with safety door/ enclosure. Approx 4' x 4' 7'H
511		[Lot] Surge Hopper, (1) product hopper, 40"dia x 48"h x 30"cone, with (1) 12" x 12" drawer type finger magnet seperator, bindicator, sight glass, 12"dia MH, 10" bottom discharge	521A	1 [Lot] Change Parts Inc a line change parts, with (4) SS 2 door cabinets (tagged as 521b)
512	9	Drag Conveyors, including (2) 18' L x 6" dia, (1) 15'L x 10"dia, (1) 25'L x 10"dia, (1) 10'L x 6" dia, (1) 22'L x 10"dia, (1) 16'L x 6"dia plus (1) orange 10'L x 6" screw with approx 7 gear drives (located within Wolf Bosch	522	Tolke a line cap orienter, with 3"x stainless feed conveyor approx 50'L from capper to trasfer conveyor-ceiling mount, stainless feed bin, (located on third floor on 3rd floor)
513	3	product hopper area, all ceiling mount) MDL105017.01 vacu-max transfer hoppers conveyors, with (3) inclined drag conveyors, 15'L x	523	1 Filtec a line level inspector, model FT-50 /IR, s/n 16267, level inspector with reject station (NOTE: buyer will be responsible for securing regulatory permit packaging for transport of this equipment)
		6"dia, (1) with 6"dia pneumatic bottom center discharge, (from product surge hoppers to big collection bins)	523A	Markem Imaje a line coder, model 9450, s/n FR16280072, 1N-100-240Vac, 50/60hz, with type A49569 s/n R116287107 printing head, mfg 2016
514	1	Hold up Bin, 15'L x 5'deep, with 17'L x 6"dia screw conveyor, 19"MH, 70"H x 6" x 6" I- section steel legs support, with Red Lion read out, on/of switch box (for Bosch cloud)	524	TSC Thomson a line checkweigher, model 4693, s/n 4693, with 10'Lx 5"W feed belt extending from capper
515	1	Hold up Bin, 15'L x 5'deep, with 17'L x 6"dia screw conveyor, 19"MH, 70"H x 6" x 6" I- section steel legs support, with Red Lion read out, on/of switch box (for Bosch cloud)		ing & Capping Line B (Lots 525 to 531) 1 B Line Cleaner, 450 jars/min, air/water/sanitary capable, 3"W build in infeed /discharge conveyors,
516	1	Hold up Bin, 15'L x 5'deep, with 17'L x 6"dia screw conveyor, 19"MH, 70"H x 6" x 6" I- section steel legs support, with Red Lion read out, on/of switch box (for special delivery)		rubber gripper belt, separate gripper gear ddrives, with Torit Donaldson dust collector model 60 Cabinet QS, 460V/3ph/60hz, with (1) 8'L x 5"W conveyor, Drive control cabinet with AB flex 40 drives, 1hp /1725 gear drives, 10'L x 3'W x 56"H housing /enclosure, flip top safety cover

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
526	1	B Line Filler, 24 filling heads rotary filler, with CP parts, guides starwheel, timing screw, 24"L x 5"W			extending from labeler on adjustable mobile stand with gear drive, control box,
		discharge conveyor, gear drives, all stainless contact filling parts, cladddings, carbon steel basecabinet.	534A	1	Cap Sealer, model CS Plus - M-ACC-725-155-A13, on adjustable mobile stand control box
527	1	Safeline b line metal detector, model Beacons Alarm, 85-123/1V, 50/60hz, 15A, with servo driven reject station, plus 6'L x 5"W conveyor belt mfg 2017	535	1	Safeline x ray machine, model SideChek +300, s/n 0415R50H4421, with14'L x 4-1/2"W feed /discharge conveyor, plus (1) 36"L x 41/2"W 90 deg, 6"W x 9"H
528	1	B Line Capper, 12 stainless capping heads-Rimtec, Zepf parts, guides, star wheels, 35psi, with 10'L x 5" W conveyor, gear drives, stainless, carbon steel			opening, with reject, 511'L x 5'W x 7'H all stainless construction, mfg 2015
		cabinet /base, with safety door/ enclosure. Approx 4' x 4' 7'H	536	1	Accumulating Table, 12'L x 5-75'W x 41"H, with 8'L x 24"W 36"L x 24"W segment, 2-5hp gear drives, plus (2) infeed from Xray unit 44"L x 4-1/2" wide 90deg,
528A	1	Tolke b line cap orienter, with 3"x stainless feed conveyor approx 50'L from capper to trasfer conveyor -ceiling mount, stainless feed bin, (located	537	1	stainless frame, multiple lane belt lanes from 4-1/2" - 7-1/2"W belts Aluminum Cross Over Stairway, 8'L x 24"W x 4H, 6
		on third floor)	J37	1	steps with checkered plate flooring, safety handrail
529	1	Filtec b line level inspector, model FT-50, level inspector with reject station (NOTE: buyer will be responsible for securing regulatory permit packaging for transport of this equipment)	538	1	Douglas/APV tray packer, model CMWACP-24, s/n M-2359RB / M104052, side load, with 28'L, 4 lanes infeed belt, 10'L x 36" W product transfer with pusher, 12'L x 15"W chain infeed to discharge. 10'L x
530	1	TSC b line checkweigher, model 4693, with 10'Lx 5"W feed belt extending from capper			5'W, currently set to handle from 150g - 9oz, 12pack glass/plastic, empty carton magazines, Nordson Duralube 10, hot melt gluie machine, 2 gluing head,
		Marsh Imaje b line coder, model 9450C, s/n FR16280074, with printing head, 2016			2 door programmable control panel with AB powerflex 70, 1771 PLC, Panelview 600, and change parts with cabinet
Shared Insta	int 8-12 oz	z Labeling & Packaging Line (Lots 532	539	1	Diagraph code dater, model 5765004J, s/n
		to 540)			IJ4K80101375, with (2) printing head p/n
532	1	Accumulating Table, 11'L x 7'W x 40"H with 90 deg combiner table to labeler,(1) 6'L x 5"w 180deg, (1) 4'L x 5'w 45 deg, (1) 48"L x 34"W, (1) 25'L x 24"W 180			5770003P2000 plus bar code control box with AB Panel View 550
		deg, (1) 35"L x 24"W, 1-11 conveyor belts from 3"W to 8"W, 1 5hp drives, 3"H side roller diverters, carbon steel frame(Note: please see termination of belts)	540	1	Douglas tray over wrapper / shrink tunnel, with shrink tunnel, s/n M104052, 12'L x 36"w tunnel feed conveyor, plus tray infeed section, 14'L x 5'W tray infeed from tray packer to tunnel, with 3 segments feed belts 114"L x 28"W, plus (1) 12'L x 16"W 90deg
533	1	Krones labeler, model Canmatic, 24 labeling heads, with (1) 9'L x 4-1/2"w infeed, (1) APS 3hp,14'L x 4-1/2"W discharge conveyor, MTS-073.M55-8 oz, label magazine, AB Panelview 600, with Krones reject			blue feed conveyor, with integrated programmable controllers panels, AB Control logix 1756, Powerflex 40, Kinetix 6000 servo drives, Panelview 600 mfg, with 32"L film spindle rollers, gear drives, 2005
		HMI/Stn, CP inc parts, guides, star wheels, timing screw, 8'L x 8'W x 7' H, stainless clad poly door enclosure .	541	1	Safeline x ray machine, model X3720 Plus 300mm, s/n B737660917, 20"H x 12"W infeed /outfeed opening, with control panel, 208-240Vac,
533A		[Lot] Chnge Parts Inc /Krones label magazines change parts, (1) 150g, (1) 80oz, (1) 200g PL, (1) 12oz on stainless 4 drawers cabinet included; plus plastic			1ph/50/60hz, 10ka, with 12" w side discharge) 10'L x 5'W mfg 2017 (new, unused)
		/glass change parts including infeed/outfeed guides	Instant Filli	ng Line C (l	Lots 542 to 554)
		/starwheels, timing screws, metal base, on (3) 2 doors stainless storage cabinets included	542	1	Mc Brady Engineering c line cleaner, model 600, s/n HS A691 10, 450 jars/min, air/water/sanitary
534	1	Lepel cap sealer, model CS Plus - M-ACC-725-155- A13, s/n 0622-00438, with 11'L x 8"w thru belt			capable, 3"W build in infeed /discharge conveyors, rubber gripper belt, separate gripper gear ddrives,

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
		with Torit Donaldson dust collector model 60 Cabinet QS, 460V/3ph/60hz, with (1) 17'L x 5"W conveyor to filler, drive control cabinet with AB flex 40 drives, 1hp /1725 gear drives, 10'L x 3'W x 56"H housing	551	1	Accumulation Conveyor, 18'L x 28"W x 40"H, with (4) plastic chain conveyor belts from 4-1/2"W to 7-1/2"W $$
		/enclosure, flip top safety cover, 2010	552	1	Douglas c line case packer, s/n M-429, side load, with
543	1	C Line Filler, 24 filling heads rotary filler, with CP parts, guides starwheel, timing screw, 24"L x 5"W discharge conveyor, 1-50hp gear drives, all stainless contact filling parts, cladddings, carbon steel base cabinet,			14'L x 20"W modular feed conveyor, set for 4 lanes, 20z/4oz, with stainless control panel, electro cam 5000 panel, 82"L x 8" empty carton chain magazine infeed, vacuum pick up, auto/manual adjust, with chain discharge, Slautterback KB100 gluing machine with (2) HD4A head drive control, approx 18'L x 10'W
544	1	Safeline c line metal detector, model Beacons Alarm, 85-123/1V, 50/60hz, 15A, with servo driven reject station, plus 6'L x 5"W conveyor belt mfg 2017			x 6'H, stainless clad poly safety door ennclosure, plus (1) 6'L x 15"W dual belt discharge conveyor with gear drive. mfg 2000 $$
545	1	Barry Wehmiller /Pnuematic Scale c line capper, model TC600-10-7181-EE, 10 stainless capping	553	1	Ketan pressure sensitive labeler, model K50, on adjustable mobile stand (equpment # 3)
		heads-35119, CP parts, guides, star wheels, 35psi, with 10'L x 5" W conveyor, gear drives, stainless cabinet /base, with safety door/ enclosure. Approx 6' x 6' x 71/2"H, 2009	554	1	C Line full Case Conveyor, approx 150'L x 15"W total frame width x 7-1/2" plastic chain belt, approx 15 gear drives, ceiling mount (extend from case packer lot 352 to depal area on ground floor)
546	1	Tolke cap orienter, with 3"x stainless feed conveyor	Empty Jar De	palletizer	s Located on 1 st Floor, Bldg. 13
		approx 50'L from capper to trasfer conveyor -ceiling mount, stainless feed bin, (located on third floor on 3rd floor)	555	1	SECO line c empty jar depalletizer, model 400-ID, s/n 3014.1081 363, high level bulk depalletizer, auto slip
547	1	Filtec c line level inspector, model FT-50, s/n 116265, level inspector with reject station (NOTE: buyer will be responsible for securing regulatory permit packaging for transport of this equipment)			sheet sweep, layer pusher with frontend row retainer, chain pallet conveyor, 18'L x 50"W accumulation table with plastic chain conveyors, auto empty pallet stacker, electric hoist, RH operator control, with integrated AB PLC/AC drive control
548	1	Lepel c line cap sealer, model CS Plus-ACC-725-155- A15, s/n 0916-002480, on adjustable mobile stand			panel, plus work platform with stairways, 460V, 3ph/60hz,
E40	1	Control box	556	1	SECO line a-b empty jar depalletizer, model 400D, s/n 9961 1092 691, high level bulk depalletizer, auto
549	1	[Lot] Line Conveyor System, approx 75' total length x 40"H, with multi lanes conveyor belts form 4-1/2"W to 7-1/2W, (5) 1.5hp gear drives, guides, lane diverters, with (2) 180 deg (extending from capper end to labeler lot 550)		slip sheet sweep, layer pusher with fror retainer, chain pallet conveyor, 7'W x 1 accumulation table with modular mat t chain conveyor, auto empty pallet stack	slip sheet sweep, layer pusher with frontend row retainer, chain pallet conveyor, 7'W x 12'L accumulation table with modular mat top plastic chain conveyor, auto empty pallet stacker, electric hoist, LH operator control, with integrated AB
549A	1	Aluminum Cross Over Stairway, approx 6'L x 24"W with 6 steps stairways, checkered plate flooring			PLC/AC drive control panel, MPs Bootstrap compressor -BC2B, 5hp, 30:1 gear drive ratio, 25'L x
550	1	Krones c line labeler, model Canmatic-, s/n 073-M55, 24 labeling heads, with (1) 9'L x 3"W infeed, (1) APS 3hp,14'L x 3"W discharge conveyor, 73.M55, 2oz SUI			42"W pallet infeed chain conveyor, accumulation roller guides /diverter, handles plus work platform with stairways 460V, 3ph/60hz,
		label magazine, AB Panelview 600, 480V, 3ph/60hz, SLC5500 PLC, 1336 ac drive, with Krones reject HMI/Stn, stainless control panel, checkmat touch controller, glue pot, CP inc parts, guides, star wheels, timing screw, 8'L x 6'W x 7' H, stainless clad poly			Allen Bradley depalletizer mcc, model Centerline - Bulletin 2100, 12 sections with 84 switch disconnects, 1 main disconnect, 600/300 A horizontla/vertical bus ratings, 600Vac, 3ph
		door enclosure, reject station	556B	1	Empty Jar Conveyor, approx 800'L x 4-1/2" W x approx 600 'L from depalletizers to filling lines ABC
550A	1	Label Magazines, (1) 20z, (1) 40oz, (1) 450 labeler magazine on 3 drawers stainless cabinet			(as tagged)

		220212201			
LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
•		2 nd Floor, Bldg. 12 (Lots 558 to 563) Triangle vending ffs bagger, model L66C, s/n DP11007, dual form fill seal bagging machine with (2)servo Accu Fill model speedster 50s, s/n 1404,			fill roll mount, air, heat, PLC main control panel, integrated 20"dia turn table, stainless product fill diverter with 6"dia feed, discharge and flush outlets, plus (2) 9'L x 4"w carbon steel incline conveyorswith 440V, 3ph/60hz,
		1403, with servo drive panels, (2) 6.00 FBW forming tubes, with PLC/drive panels, 110/440,3ph/60hz,	566A	1	[Lot] Single Serve Filler Parts, on 2 pallet
558A	1	[Lot] Accu Fill Parts, on 1 pallet, auger, funnel, forming tube parts	567	1	SS Surge Bin, 20"dia x 30"deep, with pneumatically controlled feed diverter, butterfly dump valve, 6"dia discharge (west box line)
559	1	UNITRAK bulk filler, model 404-01, flexible intermediate bulk container filler, 14"x7" bottom discharge with 43"L x 16"W x 15"H case table, case	567A	1	SS Surge Bin, 32" dia x 42"deep with pneumatically controlled feed diverter,
		vaccum hold, model Cpacker -100.s/n955575, 20'Lx 8"W take away/incline conveyor with 6"H stainless case guard-carbon steel frame	567B	1	Rice Lake platform scale, model 420+, s/n 1727000079, with 4" x 4" checkered plate psteel platform
559A	1	Elliot case erector	567C	1	Calibration Weights, (15) 50lbs /block
560	1	Ramsey checkweigher, model Auto Check 8000, with 32"L x 23"W feed conveyor	567D	1	Durham hd steel cabinet, 2 doors gray parts cabinet 60"L x 24 W x 64"H
561	1	Videojet ink jet coder, model Excel 170i, s/n 195L09022, 100/240v, 1ph/60hz, on mobile stand	568	1	Gorbel pneu bag lifter, model Pivot Arm, 150lbs capacity with 9'H freestanding post support, 8'L pivot
562	1	Elliot case sealer, model 85AT, s/n 43202, inline, top seal, 8' approx infeed to discharge length, with Marsh Patrion Plus case coder, s/n 269253138002, with photo opcon sensor at discharge plus (1) 22'L x 12"W 180deg feed conveyor with reject pusher, gear			arm, 4'collapse L, plus (1) Formpack bag lifter, 4400lbs capacity -2014 on pallet agle Serve Room Rotex shaker screen, model 422SAN AL/SS, s/n
563	1	Thomson Scale case elevator, model 1970494, s/n 902, full case elevator, with 16-1/2"L x 5"W x 2"H			R360491, 74"L x 36"W, with stainless feed diverter Bal weight major/minor@ 145lbs /64lbs, ceiling mount with planetary gear
		flights, 55"L x 5"W plastic chain infeed conveyor, 40"L x 20"W x 11'H cabinet dimension.	570	1	Rotex shaker screen, model 842SAN, s/n R120192N, 9'L x 5'W, 301lbs/147lbs major minor weight, ceiling mount with planetary gear
564	1	Package Machinery overwrapper, with 9'L x 8"w feed conveyor, auto height adjust, 16"W film load roller, bottom/long/end seal control, with (1) 58"L x 4"W discharge conveyor (1) 70"L x 6"w infeed with gear	571	4	SS Screw Conveyors, (1) 14', (1) 10', (1) 4') (1) 8'L x 9" dia with gear drives
		drives, plus (1) 68"x 70" stainless product slide from	571A	1	Screw Conveyor, CS, approx 80' long
565	1	overhead to infeed conveyor 3M-Matic case sealer, model 800a3, s/n 6950, top	571B	1	SS Screw Conveyors, approx 75'L x 9"dia, ceiling mount
	*	bottom seal, type 39600, with 8'L x 10"w roller conveyor, 2002 (includes Marsh Patron Plus coder	571C	1	Lift Table, 4'L x 3'w
		identified as Lot 565B)	Proceed to	3 rd Floor To	ote Dump Area (around instant dump
565A	1	Single Serve Overhead Conveyor, approx 75'L x 4- 1/2"W overhead conveyors with 12'L S segment with			stations)
		6'L x 4-1/2"W x 2"H stainless product slide from filler to overwrapper	572	1	Box Ln Tote Dumper, 4' x 4' x 4'H on 40" x 52" x 70"H carbon steel support
Proceed to S	ingle Serv	re Filling Line	573	1	Tefco vibro separator, model LP30-R64, s/n 81110,
566	1	Jones single serve filler, s/n 3169, 36 rotary fill stations, 1.6-1.9 g fill, 6'L x 2" flatner / discharge, with knife tower, top /Vertical seal, roll deflator, 16"			32"dia, 2.16hp vibratory motor, pneumatic slide gate / dump valve, 230/460V, 1ph/60hz

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
574		Ceia /Goring Kerr metal detector, model DSP2, inline metal detector 20" x 20" x 10"H with 6"dia apperture with touch pad digital control Dust Collector, with stainless bag house, approx 5'dia			10'H stainless protective enclosure /cabinet, with 20"dia 20"sq MH, rotary paddle bin monitor, gear drives, on/off switch box, for line Line A Soluble (bucket conveyor part goes all the way to TIP TRACK ROOM, 4th floor by ITR area)
		x 8'H straight x 40"cone,6"dia discharge NYB blower size 174, 1.5hp gear drive, hepa filter collection cabinet, air lock mounted on 7'H carbon steel tubular support with ladder	587	1	Tip Track/Tote Dumper, bank of 4 stainless coffee tote dumper with (1) bucket conveyors, 16"L x 12"W x 8" deep buckets, on 34"L x 28"W 52"L x 28"W x 10'H stainless protective enclosure /cabinet, with
576	1	Tote Dumper, 4' x 4' x 4'H on 40" x 52" x 70"H carbon steel support with Ceia metal detector, suspended Eriez magnetics vibratory feeder model, with magnetic separator, metal detector control box D65B 115V, (Single Serve Ln)			20"dia 20"sq MH, rotary paddle bin monitor, gear drives, on/off switch box, for line Line B Soluble (bucket conveyor part goes all the way to the TIP TRACK ROOM, 4th floor by IR area)
		Tote Dumper, 4' x 4' x 4'H on 40" x 52" x 70"H carbon steel support with Ceia metal detector, suspended Eriez magnetics vibratory feeder model, with magnetic separator, metal detector control box D65B 115V, (Single Serve Ln)	588	1	Tip Track /Tote Dumper, bank of 4 stainless coffee tote dumper with (1) bucket conveyors, 16"L x 12"W x 8" deep buckets, on 34"L x 28"W 52"L x 28"W x 10'H stainless protective enclosure /cabinet, with 20"dia 20"sq MH, rotary paddle bin monitor, gear drives, on/off switch box, for line Line C Soluble (bucket conveyor part goes all the way to the TIP
		Tote Dumper, 4' x 4' x 4'H on 40" x 52" x 70"H carbon steel support with Ceia metal detector, suspended Eriez magnetics vibratory feeder model, with magnetic separator, metal detector control box D65B 115V, (Vending Ln) (next to Vac-U-Max collection system)	589	1	TRACK ROOM, 4th floor by ITR area) Flex Kleen dust collector, model 22.5/36M-PVBL-36 III, pulse jet cleaner, 36 pleated filters, with NYB blower, 1928rpm, pneumatic butterfly dump valve, stainless bag house, carbon steel support ,hepa filter cabinet- Line A
		Custom Advanced vibro separator, model 30, s/n 110893419, 32"dia, 480V SS Surge Hopper, approx 48"W x 24"W x 24"H straight x 30" cone with bin level indicators, sensors,	590	1	Flex Kleen dust collector, model 22.5/36M-PVBL-36 III, pulse jet cleaner, 36 pleated filters, with NYB blower, 1928rpm, pneumatic butterfly dump valve, stainless bag house, carbon steel support with
580	1	pneumatic slide gate, on carbon steel frame support plus inspection platform Goring Kerr metal detector, model DSP-3, with	591	1	blower, -Line B Flex Kleen dust collector, model 22.5/36M-PVBL-36 III, pulse jet cleaner, 36 pleated filters, with NYB blower, 1928rpm, pneumatic butterfly dump valve,
F04	4	controller			stainless bag house, carbon steel support -Line C
582		Tote Dumper, disassembled,	592	1	Delivery Syst. Panel, 2 door electrical control plus (1) PLC panel
		SS Screw Conveyors, (2) approx 25'L each x 8" dia	593	48	Aluminum Totes, 40" x 45" x 60"H
		auger with gear drives, extends from outside	594	48	Aluminum Totes, 40" x 45" x 60"H
584	1	Nash vacuum pump, model CL-302, rebuilt 2014	595	48	Aluminum Totes, 40" x 45" x 60"H
585	1	Vac-U-Max collection system, silica dust / central	596	38	Aluminum Totes, 40" x 45" x 60"H
		vacuum system, continuous bagging, wet/dry continuous duty, with (2) regenerative blowers,	597	24	Aluminum Totes, 40" x 45" x 60"H
Instant Tata Din D		bottom dump hopper on carbon steel support.	598	36	Aluminum Totes, 40" x 45" x 60"H
Instant Tote Bin D	•	•	599	48	Aluminum Totes, 40" x 45" x 60"H
586	1	Tip Track /Tote Dumper, bank of 4 stainless coffee tote dumper with (1) bucket conveyors, 16"L x 12"W	600	42	Aluminum Totes, 40" x 45" x 60"H
	x 8	x 8" deep buckets, on 34"L x 28"W 52"L x 28"W x	601	44	Aluminum Totes, 40" x 45" x 60"H

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
601A	42	Aluminum Totes, 40" x 45" x 60"H (balance of totes not lined up)		similar to type 55-3P so approx capacity is 1900gallons/hr, 3000psi)
Proceed to	Processed	Coffee Storage Area, 3 rd Floor, Bldg 12	Located on 8	th Floor, Bldg 17
602	1	Brabender Tech pre feeder, model H34- FW155/1000, s/n BTI9810007, loss in weight pre feeder, with stainless surge bin, stainless housing, with belt discharge from auger to drag conveyor, control boxes, fear drive, (west bag ACJ) 1998	613	Manton Gaulin homogenizer, model 2400HPKL12- 0.5PA, with twin basket filter, pneumatic nitrogen accumulator bladder valve control approx 1300 gallons /hr,3000 psi, type K12, (located on 8th floor of bldg 17, unit # 12)
603	1	Brabender Tech pre feeder, model H34- FW155/1000, s/n BTI9810009, loss in weight pre feeder, with stainless surge bin, stainless housing, with belt discharge from auger to drag conveyor, control boxes, fear drive, (west bag M) 1998	614	1 Manton Gaulin homogenizer, model 2400HPKL12- 0.5PA, with twin basket filter, pneumatic accumulator bladder valve control, approx 1300 gallons /hr, 3000 psi, type K12, (located on 8th floor of bldg 17- unit # 11)
604	1	Marion blender, model CPC2796, s/n 92029, 32" x	614A	[Lot] Flow Meters
		34"H x 8'L x 6'total height, U bottom through, carbon steel, approx 60cuft, side discharge to drag conveyor,	Proceed to F	lice Process, 3 rd Floor, Bldg 10
605		with gear drive, lid cover, on tubular steel legs support [Lot] Drag Conveyors, big lot of approx 14 drag feed conveyors within the area, from approx 6" to 10" dia	615	1 Carter Day grain sizer, model E8937, s/n 155 -9/92, style GVH1 precision grain sizer, 3high, quick change cylinder disconnect, high capacity conveyor, with (1) carrier model ILLM1860s10GA s/n 230132 3/46"
		x 6'-25'L with lid covers, geaar drives (Note: discharge conveyors under storage bins not included)		stroke /419rpm, suspended feed shaker, plus link belt stainless screw bottom discharge with gear drive, 8" dia x 8"H (located in the 3rd flr. mezzanine)
606	30	Ground Coffee Bins, assorted sizes from 8'L to 18'L bins with sight glass, inspection MH, integrated screw discharge conveyors, carbon steel body and legs support, control boxes	616	1 [Lot] Buhler aspirator unit, s/n 10226677, air recyling aspirator, specific gravity separator with air recyling channel, eccentric drive product feed, discharge to stainless screw conveyor below included plus (1) approx 9"dia x 25'L stainless screw conveyor with
607	4	Stainless Transfer bins, with hinged flip top lid cover, center bottom discharge, mobile base (maybe tagged as 607A)		gear drives, lid coverwith pneumatic slide gate; plus stainless surge bin of 5' dia x 8' high and top mounted MH (located onupper mezzanine catwalk)
608	1	Tote Station, stainless with Bantam bindicator model B, side mount cylinder, approx 48"L x 40"W x 48"H, gear drive	617	1 Bauer rotostrainer, stainless, 25"dia rotary screen separator, x 6'L, drift pan, gear motor, approx 4" dia bottom discharge
609	2	Tote Stations, stainless, bank of 2, with Bantam bindicator model B, approx 48"L x 40"W x 48"H,	618	3 SS Tanks, approx 5' dia x 11' H dome top, dish bottom, with connecting pumps.
610	3	single ram air actuated tilt, gear drive air locks, Tote Stations, stainless, bank of 3, with Bantam	618A	10 Gould centrifugal pumps, model MTX-316, as tagged, 30hp, 3 x 4
		bindicator model B, approx 48"L x 40"W x 48"H, single ram air actuated tilt, gear drive air locks	618B	
Proceed to	Bldg 16 & :	17 on 3 rd Floor	618C	
611	1	Gaulin homogenizer, model 2400HPKL12-0.5PA, approx 1300 gallons/hr, 3000 psi, type K12 (located on 3rd floor of bldg 16)		Rosemount remote mount transmitters mounted on wireway under cat walk, plus 3 fisher scientific control valves, within rotoscreen area .
612	1	APV Gaulin homogenizer, high pressure homogenizer, located on 3rd floor of bldg 17 (Note: there is no name plate, but this machine looks	619	1 Pressure Washer, approx 36" dia x 30"H stainless water tank, approx 16"dia MH, with ROTO-JET pump, 300psig manifold pressure, 1858rpm, s/n 94-71334, size s338, 50hp motor on skid,

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
619A	1	AK Robins wash tank, model TME, s/n 950182,	Located in	Rear of Bldg, 3 rd Floor
619B	1	stainless washer with gould 7.5hp model E, 4 x 4 x11S centrifugal pump, measuring instruments, approx 6'L x 4'W x 4'H with legs support, AK Robins wash tank, model TME, stainless washer with gould 7.5hp model E, 4 x 4 x11S centrifugal	628	[Lot] SS Soak Tanks, approx (36), including (14) 10'dia x 69"high x 48" cone bottom, with 16"dia MH,inspection platform and stairway, plus approx 200' total length stainless screw conveyors with gear drives, lid cover.
		pump, measuring instruments, approx 6'L x 4'W x 4'H with legs support,	629	3 Hammermills, stainless steel
620	1	National ss apron dryer, 5 zone dryer, with drying	Proceed to	Crystal Flake Rm, 1 st Floor, Bldg 10
624		chamber, cooling section, rotary finger break, circulation fans. Flame controllers, steam valves, 40hp drive motors, natural gas,15' wide belt, approx 114' overall length, gould centrifugal pump size 4 x 6 -01 -3196mtx ,with cooling section, stainless clad frame support, screw feed auger with drives	630	1 Ferrell Ross 2 roll mill, model 18-36, solid cast iron rolls, enclosed main drive and differential drive belt guards, approx 12"w dia x 36"L carbon steel housing and framing support, haskell hydraulic unit, stainless hopper bottom with screw auger discharg to chainveyor, switch control panel
621	1	SS Steamer Belt 1, 6' wide belt, 45' overall with 3hp steamer drive @ 23.37ratio, 5hp Wemco stainless centrifugal pump, supply/steam manifold with associated valves controls	630A	1 MPE tubular drag conveyor, model Chain Vey, with approx 5" dia discs on 6" dia stainless tubing x 20'L turn around housing
622	1	SS Steamer Belt 2, 6' wide belt, 45' overall with 3hp steamer drive @ 23.37ratio, 5hp Wemco stainless centrifugal pump, supply/steam manifold with associated valves controls	631	1 Sweco vibro separator, model US-48-SS2B, approx 44"dia screen, 48" dia total x 24" total (3 deck high, gyratory sifter with vibrator motor, 8" 5" spout, 8"x 6-1/2" discharge to flexcon hopper
623	1	SS Steamer Belt 3, 6' wide belt, 45' overall with 3hp steamer drive @ 23.37ratio, 5hp Wemco stainless centrifugal pump, supply/steam manifold with associated valves controls	632	1 Flexicon flexible screw conv, with connecting feed disharge hopper,(2) extra stainless screw approx 20'L x 4" dia on 5" dia PVC tube housing
623A	1	Heat Exchanger, shell in tube heat exchanger, 16" dia	Case Pallet	izing Area, 1 st Floor, Bldg 10
023A	1	x 12'L (insulated)	633	1 Currie case palletizer p17, s/n HSP61381, high level case palletizer, with 8-1/2' L x 42"W product roller
624	1	SS Steamer Belt 4, 6' wide belt, 75' overall, with steamer drive, 5hp Wemco stainless centrifugal pump, supply/steam manifold with associated valves controls and drives, apporx 9"dia screw auger feed		feed conveyor to slide/retractable layer plate, set for multiple pattern loading, currently handles 20z plastic, 9'L x 30"W product infeed from full case conveyor transfer, HD indexing stop arm, 18'L x
625	1	Proctor Schwartz ss apron dryer, with drying chamber cooling section, rotary finger break, circulation fans, flame approx 12' wide, 105' overall flame controllers, steam valves /supply control manifold, associated control panels /switch boxes, with 10" dia feed screw auger, all stainless		55"W power roller discharge to pop up chain roller transfer, plus (1) 6'L x 5'w roller, 2 door programmable control panel, RH operator switch control box, AB dataliner, carbon steel work platform, 56L" W x 56"W pallet hoist station, wire belt safety curtain, 480V
626	1	construction, gould centrifugal pumps. PLC Control Panel, (3) 2-doors AB PLC drive panels	633A	1 Vongal / HK system pallet dispenser, s/n P1008, approx 12' 10'L x 50"W chain pallet feed chain
627	¹	(located on 3rd floor) [Lot] Spare Parts, big lot of assorted parts including		conveyor with gear drives, 55"L x 50"W x approx 5'H pallet station, programmable control panel, plus (1) 52"W x 10'L roller transfer conveyor with gear drive.
·		stainless valves, heat exchanger plates, electrical and automation parts, pneumatic, bearings, sprockets, belts, fittings, electric motors, pumps parts, including pallet racks,	634	1 Currie case palletizer p16, s/n HSP61190, high level case palletizer, with 8-1/2' L x 42"W product roller feed conveyor to slide /retractable layer plate, set for multiple pattern loading, currently handles 20z plastic, 9'L x 30"W product infeed from full case conveyor transfer, HD indexing stop arm, 8'L x 55"W

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
CO.		roller discharge to pop up chain roller transfer, plus (1) 6'L x 5'w roller, 2 door programmable control panel, RH operator switch control box, carbon steel work platform, 56L" W x 56"W pallet hoist station, approx 18'L x 50"W chain pallet infeed with gear drives, wire belt safety curtain, 480V	641	1	Currie rice bldg palletizer a, model LSP5669, with 6'L x 15" product feed, 52" x 60" infeed to lowerator, with product pusher, 52" x 52" roller lowerator deck, approx 127"H x 100"W x 186" total unit OD, with approx 12'L x 42" pallet discharge plastic table top conveyor, expanded wire safety door, 2-doors control panel, work platform (unit # 2, P3)
635	1	Currie case palletizer p11, s/n HSP6973, high level case palletizer, with 8-1/2' L x 42"W product roller feed conveyor to slide/retractable layer plate, set for multiple pattern loading, currently handles 20z plastic, 9'L x 30"W product infeed from full case conveyor transfer, HD indexing stop arm, 20'L x 55"W power roller discharge to pallet transfer car, 2 door programmable control panel, RH operator switch control box, AB dataliner, carbon steel work platform, 56L" W x 56"W pallet hoist station, with	642		Currie rice bldg palletizer b, with 6'L x 15" product feed, 52" x 60" infeed to lowerator, with product pusher, 52" x 52" roller lowerator deck, approx 127"H x 100"W x 186" total unit OD, with approx 12'L x 42" pallet discharge plastic table top conveyor, expanded wire safety door, 2-doors control panel, work platform Industrial Kinetics Inc pallet dispenser /load stacker
635A		gear drives, 480V [Lot] Mathews full case conveyor, approx 450 linear feet total length x 16"W ovehead full case conveyor with plastic chain, palstic chain with inline rollers low pressure accumulation belt, roller full case conveyors with approx 15 gear drives sensors (within palletizing area as tagged)			conveyor system, with Vongal pallet dispenser /stacker and inserter equipment, 2 door programmable control /panel, (2) operator control stations, with (1) 18'L x 54"W pallet chain infeed, (1) 6'L x 5' pop up chain roller pallet transfer, 5000lbs capacity penta lift pallet inserter, (1) 5'L x 54" pallet insert station, (1) 4'L x 54"W roller discharge with pusher, sensors, gear drives, hydraulic power pack,
636	1	Lantech pallet wrapper, model SL-series, s/n SS001906, inline auto wrap, high speed wrapper, auto cut, 30"H film roll wth low film detect, secure load to pallet, in/out gate control, with 19'L feed /discharge roller conveyor,2 door PLC/ AC drive cabinet operator control box, protective cage, with associated pallet conveyor (lot 636A)	644	2	protective cage, plus approx 147 linear feet of power roller thru conveyor (lotted as 643A) Pallet Lowerators, with 10'L x 52'W x 20"H discharge roller conveyor with 52' x 54 lowerator deck plate, 54" x 51" slide plate, approx 119"H x 75"W x 88" L total OD, (unit # 9 10), plus gravity roller conveyor (lot 644C), and pallet trolley (Lot 644D)
637	1	ID Technology labeler, model 250A, pressure sensitive labeler on heigh adjustable stand	645	1	Lantech pallet wrapper, model 213, s/n 16260, FSPD full case wrapper, with 7'dia turn table, 18'L x 52"W
638		SS Controller, with monitor/keyboard cabinet plus (1) AB Panelview 1000			feed roller conveyor, 460,1ph/60hz, (1) 5'L x 52"W roller conveyor discharge with gear drives, (1) 2-door programmable control panel, operator roll
639	1	Lantech pallet wrapper, model SL series, s/n SS001581, inline auto wrap, high speed wrapper, auto cut, 30"H film roll wth low film detect, secure load to pallet, in/out gate control, with 19'L feed /discharge roller conveyor,2 door PLC/ AC drive cabinet operator control box, protective cage, with (1) 15'L x 42"W table top plastic chain feed/ discharge conveyor with gear drive,	645A	1	carriage, tamper, film break switch control. Industrial Kinetics Inc pallet dispenser /load stacker conveyor system, with pallet dispenser /stacker and inserter equipment, 2 door programmable control /panel, operator control stations, with (2) 18'L x 45"W pallet roller infeed conveyor, (2)approx 6'L x 5' pop up chain roller pallet transfer, 5000lbs capacity penta lift pallet inserter, (1) 5'L x 54" pallet insert
640	1	Mathews palletizer, with 5'L x 18"W product infeed, 4'L x 5L forming deck, lift up bar transfer, 55" x 48" roller lowerator deck, approx 11'H x 14'L x 8'W machine OD, with RH operator switch, auto jug, stripper, pusher, lowerator control, set for 7,14, 28,42, 90 oz product containers, (1) 2 door electrical (1) waall mount PLC panels, with work platform, wire	646	1	station, (1) 4'L x 54"W roller discharge, sensors, gear drives, hydraulic power pack, protective cage (2) pedestal operator switch control stations. ID Technology labeler, model 250A, s/n 2500500887L, pressure sensitive labeler on heigh adjustable stand
		belt safety curtain (out of service); includes associated pallet conveyors (Lot 640A)	647	1	Lantech pallet wrapper, model S2501, s/n SS001581, auto wrap, high speed wrapper, auto cut, 30"H film

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
		roll wth low film detect, secure load to pallet, in/out	667	1 Mettler Toledo scale, mod. PM2000, s/n H2987
		gate control, with 45'L x 52"W feed /discharge roller conveyor with gear drives and photo sensors, 2 door	668	1 Mettler Toledo scale, mod. PM2000, s/n N8350
		PLC/ AC drive cabinet operator control box, protective cage, with plastic chain feed,	669	1 Mettler Toledo scale, mod. PM2000, s/n 1113080865
648	1	ID Technology labeler, model 250A, s/n 56531-10, pressure sensitive labeler, on adjustable stand, 115V,	670	1 Trancell Technology scale, mod. TCS32-30, s/n 5052073000192
649	4	1ph (lotted as 647a) Roll Tip Lipter System, with jib cranes electric chain hoist from 1/8 to 1/4 tons capacity	671	[Lot] (6) Line scales, (1) Sartorius Extend, (1) Ohaus Scout-Pro, (1) Ohaus Valor 3000, (1) AND EK-6100, (2) Highland HC13302
Main Laborato	ry 2 nd F		672	1 Rice Lake calibrated weight set, mod. Class F, s/n 6YRW, cap 1g - 500g
651	1	Motic microscope, mod. BI-Series, s/n DMBI-223 with WF10X-18mm lenses, (4) objectives, 100/40/10/4 power, built-in light source	673	
652	1	American Optical microscope, s/n 20219 with WF-	674	[Lot] (11) Calibrated weight sets with cases
		10X lenses, (3) objectives, 100/45/10 power, external light source	675	
653	1	Ohaus scale, mod. Explorer-EX 223/E, s/n 841958048	676	1 Lab Line vacuum oven, mod. 3623 MDD, s/n
654	1	Mettler Toledo scale, mod. PG203-S, s/n 1120073792, cap, max 210g, d= 0.001g		10950015 with Welch 1399 dual seal vacuum pump, 1/3 hp
655	1	Mettler Toledo scale, mod. PG3100-S, s/n 1120080869, cap, max 3100g, d= 0.1g	677	Thermo Scientific HPLC, mod. Ulti Mate 3000, s/n's 2098902, 8100363, 600455, 8100493, with pump, auto sample column compartment, RS variable
656	1	Mettler Toledo scale, mod. PG3100-S, s/n 1120080868, cap, max 3100g, d= 0.1g		wavelength detector, Dell Optiplex 9020 computer and HP LaserJet P1606dn printer
657	1	Mettler Toledo scale, mod. PG3100-S, s/n 1120080867, cap, max 3100g, d= 0.1g	678	1 Thermal Separation Products HPLC, mod. AS3000, s/n's 045/04423-5, 113/12814, 085/14644-5, with AS3000 variable loop auto sampler/column oven,
658	1	Mettler Toledo scale, mod. PG3100-S, s/n 1120062318, cap, max 3100g, d= 0.1g		P1000 isocratic pump, UV1000 single length UV/VIS programmable detector and printer
659	1	Mettler Toledo scale, mod. PG2002, s/n 115473786	679	
660	1	Mettler Toledo scale, mod. PG3100-S/FACT, s/n 1128222633, cap, max 3100g, e= 0.1g, min 5g, d=0.1g		s/n's 07707557-5, 127/20312-5, 067/07740-5, parts machine with AS300 varialbe loop auto sampler/column oven, UV1000 single length UV/VIS programmable detertor, P4000 quaternary gradient
661	1	Mettler Toledo scale, mod. PG3100-S/FACT, s/n 1128210553, cap, max 3100g, e= 0.1g, min 5g, d=0.1g	680	pump and printer 1 Process Sensors Corporation NIR bench top tester, mod. MCT660, s/n 670223
662	1	Mettler Toledo scale, mod. PG5001-S, s/n 1118191321	681	1 Process Sensors Corporation NIR bench top tester, mod. MCT660, s/n 670180
663	1	Mettler Toledo scale, mod. PG2002-S, s/n 116202795, cap, max 2100g, d= 0.01g	682	1 Process Sensors Corporation NIR bench top tester, mod. MCT660, s/n 670102
664	1	Mettler Toledo scale, mod. PG802-S, s/n 118350946, cap, max 810g, d= 0.01g	683	1 Process Sensors Corporation NIR bench top tester, mod. MCT660, s/n 660148
665	1	Mettler Toledo scale, mod. PM2000, s/n K31939	684	1 Process Sensors Corporation NIR bench top tester,
666	1	Mettler Toledo scale, mod. PM2000, s/n L55473		mod. MCT660, (no start button)

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
685	1	Process Sensors Corporation NIR bench top tester, mod. MCT466, s/n 47Q0215	706	1	Agtron coffee roast analyzer, mod. E20CP-II, s/n 20776669-U
686	1	Process Sensors Corporation calibration check standard, mod. 230-000, s/n 00140	707	1	Agtron coffee roast analyzer, mod. E20CP-II, s/n 2076669-U
687	1	Romer EVAP system, mod. EVAP01-02 with Labnet AccuBlock digital dry bath and GAST vacuum pump	708	1	Agtron coffee roast analyzer, mod. E20CP-II, s/n 2075669-U
688	1	Electrothermal melting point apparatus, mod. IA9300XI, s/n M516020	709	1	Agtron coffee roast analyzer, mod. E20, s/n 14785862
689	1	Fischer Scientific pH meter, mod. AB15, s/n AB92337180			Agtron coffee roast analyzer, mod. E10, s/n 2566445
690	1	Fischer Scientific pH meter, mod. Accumet, s/n 03486	711	1	Arizona Instruments moisture analyzer, mod. Computrac Max 4000XL, s/n 4001947
691	1	Fischer Scientific pH meter, mod. Accumet 955, s/n	712	1	Arizona Instruments moisture analyzer, mod. Computrac Max 1000, s/n 75254
692	1	3335, portable with case Omega pH meter, mod. PHH-20, s/n 237-9206-2059,	713	1	Gehaka Agri moisture meter, mod. G810, s/n 16072792001099, with carry case
693	1	portable with case Hach conductivity meter, mod. Sension5, portable	714	1	Steinlite moisture meter, mod. SB900, s/n 613
		with System Sure II luminometer	715	1	Retsch sieve shaker, mod. AS200 basic, s/n 30030000S, with 7 sieves
694	1	H F Scientific photometer/chlorine, mod mg/L, s/n 201512505, portable with Hach free and total chlorine test kit and case	716	1	Fischer Scientific lab oven, mod. Isotemp 100L, s/n 42143459
695		[Lot] (2) H F Scientific photometers/chlorine, mod CP-15, portable with case	717	1	Blue M lab oven, mod. OV-8A, s/n 8A528
			718	1	Lab Line lab over, mod. 150, s/n 08000529
696		[Lot] (2) Hygiena luminometers, mod. System Sure Plus, s/n's 070269, 017480	719		[Lot] (3) Desiccators, (2) single door, (1) double door
697		[Lot] (2) Hygiena luminometers, mod. System Sure Plus II, s/n's 069719, 01235	720	1	Branson ultrasonic bath, mod. 2510R-MT, s/n RLA04123584F
698		[Lot] Oakton conductivity meter, mod. Con 200, s/n 73526, with Peak scale loop	721		[Lot] (8) Hot plates and magnetic stirrers, (3) Thermo 2200 hot plates, (5) magnetic stirrers
699		[Lot] (2) PBI Dansensor/Mocon gas analyzers, mod. Check Point, s/n's 58031492-128432, 58110023-	722	1	[Lot] Labware, glass and plastic with accessories (contents on counters in room)
		133591, portable	723	1	Greylor peristaltic pump, mod. 200, s/n 200104792, 1/4 hp
700		[Lot] (2) PBI Dansensor/Mocon gas analyzers, mod. Check Point, s/n's 58110022-11942, 58042277C2	724	1	Welch vacuum pump, mod. 8803B, s/n EF011313,
701	1	Magnetic Products Inc. pull test kit			1/8 hp
702	1	Dr Lange tester, mod. LK100, s/n LYY401	725	1	Gelman vacuum pump, mod. 13154, s/n M100X, 1/6 hp
703	1	NDC food analyzer, mod. Infra Lab e-Series, s/n 20054511	726		[Lot] (2) Gast vacuum pumps, mod. DOA-V152-AA, s/n's 0982, 0185
704	1	NDC food analyzer, mod. Infra Lab e-Series, s/n 669251	727	1	[Lot] (4) Welch vacuum pumps, mod. 8803
705	1	Agtron coffee roast analyzer, mod. E20CP-II, s/n 20786669-U	728	1	Mark-10 digital cap torque tester, mod. CT-50
			729	1	Mark-10 digital cap torque tester, mod. CT-50

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
730	1	Konica Minolta spectrophotometer, mod. CM5, s/n 1003022, with Dell computer			sensor, thermometers, hot plate, shaker, misc. (contents on tables)
731	1	Hunter Lab optical sensor, mod. D25NC, s/n 251310	755		[Lot] (2) Metro style shelf units, 4-tier, 48" x 24" with contents, stainless, utensils, pails, pans
732	1	Mocon head space analyzer, mod. Pac Check 450	756		[Lot] (3) Brass samplers
733	1	Mocon head space analyzer, mod. Pac Check 450			[Lot] Safety, (1) spill control station, (2) lens cleaning
734	1	Hunter Lab optical sensor, mod. D25L, s/n 90929, with DP-9000 processor			stations
735	1	Hunter Lab optical sensor, mod. D25L, s/n 90208, with DP-9000 processor	758	1	Orton R D coffee roaster, mod. 4X, s/n 4X-2090, with Broan stainless exhaust hood (frame supported)
726	4	·	759	1	Grindmaster coffee grinder, mod. 810, s/n L020746
/30	1	Awareness Technology micro strip reader, mod. Stat Fax 303 plus, s/n 30313267	760	1	Grindmaster coffee grinder, mod. 810, s/n L018042
737	1	Brookfield viscometer, mod. HAT, s/n 8497765, with Helipath spindle set, stand and case	761	1	Grindmaster coffee grinder, mod. 810, s/n 319367
			762	1	Grindmaster coffee grinder, mod. 810, s/n 188043
738	1	BS refractometer, mod. RFM8I, s/n E87127, multi- scale automatic	763	1	Grindmaster coffee grinder, mod. 810, s/n 375753
739	1	VWR lab oven, s/n 07051004	764	1	Bunn coffee brewer, mod. CDBCF-DV-
		Chatillion, mod. TCD110, s/n TCD0278			1L/2UQKCONN(MCD), s/n CDBC081297, plumb style, 4-prong plug, 3-station
741	1	Advance Moisture Technology aquatrace, mod. 10MW, s/n 7E0129	765	1	Bunn coffee brewer, mod. CDBCF-DV- 1L/2UQKCONN(MCD), s/n CDBC081286, plumb style, 4-prong plug, 3-station
742	1	[Lot] (2) Process Sensors Corporation NIR bench top testers, mod. MTC600	766	1	Bunn coffee brewer, mod. CDBCF-DV-
743	1	Thermal Separation Products sampler, mod. AS3500, s/n 16362536			1L/2UQKCONN(MCD), s/n CDBC081310, plumb style, 4-prong plug, 3-station
744	1	Fischer Scientific vacuum oven, mod. Isotemp 282A, with Welch 2561B vacuum pump	767	1	Bunn coffee brewer, mod. CDBCF-DV- 1L/2UQKCONN(MCD), s/n CDBC081287, plumb style, 4-prong plug, 3-station
745	1	Food Technology Corp. texture gauge, mod. TG4E	768	1	Bunn coffee brewer, mod. SP2UPRWRMRPF, s/n
746	1	Seedburo bean hopper			S00017071, reservoir style, 3-station
747	1	Rice sieve shaker, outside door	769	1	Bunn coffee brewer, mod. SP2UPRWRMRPF, s/n S00017068, reservoir style, 3-station
748	1	Tyler sieve shaker, mod. Ro-Tap B, s/n 104, outside door	770	1	Bunn coffee brewer, mod. SP2UPRWRMRPF, s/n S00017067, reservoir style, 3-station
749	1	[Lot] Sieves, assorted sizes and styles	771	1	Bunn coffee brewer, mod. SP2UPRWRMRPF, s/n
750	1	Hewlett Packard gas chromatograph, mod. 6880, s/n			S00017063, reservoir style, 3-station
751		US0001106E [Lot] HPLC parts machines	772	1	Bunn coffee brewer, mod. SP2UPRWRMRPF, s/n S00017062, reservoir style, 3-station
		Jamco flammable storage cabinet, mod. BM44, 44 gal. cap.	773	1	Bunn coffee brewer, mod. VP173IL/2USST, s/n VP17250350, reservoir style, 3-station
753		[Lot] (2) Rolling steps, (1) 3, (1) 2 with shop vac	774	1	Bunn coffee brewer, mod. VP172(BLACK), s/n VP1710962, reservoir style, 2-station
754		[Lot] Lab equipment including scales, vacuum pumps, oven, light boxes, timers, gauges, optical			vi 1, 10,002, ieservoli style, 2-station

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
775	1	Bloomfield coffee brewer, mod. 8543, s/n 12T00002569, reservoir style, 2-station			
776	1	Bunn coffee brewer, mod. VPRBLK, s/n VPR0531347, reservoir style, 2-station			
777	1	Bunn coffee brewer, mod. VPRBLK, s/n VPR0382446, reservoir style, 2-station			
778	1	Bunn coffee brewer, mod. VPRBLK, s/n MH00000007, reservoir style, 2-station			
779	1	Bunn coffee brewer, mod. VPRBLK, s/n VPR0104567, reservoir style, 2-station			
780		[Lot] (3) Single pod coffee brewers, (1) Bunn My Cafi¿½, (2) Phillips Senseo			
781		[Lot] (5) Coffee urns, (for warming only, (1) brew basket only)			
782		[Lot] (15) Air Pot coffee dispensers			
783		[Lot] Coffee carafes			
784		[Lot] (7) Mr. Coffee coffee makers			
785		[Lot] (4) Gevalia coffee makers			
786	1	Cooktop and warmers, (1) 4-burner gas cooktop , (1) 3-burner electric cooktop, (2) 2-station warmers			
787	1	Justrite flammable storage cabinet, 25 gal. cap			
788		[Lot] Lab furnishings, counters, hood, offices (LATE PICKUP - TBA)			
789		[Lot] (2) 2-door storage cabinets			
790		[Lot] (2) Utility carts			
791	1	Kelvinator Scientific lab/pharmacy freezer			
792	1	Lab freezer			
793	1	Kelvinator Scientific lab/pharmacy freezer, 4-door			
794	1	Kelvinator Scientific lab/pharmacy freezer, 4-door			
795	1	VWR lab oven			
796	1	Cardinal platform scale, mod. 190 Storm, s/n E23813, 24" x 24" platform			

Auction

Houston, TX - February 13, 2019

Day 2 - Atlantic Coffee Solutions

Wednesday, February 13, 2019 Starting at 10:00 am

Atlantic Coffee Solutions 3900 Harrisburg Blvd. Houston, TX 77003

Lots - 801 to 1417

LOT	QTY D	ESCRIPTION	LOT	QTY	DESCRIPTION
Day 2 – H&	R Maintenan	ice, 1 st Floor, Bldg 13	825	1	Miller welder, mod. Goldstar 300 SS, s/n JA440521
801	1 A	scer lathe, mod. Dynamic 2040CH, s/n N1010017, 6'	826	1	Miller welder, mod. DIALARC HF, s/n JA364608
		ned, 3-way chuck, tool holder, steady rest	827	1	Miller welder, mod. DIALARC 250, s/n KG138963
802		Acer milling machine, mod. EVS-3VS, s/n N105037, s/2" bed with Kurt machinist vise	828	1	Lincoln welder, mod. 350MP, s/n K2403111147
803		Gennedy, tool cabinet, 7-drawer with contents	829	1	Hobart welder, mod. Tigwave 250
		machine tooling)	830	1	Welding cart with torch, gauge and hose
804	1 R	tockwell drill press, mod. EFI-2P, s/n 22350-07	831	1	Welding cart with gauge and hose
805		incoln vertical band saw, mod. KB-30, s/n 830970	832	1	Miller HD electromagnetic drill press
onc		vith spot welder	833		[Lot] (2) Angle drills, (1) DeWalt with case, (1)
		Oake H-frame hydraulic press			Milwaukee
		Oake arbor press, mod. 2 1/2	834		[Lot] (3) Angle grinders, (2) Milwaukee, (1) Black and Decker
		Oake arbor press, mod. 1 1/2 BI	835		
809		ligid pipe threader, mod. 535, s/n 391178 with (5) lies			[Lot] (2) Milwaukee portable bandsaws, 1 case
810	1 R	ligid pipe threader, mod. 700, handheld with mod.			[Lot] (2) Portable bandsaws, (1) DeWalt, (1) Porter
		270 tripod mount threader, manual threader, cutters, dies (contents on cart with cart)			Cable
811		Belt/disc sander, 6" x 12"	838		[Lot] (2) Sawzalls with cases
		Dayton belt/disc sander, 6" x 12"	839		
		Baldor dual pedestal grinder, 10"	940	1	Cases Hytorc hydraulic torque wrench with case
		Dayton dual pedestal grinder, 10"			
		Dayton drill press, mod. 3Z919C			Raptor pneumatic torque machine with case
		owermate drill press, mod. 1150, s/n 8415V537			Milwaukee rotary hammer with case
		Vesco platform lift, mod. ESPL802424, s/n 143172,	843		Milwaukee rotary hammer with case
017		rydraulic, 1000 lb. cap.			Bosch rotary hammer with case
818	1 S	afety Kleen parts washer			
819	1 V	rictor/Thermal Dynamics plasma cutter, mod.			[Lot] (4) Grinders, (3) angle, (1) die
	C	Cutmaster 52, s/n MX1408034567	847		[Lot] Saws and cutter, (2) jig saws, (1) cutter
820		hermal Dynamics plasma cutter, mod. Cutmaster i2, s/n 05484227	848		[Lot] (2) Reciprocating saws, (1) Milwaukee, (1) Rigid with cases $ \label{eq:continuous} % \begin{subarray}{ll} \end{subarray} % subarray$
821	1 T	hermal Dynamics plasma cutter, mod. Cutmaster	849	1	Bosch jackhammer
		8, s/n 02581056	850	1	Makita chopsaw
822		Ailler welder, mod. Millermatic 350D, s/n K390025B	851		[Lot] (4) Power tools, (1) angle grinder, (1) impact wrench, (1) drill, (1) angle drill
823		Ailler welder, mod. Shopmaster, s/n LC021533, with Ailler HF251D1 high frequency arc starter	852		[Lot] (4) Pneumatic tools, (3) impact wrenches, (1) angle grinder, (1) needle scaler
824	1 N	Ailler welder, mod. DIALARC HF, s/n JD724698			angle grinder, (1) needle sealer

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
853		[Lot] (5) Pneumatic tools, (3) needle scalers, (1) chisel, (1) tamper	876		[Lot] (3) Hydraulic hand pumps, (2) expanders, (1) jack
854		[Lot] (6) Pneumatic tools, (4) impact wrenches, (2)	877	1	CM comealong, mod. Series 653, 1 1/2 ton
0==		needle scalers	878	1	CM comealong, mod. Series 653, 3/4 ton
855		[Lot] (5) Pneumatic tools, (4) impact wrenches, (1) needle scaler	879	1	CM chain hoists, mod. Series 622, 1 ton
856		[Lot] Milwaukee cordless tools, (1) sawzall, (1) lube	880		[Lot] (2) Comealongs
		gun, (1) drill, (1) circular saw (no battery), (1) sawzall (no battery), (1) rotary hammer (no battery), (1) flashlight (no battery), (2) chargers	881		[Lot] (5) Pipe wrenches, (1) 48", (2) 36", (1) 24", (1) 18"
857		[Lot] Milwaukee cordless tools, (2) drills, (2) drills (no	882		[Lot] (3) Torque wrenches
		battery), (1) reciprocating saw (no battery), (1) close quarter drill (no battery), (2) chargers	883		[Lot] Miscellaneous tools, gasket cutters, snap ring pliers, rivet tool, solder gun, hole cutter, heat guns,
858		[Lot] DeWalt cordless tools, (1) drill, (1) circular saw, (1) bandsaw (no battery), (1) drill (no battery), (1) reciprocating saw (no battery), (4) chargers	884		strobe light, precision reverse alignment tool [Lot] Miscellaneous test equipment, (1) pin gauge set, (4) digital tachometers, (2) force meters, (1) gas
859		[Lot] SKE tools, (1) fitting tool with case, (1) bearing heater			detector, (1) velocity meter, (1) capacitor analyzer, (1) digimite
860	1	FLIR therma cam	885		[Lot] Welding supplies, gauges, rod, wire, clamps (contents on table)
861		[Lot] Detectors and monitors, (1) TIF refrigerant leak detector, (1) combustible gas detector, (1) SPX Robinair, (1) Multi May personal gas monitor, (1)	886		[Lot] Various abrasives, belts, discs (contents in cabinet)
		compressor analyzer, (1) Psychro Dyne, (1) Micro Sonic stethoscope			[Lot] Pullers and reamers (contents in cabinet)
862	1	Fluke insulation multimeter, mod. 1587FC			[Lot] Broach sets and parts (contents in cabinet)
863	1	Fluke insulation multimeter, mod. 1587FC			[Lot] Sockets (contents on table)
864	1	Fluke TRMS clamp meter, mod. 376FC			[Lot] Wrenches (contents on cart with cart)
865	1	Fluke milliamp process clamp meter, mod. 773			, ,
866	1	Fluke documenting process calculator mod. 754	892		[Lot] Miscellaneous tools, conduit benders, beam clamps, fish tapes, crowbar, hammer, clamps
867	1	Fluke processmeter, mod. 787			(contents on cart with cart)
868	1	Fluke dual well dry block calculator, mod. 9009			Dayton electric hoist, 300 lb. cap.
869	1	Fluke vibration tester, mod. 810			[Lot] Retractable reels, (2) hose, (2) electric cord
870	1	Omega ultrasonic flowmeter, mod. FDT-21			Proto tool chest, mod. Black Hawk, 7-drawer, mobile
871	1	Enerpac hydraulic jack, mod. R0504, 50 ton (never			Proto tool chest, mod. Black Hawk, 6-drawer, mobile
		installed)			Proto tool chest, mod. Black Hawk, 6-drawer, mobile
872	1	Enerpac hydraulic jack, mod. R0504, 50 ton (never installed)			Proto tool chest, mod. Black Hawk, 6-drawer, mobile
873		[Lot] (4) Hydraulic jacks			Proto tool chest, mod. Black Hawk, 6-drawer, mobile
		Enerpa hydraulic pump set, mod. MS2	900	1	Kennedy tool chest, mod. Black Hawk, 7-drawer, mobile
		Hytorc hydraulic pump	901	1	Kennedy tool chest, mod. Black Hawk, 8-drawer, mobile

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
902	1	Kennedy tool chest, mod. Black Hawk, 8-drawer,	926	1	Stanley Vidmar parts cabinet, 13-drawer
		mobile	927	1	Stanley Vidmar parts cabinet, 7-drawer, mobile
903	1	Kennedy tool chest, mod. Black Hawk, 10-drawer, mobile	928	1	Lyon parts cabinet, 9-drawer, mobile
904	1	Kennedy tool chest, mod. Black Hawk, 7-drawer,	929	1	Lyon parts cabinet, 9-drawer, mobile
		mobile	930		[Lot] (2) Lyon parts cabinet, (1) 7-drawer, mobile, (1)
905	1	Kennedy tool chest, mod. Black Hawk, 8-drawer, mobile	004		6-drawer
906	1	Kennedy tool chest, mod. Black Hawk, 7-drawer,			[Lot] (15) Parts boxes
	+	mobile			[Lot] Miscellaneous parts (contents on shelf unit)
907	1	Kennedy tool chest, mod. Black Hawk, 7-drawer,			[Lot] (6) Sections HD shelving
		mobile	934		[Lot] Shop equipment, (1) 6' fiberglass ladder, (3) handtrucks, (1) crawler
908	1	Kennedy tool chest, mod. Black Hawk, 8-drawer, mobile	DM Pica Sk	nop, 1 st Floo	,
909	1	Kennedy tool chest, mod. Black Hawk, 9-drawer,		• .	
		mobile	935	1	MSC milling and drilling machine, mod. 09542903, s/n 435117 with (2) machinist vises
910	1	Kennedy tool chest, mod. Black Hawk, 10-drawer, mobile	936	1	Acra vertical band saw, mod FR66KB30, s/n B30158K with spot welder
911	1	Kennedy tool chest, mod. Black Hawk, 7-drawer,	937	1	Powermatic belt/disc sander
012	1	mobile Kennedy tool chest, mod. Black Hawk, 8-drawer,	938	1	Brake, 4'
J12	1	mobile	939	1	Miller welder, mod. Goldstar 60056, s/n JJ510302
913	1	Kennedy tool chest, mod. Black Hawk, 7-drawer, mobile	940		[Lot] Welding supplies, torches, gauges, rod, wire, safety (contents in mobile 2-door storage cabinet
914	1	Sunex Tools tool cart	044		with cabinet)
915	1	Sunex Tools tool cart			Rigid pipe threader, mod. 535, with (2) dies
916	1	Sunex Tools tool cart	942		Steel Max magnetic drill press, mod. D, s/n 04A0848
917					DeWalt chopsaw, mod. D28715, s/n 038135
		pins, bushings, fittings, coils, rings)	944		[Lot] Power tools, (1) Milwaukee portable bandsaw, (1) Milwaukee sawzall, (1) DeWalt angle drill
		Lyon HD 2-door storage cabinet	945		[Lot] Power tools, (3) angle grinders, (1) HD drill
919	1	Lyon HD 2-door storage cabinet			Micrometer set, 1" to 6"
920	1	Stainless clad 2-door storage cabinet			Micrometer set, 2" to 6"
921	1	Tru Stone surface plate, 36" x 24" x 4", mounted on mobile stand			Mitutoyo digital micrometer
922	1	HD shop table, 60" x 48" x 33" with (2) vises		1	[Lot] Miscellaneous precision tools, dial gauges, dial
		HD shop table, 72" x 48" x 36"	J T J		test sets, magnetic holders
		HD shop table, 48" x 38" x 34"	950		[Lot] (4) DuMont broach sets, mod. Minute Man
		[Lot] (3) Sections HD metal shelving	951		[Lot] Mitutoyo precision blocks and square
			952		[Lot] Tap and die sets with drill bits
325	1	Stanley Vidmar parts cabinet, 13-drawer with stand			

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
953	1	Kennedy tool chest, 6-drawer with contents	982	1	Welch hydraulic boom crane, mod. 1397, s/n 32051
		(assorted tools)			NRP refrigerant recovery system
954	_ 1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile			Dayton arbor press, mod. 52077C, s/n 20012, 4-ton
955	_ 1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile			Stanley Vidmar parts cabinet, 6-drawer, mobile
956	_ 1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile			Stanley Vidmar parts cabinet, 10-drawer, mobile
957	_ 1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile			Stanley Vidmar parts cabinet, 9-drawer, mobile
958	_ 1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile			Stanley Vidmar parts cabinet, 7-drawer, mobile
959	_ 1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile			Stanley Vidmar parts cabinet, 6-drawer, mobile
960	_ 1	Strong Hold HD 2-door metal storage cabinet, mobile			Stanley Vidmar parts cabinet, 6-drawer, mobile
961	_ 1	HD 4-door metal storage cabinet, mobile			Stanley Vidmar parts cabinet, 7-drawer, mobile
962	_ 1	HD shop table, 96" x 48" x 34"			Stanley Vidmar parts cabinet, 7-drawer, mobile
963	_ 1	Yale electric hoist, 1 ton			Stanley Vidmar parts cabinet, 11-drawer, mobile
964		[Lot] (3) Retractable reels, (2) air, (1) electric			
965		[Lot] Floor jack and stands			Yale electric hoist, 1/2 ton
966		[Lot] Metal, sheets, angle, bar	995		[Lot] Miscellaneous, recovery unit, hydraulic pump, tool bos, bearing heater, vacuum pump, tank,
967	1	Genie wynch lift, mod. GL4, s/n GL0437607			benders (contents on workbench)
968	1	Genie wynch lift, with cylinder handtruck			HD shop table, 96" x 36" x 34"
969		[Lot] (5) Ladders, (4) fiberglass ((1) 8', (1) 6', (1) 4', (1)			Work bench, wood top, 5-drawers
		2'), (1) wide aluminum 4'	998		[Lot] (2) Work benches, wood top, 5-drawers
Refrigeration Shop), 3 ^r	d Floor, Bldg 10	999		[Lot] (3) Work benches, wood top, 5-drawers
970	_ 1	Milling and drilling machine, bench top	1000	1	Work bench, wood top, 5-drawers
971	_ 1	Powermatic drill press, mod. 1150, s/n 415S694	1001		[Lot] Storage cabinets and file, (2) 2-door metal
972	_ 1	Powermatic drill press, mod. 1150, s/n 415V215	1002		storage cabinets, (1) 5-door lateral file [Lot] Storage cabinets and cabinet, (1) 2-door metal
973	_ 1	Baldor dual grinder, pedestal mount	1002		storage cabinet, (1) stainless 6-shelf cabinet
974	_ 1	Miller welder, mod. DIALARC 250, s/n JD716021	Instant Pack	kaging Sho	p, 2 nd Floor, Bldg 10
975	_ 1	Miller welder, mod. DIALARC 250, s/n JG043521	1003	1	CQN lathe, mod. CQN6232, s/n 045, 4' bed, 3-way
976	_ 1	Rigid electric drain snake			chuck, tool holder, stedi rest with tooling in 5-drawer Kennedy chest
977		[Lot] (2) Conduit benders	1004	1	Pro milling and drilling machine, mod. RL80RF40, s/n
978	_ 1	Genie manlift, mod. PLC-24P, s/n 1483-5416, 300 lb.	1004	+	930709, 30" bed with machinist vise and bits on bed
		cap.	1005	1	Powermatic drill press, mod. 1200, s/n 420V682
979	_ 1	Rugger hydraulic boom crane, mod. HP-2, s/n 88H29820, 4000 lb. cap.	1006	1	Dayton belt/disc sander
980	1	Beech hydraulic boom crane, mod. 4C2000CW, s/n	1007	1	Dayton dual grinder, pedestal mount
		005873, 2000 lb. cap.	1008	1	HD shop table with (2) vises, (1) arbor press, (1)
981	_ 1	Bosch hydraulic boom crane, mod. B-500-CW, 500 lb. cap.			shear, 72" x 36" x 33"

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
1009	1	Stanley Vidmar parts cabinet, 7-drawer, mobile with	1035	1 [Lot] (4) Chain hoists, 1 ton cap,
		contents (assorted line parts)		1 Welding cart
1010	1	Equipto parts cabinet, 9-drawer, mobile with contents (assorted line parts)		[Lot] (7) 2-door storage cabinets with contents (packaging parts)
1011	1	Lista parts cabinet, 9-drawer, mobile with contents (assorted line parts)	Soluble Proc	ess Shop, Ground Floor, Bldg 17
1012	1	Lista parts cabinet, 9-drawer, mobile with contents (assorted line parts)	1038	1 Acra lathe, mod. RL251236E, s/n 493329, 54" bed, 3-way chuck, tool holder, steady rest
1013	1	Lista parts cabinet, 6-drawer, mobile with contents (assorted line parts)	1039	1 CQN lathe, mod. CQN6232, s/n 053, 48" bed, 3-way chuck, tool holder, steady rest
1014	1	Lyon HD 2-door storage cabinet	1040	1 [Lot] Tooling, chucks, tool holders, bits (contents in cabinet with cabinet)
1015		[Lot] 3 section HD shelf unit with contents (assorted line parts)	1041	1 Rutland milling and drilling machine, mod. 26660630,
1016	1	Lock out cage	4042	s/n 236678, 30" bed with machinist vise
1017	1	Sunex Tools tool cart	1042	1 Milling and drilling machine, 30" bed with machinist vise
1018		[Lot] Filler parts (contents on shelf)	1043	1 Powermatic drill press, mod. 1200, s/n 320V1071
1019		[Lot] Metal stock with grates		with machinist vise
1020	1	Safety Kleen stainless parts washer	1044	1 Powermatic drill press, mod. 1200, s/n 220V237
1021		[Lot] (4) Retractable reels, (3) hose, (1) electric	1045	1 Powermatic drill press, mod. 1150, s/n 415V205
1022	1	Eagle flammable storage cabinet, mod. 1932, 30 gal.	1046	1 Dake hydraulic H press, mobile
		cap.	1047	1 Acco hydraulic H press
Rice Ma	aintenance, 2 nd	Floor, Bldg 10	1048	1 Kalamazoo horizontal bandsaw, mod. N9AW, s/n
1023	1	Miller welder, mod. Dialarc HF, s/n JG024036	1040	14848, 54"
1024	1	Miller welder, mod. Thunderbolt 225, s/n JG052645		1 Roll press, 36"
1025	1	Powermatic drill press, mod. 1200, s/n 8920V268		1 Miller welder, mod. SRH-222, s/n HK348225
1026	1	Black and Decker dual grinder, pedestal mount		1 Powermatic belt/disc sander, mod. 30, s/n 3430296
1027	1	Baldor dual grinder, pedestal mount		1 Powermatic belt/disc sander, mod. 50B, s/n 8730738
1028	1	Belt/disc sander		1 Baldor dual grinder, pedestal mount
1029	1	DeWalt chopsaw, mod. DW870, s/n 0599		1 Dual grinder, pedestal mount
1030		[Lot] (2) SKF fitting tool kits, mod. 729125	1055	1 Phoenix electrode stabilizing oven, mod. 180/Dry Rod with welding rod
1031		[Lot] Power tools, (2) angle grinders, (1) blower unit, (1) hole cutter guide		[Lot] Scrap metal
1032	1	HD shop table with (1) vise, (1) arbor press, (1) shear, 84" x 38" x 35"		1 HD shop table with vise, 96" x 48" x 33" 1 HD shop table with arbor press and vise, 96" x 48" x
1033	1	Jet electric hoist, 1/2 ton cap.	1000	32"
	¹	[Lot] (2) C M electric hoists, mod. Shopstar, 300 lb.	1059	1 HD shop table with vise, 96" x 48" x 32"
1037	-	cap.	1060	1 Filter unit

	-				
LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1061	1	Test unit	1088	1	HD shop table with clamp and chain vises
1062	1	Knaak job box, mod. Storage Master 89	1089	1	Banding cart with tools
1063	1	Dayton job box, mod. Tradesman	1090		[Lot] (2) Handtrucks
1064	1	Sala digital winch	1091		[Lot] (5) Retractable reels, (4) hose, (1) electric
1065		[Lot] Kar Products parts boxes and cubby cabinet	1092		[Lot] (2) 2-door metal storage cabinets, (1) mobile
1000		with contents (screws, rings, washers, nuts, bolts)	1093		[Lot] (3) Dump bins (outside front door)
1000		[Lot] HD shelf units with contents (miscellaneous parts, fittings)	1094	1	Safety manlift cage (outside front door)
1067		[Lot] Shelf unit and cabinet with contents (miscellaneous parts)	1095	1	Shielded general purpose transformer, mod. S5H15S, 15 KVA, single phase, 60 Hz, 280/480 V, mobile
1068	1	Electric hoist	1096		[Lot] (2) Fiberglass extension ladders, (1) 18', (1) 22'
1069		[Lot] (5) Retractable reels, (2) hose, (3) electric	1097		[Lot] Handtrucks and barrel trucks, (2) hand, (2)
1070		[Lot] (4) 2-door storage cabinets	1098		barrel [Lot] (6) Utility carts
Bldg 22 I	Maintenance,	Ground Level	1098		[Lot] (11) Rubbermaid dump bins
1071	1	Miller welder, mod. Syncrowave 250 DX, s/n			[Lot] (9) Stainless coffee totes, 36" x 48" x 18", cone
		LC070128	1100		bottom
1072	1	Baldor dual grinder, pedestal mount	1101	1	Justrite flammable storage cabinet, mod. 25760, (2)
1073	1	HD shop table with vise, 58" x 48" x 38"			55 gal. drums cap.
1074	1	Powermatic drill press, mod. 1200, s/n 8520V359	1102	1	FM flammable storage cabinet, mobile, approx. 50 gal. cap.
1075	1	Port A Cool swamp cooler	1103	1	Justrite flammable storage cabinet, mobile, approx.
1076	1	Port A Cool swamp cooler			50 gal. cap.
1077		[Lot] Welding and cylinder carts with torch, hose, gauge	1104		[Lot] (2) Flammable storage cabinets, mobile, approx. 30 gal. cap.
1078	1	Grieve industrial oven, mod. MT550, mounted on mobile stand	1105		[Lot] (2) Flammable storage cabinets, (1) mobile, approx. 30 gal. cap.
1079	1	Dayton job box, mod. Tradesman, mobile	1106		[Lot] (3) Flammable storage cabinets, (1) mobile,
1080	1	Kennedy tool chest, 4-drawer, mobile	4407		approx. 50 gal. cap.
1081	1	Sunex Tools tool cart, mobile	1107		[Lot] (3) Flammable storage cabinets, approx. 30 gal. cap.
1082	1	Sunex Tools tool cart, mobile	1108		[Lot] (3) Flammable storage cabinets, approx. 30 gal.
1083	1	Sunex Tools tool cart			cap.
1084	1	Justrite flammable storage cabinet, mobile	1109		[Lot] (2) Justrite flammable storage cabinet, mod. Sure Grip, 12 gal. cap.
1085	1	Coffing electric hoist, 1/2 ton	1110		[Lot] (4) Flammable storage cabinets, approx. 12 gal.
1086	1	HD shop table with arbor press and vise, 86" x 36" x			cap.
1087	1	33" HD shop table with shear, clamp and chain vises, 86" x 36" x 33"	1111		[Lot] (5) Justrite flammable storage cabinet, 22 30 gal

LOT	QTY DESC	RIPTION	LOT	QTY	DESCRIPTION
	•	ed on 2 nd Level, Bldg 18 ble Drum Dryer, with stainless steel collection	1120	1	Reco Condensor System on Skid, s/n 18018-111, 300psi MAWP, 250/100psi, with pump 40hp pump, 294"L x 35"dia on skid (NBN 7199, 7219, 7256)
	hopp 1 Mate x 12',	er with live bottom auger discharge eer 33 rotary filling heads with feed conveyor, 3" , Matteer Neotron twin auger fill unit, timing	1121	5	Chill Water tanks, approx 160"H x 80" dia with associated valves transmitters, not stainless (for AMCO chill water system)
1114	1 Krone arour glue ₁ 460V	es Labeler, model Contiroll, s/n 745-884, wrap nd, reel fed labeler, 9 rotary gluing heads, with pot, control panel, feed conveyor, timing screw, r, 3ph/60hz (some parts disassembled /not polete, mfg 2000	1122	1	Mueller Water Conditioning Inc. RO System, with 6 Code Line purification pressure vessels, 400psiMAWP@120deg F, 12"dia x 40"H stainless Pall 5 micron prefilter, 40hp Tonkaflowscrew pump, permeate/concentrate flow control, 1991
1115	2 SS Pe	ermeate tanks, 24"dia MH, 4"dia center bottom large, dome top/dish bottom, with type- IK,112V, (unit TK208/108, Located on 3rd Floor,	1123	1	Mueller Water Conditioning Inc. RO System, with 6 Code Line purification pressure vessels, 400psiMAWP@120deg F, 12"dia x 40"H stainless Pall 5 micron prefilter, permeate/concentrate flow control, 1991 (without pump)
1115A 1115B	disch	less Totes, 48" x 48" x 64"H with back product large port Chiller/Dehumidifier, (1) Cargoaire dessicant	1125	1	Sweco Vibro Separator, model XS60S88-NC, s/n 727102, 60" dia with 2.5hp Sweco electric motion generator motor, 1160rpm
11130	dehu syste	midifier with Miller Picking package air handling m with associated pipe works as tagged, pressor model 303A075E-TF, s/n 3512102003	1126	1	Sweco Vibro Separator, model XS60S88-NC, s/n 738528, 60" dia with 2.5hp Sweco electric motion generator motor, 1160rpm
•	1 Trane L18C0 herm	e Chiller, model CVHE500-M08285B, s/n 01587 / PRGDA201AJ000L, 500 ton Centravac netic centrifugal liquid chiller, with HMI adaptive	1126A		[Lot] Separator Hopper, dual port discharge with (1) drawer type finger magnet separator, plus (3) approx 8"dia feed port above with penumatic slide gate dump valves, undersize oversize chute approx 6 8"dia
	Globa min/i 480V	rol system, earthwise UGW factor of 2 (Ultra al Warming) evaporator/condenser capacity of max - 1075/1350 max - 201/460 g/min min, 1,3ph/60hz, 249kw /440hp 320A, R404A, 175PSI high /low, with R123 refrigerant, purge	226B		[Lot] Spare Sweco Screens, (5) 60" dia separator wire mesh perforated screens on vertical rack included, plus (1) 60"dia table frame
1117	filter, 1 Frick/ s/n N	, mfg 2018 (asset # 20-44-Sub9FB3) /Reco Refrig. Compressor, model M557261A, //9015201, NH3R22, 4500rpm, with York/Frick on control panel, 116"L x 28" dia receiving tank,	1127	8	Ingersol Rand CT Centrifugal Pumps, model size 12-9D-1, split case, rated @ 4000 rpm, with approx 300 hp gear drives 10" x 10" feed/discharge port (CT Pump 1-8)
	250h	p/3659rpm, 250psi MAWP (RECO - geration Engineering Corpasset # RECO 2B)	1128	3	CWT Centrifugal Pumps, Gould Peerless 6AE14N-2008, centrifugal pumps, with 350hp/1785rpm gear drives, (chilled water tank pumps -)
1118	L8018 touch 250h	/Reco Refrig. Compressor, model 2052803, s/n 8-230-13, NH3R22, 4500rpm, with York/Frick n control panel, 116"L x 28" dia receiving tank, p/3659rpm, 250psi MAWP (RECO - geration Engineering Corp asset # RECO 2A	1129		Asst Centrifugal Pumps, Gould Ingersoll centrifugal pumps, rated @ 300gpm, with gear drives approx 15-40hp
1119)NBN 1 Dunh 200Ll	nam Bush/Mycom Refrig. Compressor, model UD-Mx, s/n 2012969, 250hp with 160"L x 22"dia ver tank, control panel	1130	3	Carrier Aircondition Co. Chiller Systems, model 19EA series, s/n 75-17-23490, with compressor model 19EA5471DZ, Dynapoise transmission ratio 2.33, squirrel cage induction motor @ 3540 rpm, HCF R134A refrigerant, 230V, 60hz, after cooler, condenser, Unishell # 20186, receiving tank units on skid

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1130A	1	RECO Receiving Tank, s/n 18018-260A/1988, approx 36"dia x 15 to 18'L, 300-20MAWP @ 300 deg F, NBN # 7222 (blue color)	1139A	1	Mix Tank, stainless, 80" dia x 54"H, hinged flip top top lid cover, flat bottom, with 5hp, top mount 4 blades axial flow agitator, with connecting pump
Liquid Proce	essing, Pro	ceed to 5 th Floor, Bldg 20	Fitzmill Grin	ders, Proc	eed to 7 th Floor, Bldg 20
1131	1	Liquifier, rework mix tank of stainless steel, 58"dia x 52"H + 34"dia x 14"H mixing bottom, 24" top MH, 12" top port, 40 hp bottom mounted gear drive	1140	1	Fitzmill Comminutor Grinder, model DKAS012, s/n 9976, 20hp, fitted with surge hopper with 12"dia to horizontal feed port, reversible rotor, stainless
1132	1	SS Mix Tank, approx 1800 gal, 80"dia x 8'H straight, dome top, dish bottom, (2) 18" dia MH, with 15hp top mounted lighting mixer, model M94Q15, 11.3 ratio, 115V, 4 blades axial flow agitator, plus (1) approx 3 to 5 hp bottom discharge centrifugal pump, on stainless legs support (milk dilute tank - Batch Tank # 1)	1141	1	blades @ 6000rpm, 2.36 capacity factor, pneumatic slide gate dump valve, 20hp drive, on stainless frame support, approx 5'L x 4'w x 30"H with inspection platform/ladder (A5-North) Fitzmill Comminutor Grinder, model DKAS012, s/n 7125, 20hp, fitted with surge hopper with 12"dia to horizontal feed port, reversible rotor, stainless
1133	1	Crepaco SS Mix Tank, approx 1600 gal, insulated, dome top.dish bottom, 90"dia x 128"H, 20"dia MH, with Chemineer model 3HHTD-5, 5hp/1200rpm top mounted 4 blades axial flow agitator, on stainless	4440		blades @ 6000rpm, 2.36 capacity factor, pneumatic slide gate dump valve, 20hp drive, on stainless frame support, approx 5'L x 4'w x 30"H with inspection platform/ladder (A5 South)
		legs support (surge tank # 2)	1142	1	Fitzmill Comminutor Grinder, model DKAS012, s/n 9985, 20hp, fitted with surge hopper with 12"dia to
1134	1	Crepaco SS Mix Tank, approx 1600 gal, insulated, 90"dia x 128"H, 20"dia MH, dome top, dish bottom, with Chemineer model 3HHTD-5, 5hp/1200rpm top mounted dual 4 blades axial flow agitator, on stainless legs support (surge tank # 2)			horizontal feed port, reversible rotor, stainless blades @ 6000rpm, 2.36 capacity factor, pneumatic slide gate dump valve, 20hp drive, on stainless frame support, approx 5'L x 4'w x 30"H with inspection platform/ladder (A6 West)
1135		Crepaco SS Mix Tank, approx 1600 gal, insulated, 90"dia x 128"H, 20"dia MH, dome top, dish bottom with Chemineer model 3HHTD-5, 5hp/1200rpm top mounted 4 blades axial flow agitator, with side scraper on stainless legs support (surge tank # 2)	1143	1	Fitzmill Comminutor Grinder, model DKAS012, s/n 716, 20hp, fitted with surge hopper with 12"dia to horizontal feed port, reversible rotor, stainless blades @ 6000rpm, 2.36 capacity factor, pneumatic slide gate dump valve, 20hp drive, on stainless frame support, approx 5'L x 4'w x 30"H with inspection
1136	2	Gould Centrifugal Pumps, model 3196-MTX, (2) size 1 x 2 -10, 316SS, with 10hp/1755rpm gear drives, (1) incomplete unit	1143Δ	1	platform/ladder (A6 East) [Lot] Comminutor Feed Screws, (3) units, approx 8"
1137	1	Rannie Homogenizer, high pressure 2 stage homogenizer,	11434	1	dia x 10'L, with gear drives plus (1) stainless tank with top mount agitator approx 30"dia x 4'H
1137A	1	APV Plate Chiller, model SR350, s/n 15409, plate	1143B		[Lot] Cyclone Blowers, (2) 60hp (units A5 A6)
		heat exchanger, approx 45"H x 15"W packed plates	1144	1	SS Chill Water Tank, approx 72" dia x 70"H straight,
1138	3	SS Hoppers, with (1) dome top conical bottom, (2) conical top and bottom with 12"H straight middle			dome top/dish bottom, with fill rite 800C meter, with VFD, top MH with overflow chute
	part, 8" feed ports, plus (3) 4" to 6" dia fee /discharge stainless drag conveyors with go	part, 8" feed ports, plus (3) 4" to 6" dia feed /discharge stainless drag conveyors with gear drives included, slide gates dump valve	1145	5	SS Green Coffee Bins, mobile with lid cover, cone bottom discharge
1138Δ	2	Micro Motion Flow Meters, model S150S141, 1500	1145A	7	SS Green Coffee Bins, mobile with cover lids
-130A	2	psig flow tube	1146		[Lot] Unichem Circulation Pump, model size 3 x 4 x
1139	2	SS Storage tanks, approx 600 900 gal each, 60"dias, 4' 6'H dome top/dish bottoms, with top MH, on stainless legs support, plus (1) blue basket filter, rosemount conductivity meter,			11, 310 gpm /3500rpm, with 15hp /1770rpm, gear drive, 460V, 3ph/60hz, with (1) Micro Motion flow meter, control panel, associated pipe work within the system as tagged

LOT QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1147	[Lot] Unichem Circulation Pump, model size 3 x 4 x 11, 310 gpm /3500rpm, with 15hp /1770rpm, gear drive, 460V, 3ph/60hz, with (1) Micro Motion flow meter, control panel, associated pipe work within the system as tagged	1155		extractor column, D-101/D-201 top blowcase, D-108/D208 bean feed hopper, including associated pumps, pipeworks (from 2nd floor to 14th floor) [Lot] Amco Process Section 100 System, complete
1148 1	[Lot] KSB High Pressure Pump, model LUVAK - 150/290/1, rated for 2019 gpm/431ft range, 5200psig with type LUS4/2By20-056, 200Kw/3550rpm, 460V, 410A, 60hz, squirrel cage motor, single shaft			with (1) 60 bar flash drum D-104,@ 2nd floor, approx (1) product hopper D-109 304ss, 100psig/246deg F, 6'dia x 15'H,18"dia top MH with load cell @ 3rd floor,(1) water absorption vessel T-101, shell carbon steel,1/8"304L clad, 4610psig/253 deg F, 6'dia x 66'H, with 22"dia top MH, @ 4th to 8th floor, (1) bottom
	Secondary Tank, approx 8'dia x 5'H straight, dome top, with top MH, centrifugla pump, discharge line centrifugal pump, 4" dia center top feed port, associated valves transmitters, and pump set (Located on the 3rd floor, bldg 20A)			blowcase D-102, 321ss, 1/16" CA, 4610psig/315 deg F, @ 4th to 5th floor, 4'dia x 9'L (1) extractor / reactor column R-101, shell carbon steel with 1/8" 304L clad, internal lining 304L ss, 4590/4609psig /248deg F, 6'dia x 59'H, 6th to 10th floor (1) top blowcase D-101, 321ss, 4585psig/315deg F, 4'dia x 12'H @ 11th to 12th floor, (1) beans feed hopper D-108, 304ss,
Evapco Cooling Tower	s, Located on Roof of Bldg 20			1/16"CA, MAWP 100psig/140deg F, 6'dia x 18'H @
1151 2	Evapco Cooling Towers, model USS2280824L, s/n 16790748, closed circuit evaporative cooler, approx 20'L x 12"W x 14'H, 2016 installation (NOTE:			13th to 14th plus associated control valves, actuators, pipework, airveyor/blowers, airlock, fill heater, Hex (Attached with the extraction columns)
	interested buyers are advised to inspect and check with rigger)	1155A	1	Worthington P101-Reciprocating Pump, model VQEH, 9 strokes, 1-7/8 x 7, 200hp/1800rpm, with
	Evapco Cooling Towers, model USS2280824L, s/n 16790747, closed circuit evaporative cooler, approx 20° L x 12° W x 14° H, 2016 installation (NOTE: interested buyers are advised to inspect and check with rigger)	1155B	1	Lufkins D2500 gear box@ 8.05 ratio (located in 3th floor) Worthington P104-Reciprocating Pump, model VQEH, 9 strokes, 1-7/8 x 7, 350hp/1768rpm, with Lufkins D2500 gear box@ 8.05 ratio (located in 4th floor)
1153 2	Evapco Cooling Towers, model USS2280824L, s/n 16790749, closed circuit evaporative cooler, approx 20'L x 12"W x 14'H, 2016 installation (NOTE: interested buyers are advised to inspect and check with rigger)	1155C	1	Union Pump High Pressure Pump, triplex plunger high pressure, high capacity single stage pump, 10hp, falk gear box @ 6.319 ratio, with fluid kinetics pulsation damper (located in 3rd floor)
1153A 2	Spencer Vacuum Blowers, model 110X125-MOD, 150hp /3565RPM, 10"dia port, plus (1) not installed, no drive motor	1155D	1	KSB High Pressure Recirculation Pump, model LUVAK -150/290/1, rated for 2019 gpm/431ft range, 5200psig with type LUS4/2By20-056,
1153B 1	SS Screw Conveyor, with 10hp gear drive, approx 10" dia x 75'L with clamped lid cover			200Kw/3550rpm, 460V, 410A, 60hz, squirrel cage motor, single shaft (located in 3rd floor)
1153C 2	Centrifugal Fan Blowers,	1155E		[Lot] Balance of AMCO 100 Extraction System, includes (2) receiving tanks (2) shell tubes heat
1154 1	Agglomeration Wet Scrubber, with centrifugal fan blowers, all stainless scrubbing vessel, discharge stack, ducting, rectangular slurry tank, with criculation pump (Equipment # EPN 363, EPN 361)			exchangers, Bettis robotarms actuators,p/n 31770, Mogas HD type C-1 SS ball valves, from 2500LB class/6000psi MAXCWP, Fishers Price actuator valves, plus transmitter /sensors within the wall perimiter, Hydrils IP-5-6000 accumulators
Decaffeination Tower	, Bldg 20A, plus BLdg 20 Support (Lots 1155 to 1162)	1156		[Lot] Amco Process Section 200 System, complete with (1) 60 bar flash drum D-204,@ 2nd floor, approx
1154A 1	AMCO Scale Model of Co2 Extraction Tower, shows (2) identical decaffeinated coffee bean extraction systems D-101 D-201, with D-109/D209 product hopper, D-102/D202 bottom blowcase, R-101/R-201			(1) product hopper D-209 304ss, 100psig/246deg F, 6'dia x 15'H,18"dia top MH with load cell @ 3rd floor,(1) water absorption vessel T-201, shell carbon steel,1/8"304L clad, 4610psig/253 deg F, 6'dia x 66'H, with 22"dia top MH, @ 4th to 8th floor, (1) bottom

LOT	0.737	DECORIDATION	LOT	0.71/	DECORPTION
LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
		blowcase D-202, 321ss, 1/16" CA, 4610psig/315 deg F, @ 4th to 5th floor,4'dia x 9'L (1) extractor / reactor column R-101, shell carbon steel with 1/8" 304L clad, internal lining 304L ss, 4590/4609psig /248deg F, 6'dia x 59'H, 6th to 10th floor (1) top blowcase D-	1157В		[Lot] CO2 Drums Vessels, (4) stainless, including interstage knock out drums, suction drums, unit no. D112B, D 212B, D107, D112A, plus (1)suspended precooler HEX (located beside compressor C-201)
		201, 321ss, 4585psig/315deg F, 4'dia x 12'H @ 11th to 12th floor, (1) beans feed hopper D-208, 304ss, 1/16"CA, MAWP 100psig/140deg F, 6'dia x 18'H @ 13th to 14th plus associated control valves,	1157C		[Lot] Jacket Water Cooling Console, with (2) Stainless cooling vessels, (4) centrifugal pumps, (2) heat exchanger (painted green)
		actuators, pipework, airveyor/blowers, airlock, fill heater, Hex (attached to extraction columns)	1158	2	CO2 Horizontal Working Vessels, approx 4-1/2' dia x 44-1/2'L, design pressure @ 1160psig @ 237 deg F, operating pressure/ 870psig / 72 deg F, carbon steel
1156A	1	Worthington P201-Reciprocating Pump, model VQEH, 9 strokes, 1-7/8 x 7, 200hp/1800rpm, with Lufkins D2500 gear box@ 8.05 ratio (located on 3rd floor)			/ stainless clad, 1"PS/AS insulation, with sight glass/level gauges, front MH, fill pumps, associated actuator ball valves below vessel (approx 4000 gallons capacity /720 cuft tank volume - located on the 6th floor))
1156B	1	Worthington P204-Reciprocating Pump, model VQEH, 9 strokes, 1-7/8 x 7, 350hp/1768rpm, with Lufkins D2500 gear box@ 8.05 ratio, (located on 4th floor)	1158A		[Lot] Hot Water Heat Exchangers, including sets of 2 Hughes Anderson shell tubes HEX for hot water filling / vapor suction heating, plus (2) hot water circulation drums, unit no. D-113, D213, E-121, E-
1156C	1	Union Pump High Pressure Pump, triplex plunger high pressure, high capacity single stage pump, 10hp, falk gear box @ 6.319 ratio, with fluid kinetics pulsation damper (located on the 3rd floor)	1159	2	221, E-211 (located on the 6th floor) Hughes Anderson Sets of Condensers Reflux Cooling Tubes, including (2) shell tube CO2 condenser per
1156D	1	KSB High Pressure Recirculation Pump, model LUVAK -150/290/1, rated for 2019 gpm/431ft range, 5200psig with type LUS4/2By20-056, 200Kw/3550rpm, 460V, 410A, 60hz, squirrel cage motor, single shaft (located on the 3rd floor)			set, MAWP/temp @ 140psig/170 deg F, tube @ 1170 /130 deg F, unit no. E-102A, E-102B, E-202A, E-202B plus (2) shell tube reflux HEX coolers, MAWP/temp @ shell @ 100psig/170 deg F, tube @ 1170psig/130 deg F unit no. E-109, E-209, 5054 352 sqft heated surface, 609-3/40D x 16BWGMTN.SA-249 44-3/40D
1156E		[Lot] Balance of AMCO 200 Extraction System, includes (2) receiving tanks (2) shell tubes heat exchangers, Bettis robotarms actuators,p/n 31770, Mogas HD type C-1 SS ball valves, from 2500LB class/6000psi MAXCWP, Fishers Price actuator valves, plus transmitter /sensors within the wall perimiter, Hydrils IP-5-6000 accumulators	1159A 2	2	x 16BWGMT.Sa-249-304 tubes (Located on the 7th floor) Hughes Anderson Sets of CO2 Cooling Tubes, including 4 2 shell tube Flash cooling HEX per set, Brown Fin Tube Corp. MAWP /temp @ shell 300psig /170 deg F, tube @ 1170 /130 deg F, heated surface per @ 111sqft, with pulsonic din activators, unit no. E-108, E-208, plus (2) suspended shell tube CO2 cooling HEX per set, Hughes Anderson, unit no. E-101, E-201 (Located on the 7th floor)
1157	3	Worthington Dresser CO2 Compressor Sets, Group of 3, 2 stage, 150hp/3600rpm drive motors, bore-6-1/2, 9 stroke, MAWP @ 1650 /884 psig, hydrostatic test			
		@ 3300psig, valve -4-1/4HPS, with associated suction pulsation dampers, intercoolers, knockout drums, pipings, 304 tubings, instruments, reservoir below within compressor # C-201A, C201B, C202 (located on the 5th floor)	1161	11	Amco SS Cyclones, including unit no. EPN-212, EPN-262, EPN-261, EPN-213, approx dimension from 30"dia to 72"dia x 4'H to 25'H with associated air locks, gear motors and centrifugal fan blowers, ducting withing cyclone area, (Located adjacent to
1157A	3	Worthington Dresser CO2 Compressor Sets, Group of 3, 2 stage, with 150hp/3600rpm drive motors, bore-6-1/2, 9 stroke, MAWP @ 1650 /884 psig, hydrostatic test @ 3300psig, valve -4-1/4HPS, with associated suction pulsation dampers, intercoolers, knockout drums, pipings, 304 tubings, instruments, reservoir below within compressor no. C-101A, C101B, C102 (NOTE: 2 units have missing parts drive motors-located on the 5th floor)	1162	1	bldg structures 18 19 middle open air part) Amco Control Rm, with (2) 5 station (1) 2 station operator control consoles each fitted with Foxboro Command Center I/A series monitors, Control Room with Liebert Precicion power center, PLC panels with AB 1771, 1775 plc, Foxboro I/A instrument, Sanka 1 IV PLC analog cabinet, field input output master, wall mount Tv/monitor

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1163	_ 3	SS Centrifugal Vertical Pumps, 20hp, with (1) 20hp Gould-LF3196, 1x 1.50-8, s/n 7056630, (1) 20hp Titan- T4196, 6T, s/n 1161, (1)15hp Grunfos type			control valves, ball valves, (2) mobile actuator valves (located outside by percolator columns area) associated stainless pipe works
1164	1	CRn10, vertical pump SS Dome Top Tank, approx 65"dia x 33"H straight,	1175	4	Centrifugal Pumps, including (3) Goulds DURA P200, (1) Ingersoll 4x3x13 H0002 with gear drives
		dome top /dish bottom, 18" dia MH, 30"H legs support	1176	12	SS Percolator Columns, ceiling suspended, approx 32"dia x 15' straight x 30"H cone bottom x 30"high
1165	_ 7	Gould Centrifugal Pumps, model 3196, size 1 x 1.5 -8, from 15-20hp	1176A	2	cone top (start from 3rd floor to 4th floor bldg 17) SS Receiving tanks, approx 20"dia x 4"H (Located on
1166	_ 4	Assort SS Suspended tanks, including (2) dome top/dish bottom, supported from ceiling with1-1/2hp/1140rpm top mounted agitators, 4 blades axial flow, side scraper @ 20.8ratio, approx 5' to 6' dia x 6' to 7' H straight, rectangular MH, (2) 4'dia x 12'H with top mounted agitator, no drive motors	1176C		mezzanaine of 3rd floor) [Lot] Batch Bag off Stations, including (3) dual bagging feed tube with diverter /station, Rice Lakes digital scales, (1) 48"x 48" platform, (1) HRS co. grip handle 1000lbs calibration mass,
1167	_ 4	APV Plate HEX, (2) 14"W x 48"H plates, (located oin the Mezzanine) (1)12"W x 30"H (Inside evaporator	1176D		[Lot] Shell Tube Hex, approx 14'L x 10"dia, carbon steel shell, Stainless tube
	-+1	room) plus (1) approx 10"w x 24"h (on top of plate evaporator on upper level)	1176E		[Lot] Weldon Shell Tube Hex, s/n NBN no. 4336, approx 14'L x 10"dia, carbon steel shell @ 100psig, Stainless tube @ 450psig
Percolator System,		. •	Fyanorator & Fr	ac Tar	nks, 5 th Floor, Bldg 17
		APV Plate Evaporator, model Anhydro Separator, 3 effect falling film type, with 48" dia 1st effect @ 185 deg F, 60"dia 2nd effect @ 155 deg F, 72"dia 3rd effect cone bottom separators @ 125 deg F, with sight glass, light glass, side MH, approx 12" dia center top feed port, with 1st to 3rd effect rising /falling film plate evaporator units, with 61, 53 17 28 plates -1 to 2 up/1 down plus (1) vertical condenser	-		APV Plate Evaporator, with 125 deg F stainless horizontal seperator tank, 16 plate units/1 up/1down plate HEX evaporator with (3) stainless pumps (2) 5hp, (1) 2hp, transfer /condensate /circulation pumps; condensor with full recovery vacuum pump with separator; APV vacuum flash holding tank of 4'dia x 6'H, dome top /cone bottom, and Gould circulation pumps
1169	_	Stainless Filtration Feed Tank	1178	1	Klampress Belt Press 2, model KP837, s/n KP837-
1169A	_	Stainless Concentrate Product Tank, approx 60"dia x 80"H with MH, associated sensors/Instruments, valves, within the tank, legs support, Stainless Press Feed Tank, dome top, approx 7"dia x 10'H straight x 14" cone bottom, with MH,	1170	 †	1960, 8 rollers dewatering belt filter press, armadillo dewatering belt, with approx 14'L x 10" dia, leveling screw, terminal box, discharge screw conveyor with gear drive, approx 16'L x 8'W (Located on the 4th floor)
1170	1	associated gauges, transmitter instruments, valves within the tank, corrugated GI wrapped, legs support	1178A	1	Thomas Conveyor Stainless Screw Discharge Conveyor, approx 14'L 12'L x 10"dia with lid cover, gear drive
1170	_ 1	APV Stainless Balance Tank, model Anhydro Equipment 35143, 100 gallons capacity, jacketed, with flip top lid cover, 10hp centrifugal feed pump, 3"dia center bottom port, 1-1/2 to 2" dia top ports, associated sensors, valves within the tank	1178B	1	Stainless Tank, 3500 gallons capacity, press 2 feed tank, dome top/cone bottom, with top mount agitator, with top MH, legs support, corrugated GI wrapped
1171	_ 3	Tuthill Vacuum Pumps, with 5hp/1770rpm 40hp/1775rpm gear drives,	1179		[Lot] Stainless tanks, including (1) APV aroma tank approx 48"dia X 48"H, flip top lid cover with top
1172	_ 8	Gould Evaporator Centrifugal Pumps, model 3196, 2 5hp, 5 with washdown motors			mout agitator, 2" dia center bottom discharge port, plus (1) 48" x 5'H with top mount agitator, 20"MH
1173	_	[Lot] Flow Measuring Instruments, including (2) Micro Motion flow meters, electro mechanical	1180	4	Stainless tanks, including (2) fractional feed tank, () interlock tanks for North South, approx 6'dia x 6'H,

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1180A	1	6' dia x 7'H with MH, (2) with top mount agitators, (2) with inspection ladders, with legs support Klampress Belt Press 1, model type KP837, s/n MPS no. 25457, 8 rollers dewatering belt filter press, armadillo dewatering belt, with approx 14'L x 10" dia, leveling screw, terminal box, discharge screw conveyor with gear drive.(Located on the 5th floor)			Powerflex 70 cat no. 20B-D-04D-A-0-AYNANBO, 30/28hp, 400/480V, 3ph, (6) AB Control Logix PLC racks with 12 to 13 slots with PLC modules, (1) Logix 5563 cpu, (3) 1771 PLC racks, 16 slots with plc modules, (1) PLC-5/40E, (1) Stainless Modular freestanding HMI station with Modular monitor. (NOTE: nothing associated with panel lightings, switches, breakers or transformer)
1180B	1	APV Flash Separator, model Anhydro -Equipment 35111, stainless, approx 32" dia x 5'H, side MH with legs support	1187	2	Banks of Caustic Tank System, stainless, approx 6'dia x 6'H straight with bottom belt driven agitator, multiple top ports $1-1/2$ " to 3" dia, sight glass, dome
1180C	2	Stainless tanks, (1) 3500 gallons capacity press no.1 feed tank, dome top /cone bottom (1) approx 1500 galons capacity make up tank, dome top/dish bottom, with side MH, legs support, associated valves, sensors/transmitters within the tanks,			top, with Alfa Laval spiral heat exhanger model 2, s/n 11431, type rosenblad cross flow condensing, carbon steel work platform, with associated valves, metering /process instruments as tagged within (West CT / East CT)
1180D	2	corrugated GI wrapped Gould Centrifugal Pumps, model 3196, with approx 5 to 10hp gear drives	1187A	2	Concentrate Vessels, including (2) Micro Motions flow meters, type F100S128CCAAEZ1ZZ dual seal - 2011 (2) stainless dome top/ cone bottom concentrate tanks, digital touch displays,
1180E	1	Bauer Hydrasieve, (located on the 6th level bldg 16 access thru the staircase behind bio mass boiler)	1187B	2	Recirculation Heated tanks, with spiral heating elements, associated sensors/metering process
1181	5	Gould Centrifugal Pumps, model 3196, 5 to 7-1/2hp, approx 1 x 2 -10, 316	1187C	1	instrumment, control valves, filters SS Flash Tank, approx 10'dia x 14'H with inspection
		Centrifugal Fan Blowers, service dryer 11 12 ems, 6 th Floor, Bldg 17			ladder, legs support, process sensors attached to the tank, top MH
•	-	APV-Tonawanda Plate Evaporator tanks, 2 effect falling film, approx (3) 42" (3) 60" OD separators, for effect 1A-1C, 2A-2C with approx 40"W x 7'H HEX plates, side MH, associated vapor vessels, condenser, process instruments attached within separators	Stainless Tank	s, 8 th Flo	, •
1184	15	(connecting Fristam pumps sold separately) Fristam Centrifugal Pumps, 5 10 hp recirculating /transfer pumps, washdown drive motors,	1188	2	APV SS Aroma tanks, steam jacketed approx 36"dia x 36"H with lighting mixer (1) 36" dia x 25"H with flip top lid cover on legs support including (2) booster pumps, (1) diaphgram pump (Aroma feed / ESS final
1185	3	APV SS Concentrate tanks, approx unit no. batch tank A, B Concentrate Tank, approx 6'dia x 5'H straight x 14"cone, dome top/cone bottom on load cells, (2) with agitators	1189	3	tank) APV Plate Heat Exchangers, model R5MGS-16-2002, (2) with 12 plates (1) 22 plates, 14"W x 5'H with control panel
		[Lot] Process Equipment, including (1) Micro Motion Flow meter, (1) Plate HEX, (1) reduced jacketed stainless pipe column (1) 24"dia x 30"Hstainless balance tank, plus associated process monitoring instruments within the confine of the lot	1190	13	Assort SS tanks, Lot of (13) stainless tanks including extract storage, rework, primary, east, west secondary storage, caustic storage tanks approx dimensions from 6'dia to 10'dia x 6'H to 12'H with MH, single shell insulated, (8) with top mount agitators, (1) with side mount agitator, (1) with
-		Tuthill Vacuum Pumps, with 40hp gear drives, (1-located by separator platform at back end corner) [Lot] PLC/Drive Control Room, including PLC Racks 0-1, 2, 5, PLC Racks AY, 3, 4, PV Racks, Rockwell Automations UCM cabinets 23, 15, 21, 17 with (2) AB	1191	2	corrugated GI wrapped insulation, (2) with inspection ladders (NOTE : LOCATED on the 8th FLOOR of BLDG 17th) APV Plate Heat Exchangers, includes all connections and control panel

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION			
1192		[Lot] Process Instruments and Controls, within the tank farm area, including valves and process		/deck access MH, high low plug flow process capable (4th Floor, Bldg 16)			
		measuring analytical instruments, transmitters, pipings, read outs within process lines.(Note:	West End of S	Structure 18-19, 3 rd Level			
		ANYTHING ATTACHED to the tanks stays with the tanks)	1199	1 Kennedy Stainless Hot Water Storage Tank, model			
1193		[Lot] Centrifugal Pumps, approx 13 centrifugal pump from 2 to 15 to HP with (1) wash down drive motor		Kinetic BU15108, approx 10'dia x 8'H straight, dome top/dish bottom, corrugated GI wrapped, with 18"dia side MH, 12"dia in tank HEX @ 150psi/400 deg F on legs support (located next to bldg 17 exit			
Spray Dyers & Agg	lom	nerators, Bldg 16		door to bldg 18)			
1194	_ 1	SS Spray Dryer-D11, approx 15'dia drying chamber with associated, hoppers, blowers not tagged within the dryer area, drive motors, air heater, spray chamber, intruments pipe panels /manifolds as	1199A	2 Stainless tanks, approx 60"dia x 6'H straight, dome top /dish bottoms, with top mount agitators, (AMCC 100/200), with connecting Gould 316ss pumps and manifolds			
4405		tagged (from 4th to 7th floor)	1200	1 Buhler Rotary AirLock, s/n 54980165, 2hp			
1195	1	SS Spray Dryer-D12, with associated, hoppers, blowers not tagged within the dryer area, drive motors, air heater, spray chamber, intruments pipe panels /manifolds as tagged (from 4th to 7th floor)	1200A	2 AMCO Semi Dense Airveyor Blower, encased in a protective box compartment unit no.E97-15-1063plus -AMCO-1, (1) discharge air lock beside one of airveyor			
1196	_ 1	Agglomeration Tower-AG5, approx 15'dia drying chamber with associated hoppers, blowers, drive	1200B	1 Sharples Decanter Centrifuge, 20 hp, 460 volt			
		motors, hoppers, cyclones, tiptrak bucket conveyor	Satake Sizers, Proceed to 4 th Level				
		units with associated carrier vibratory separation equipment (from 3rd to 7th floor)	1201	2 Satake Rice Sizer, one unit located directly below on			
1197	_ 1	Agglomeration Tower-AG6, with associated hoppers, blowers not tagged within the agglo area, drive motors, hoppers, cyclones, tiptrak bucket conveyor units with associated carrier vibratory separation		3rd level; includes connecting screw conveyor 1 Sweco Vibro Separator, model U3-60-88-92, with 2hp motion generator vibratory drive motor			
1197A	_ 5	equipment (from 3rd to 7th floor) Blowers, Airlocks Magnets, including (2) high pressure fan blowers, (5) airlocks with gear drives, (2) magnet separators, finger drawer type(Located	1203	1 Mueller Stainless Rectangular Tank, model RW2000CAI, s/n 118759-1 to 4, 2 compartment, 4- heat transfer surface @ MAWP -150psi@ 100deg F, with front side MH approx 12'L x 4'W x 10H			
		on the 3rd level)	1204	3 Gould, Titans Peerless Centrifugal Pumps, model 3196, 20hp /3530 3600 rpm, (1) incomplete			
1197В	6	Concentrate Columns, stainless, ceiling suspended with associated pipe works and valve controls within the room (from 3rd floor to 4th floor)	1205	1 Satake Rice Sizer, 50 hp rice sizer, with screw feed conveyor to Rotex screen separator model 431 SAN-s/s-s/s, s/n 080270, balance weight @ 144 major			
1197C	_ 2	Rotex Screen Separators, approx 5' to 6'W x 10 to 12° L with associated tiptrak bucket conveyor unit (NOTE: located on the 6th floor)	1206	/55lbs minor 1 Satake Rice Sizer, 50 hp rice sizer, with connections			
1197D		[Lot] Mesh Screen Rolls, screen cover for Rotex separators (NOTE: located on the 6th floor)	1206A	to secondary sizer (lot 1205) 2 Fristam Centrifugal Pumps, 2 hp with washdown drive motors with associated pipes, valves within			
1197E	1	Screw conveyor, approx 8"dia x 12'L stainless screw feed conveyor with lid cover and gear drive plus (1) 24" dia x 30"H mix tank with top mount agitator (NOTE: located on the 6th floor)	1207	Stainless tanks, high pressure tanks approx 4'dia x S'H with legs support, hd top flange cover, multiple top ports, center bottom discharge			
1198	_ 2	Career Vibrating Equipment Fluid Bed Dryers, model OAD-3-72100S, s/n 21821/21822, approx 13'L x 4'W x 10'H unit, vibrating fluid bed dryer with plenum					

LOT QTY DESCRIPTION LOT QTY DESCRIPTION

1208	Westfalia Centrifuges, Proceed to 6th Level			
2 Carter Day Vertical Dryers, spinaway vertical dryer with rotary centrifugal action rotors with screen speparator associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives centrifuge, 6400 rpm bowd speed, specification of the properties of the	0 rpm bowl 1755rpm,			
stainless screw discharge conveyor with gear drives 2 Carter Day Vertical Dryers, spinaway vertical dryer with rotary centrifugal action rotors with screen speparator associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives 1212	pecific gravity @			
with rotary centrifugal action rotors with screen speparator associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives associated ducting to first disconnect plus stainless screw discharge conveyor with gear drives associated pipular plus peed, specific gravity @ 1.6, 20hp/1755 230/460V 1212A	-			
1212 1 Buhler Destoner Assembly, model MTSB150SF, s/n 20302475, gravity grain destoner, back to back unit with vibratory motor, dust removal on top 1212A 2 CIP Centrifugal Pumps, 25 hp 1212B 2 Squire Cogswell Vacuum Pumps, model 240 C 14 TM, 121G 1 Westfalia Separator, model SAMR 5036, 230/460V 121B 2 Squire Cogswell Vacuum Pumps, model MTSB150SF, gravity grain destoner, back to back unit with vibratory motor, dust removal on top (1 unit on the floor) 121A 3 United Fabricating SS Sludge Holding tanks, approx 6'dia x 6'H, dome top/dish bottom with side bottom MH, 15psig @ 600 deg F, corrugated Gl wrapped, dome/top cone bottom, 750 gallon with Gould 3196- ss, 15hp centrifugal pump included, inspection ladder 122B 1 Crepaco SS Evap Storage Tank, approx 8'dia x 6'H, dome/top cone bottom, 750 gallon with Gould 3196- ss, 15hp centrifugal pump included, inspection ladder 1227	O rpm bowl			
1212B 2 Squire Cogswell Vacuum Pumps, model 240 C 14 TM, 1226 1 Westfalia Separator, model SAMR 5036, centrifuge, 6400 rpm bowl speed, specification of the floor	O rpm bowl			
1213	27331 pm,			
1214				
vibratory motor, dust removal on top (1 unit on the floor) 1214	ecific gravity @			
1215	24'L x 10" 8" dia			
1219 1 Crepaco SS Mix Tank, approx 8'dia x 80"H, dome top, pressure wall, approx 1600 gal with side ports 18"dia MH with top mount agitator plus (1) approx 5'dia x 6'H with legs support 1228 1 SS Pressure tanks, working pressure of 5 Nat Board # stamps, dish top and bottor approx 30hp, plus bag house with air lock sew euro drive ratio @ 103.65 1229 2 Extraction Pre-Heater HEX, approx 8'dia x 01, dome top, wall in separator room (can be included separators if requested) 1227C [Lot] Centrifuge Tool Sets, serveral sets: wall in separator room (can be included separators if requested) 1227C [Lot] Westfalia Centrifuge Parts, large as SAMR 5036 fames, bowls, cover, attaching (located on floor above centrifuge rm) 1228	ves, actuators, n perimeter wall			
pressure wall, approx 1600 gal with side ports 18"dia MH with top mount agitator plus (1) approx 5'dia x 6'H with legs support 1228 [Lot] Twin City/MAC Fan Blower Bag House, model RBOSW / 72AVR14, air/water fan blower seperator approx 30hp, plus bag house with air lock sew euro drive ratio @ 103.65 1229 [Lot] Westina Centinuge rais, large as SAMR 5036 fames, bowls, cover, attachi (located on floor above centrifuge rm) Nat Board # stamps, dish top and bottor manhole openings, center bottom disch mounted on load cells with common col mounted on load cells with common col	ets stored on the			
[Lot] Twin City/MAC Fan Blower Bag House, model RBOSW / 72AVR14, air/water fan blower seperator approx 30hp, plus bag house with air lock sew euro drive ratio @ 103.65 1229 Nat Board # stamps, dish top and bottor manhole openings, center bottom disch mounted on load cells with common col 2 Extraction Pre-Heater HEX . approx 8"dis	achments m)			
1229 2 Extraction Pre-Heater HEX , approx 8"di	ottoms, siden ischarges, each			
1220A [Lot] Double Tube H.E., set of 2 shell tube HEX 12" (2) Endress Hausser flow meters/transm dia x 12'L, with (2) APV model SR360 plate HEX (1)				
APV plate HEX incomplete with associated Frac Absorption System, 7 th Level, inside of Bldg				
actuator/rotary valves within 1220B 2 Tuthill /Kinney Liquid Ring Pump Vacuum Pumps, with gear drives 1230 1 Frac 1 Aroma Absorp. Column, with top pump set including associated, flash dru pipeworks, process intruments within (or roof level)	drums, still,			

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
Double Ext	raction Col	umn, 7 th & 8 th Levels	1241A	2	Dbl Screw Presses, (2) sets, each set consisting of two horiz units on common frame, with (2) SS conical
1231	1	Double Extractor Column, with (2) evaporation stripper columns, stripping towers with side MH, corrugated GI wrapped, ceiling /floor suspended, includes attached Fristam pumps 1228A (from 8th to	1241B	18	feed bins mounted overhead Green Bean Silos, including (15) on top (3) on the bottom
		level 9 - roof level)	1242	3	Continental Conv. Feed Screw Conveyors, for decaf
		Roots Positive Displacement Blower, with gear drive			silos which include: (1) 30' L (1) 35'L x 10" or 12" dia screw, with 5hp gear drives and bottom spout
1233	1	Crepaco Horizontal SS Tank, with Endress + Hauser flow metering (Located on the roof level)			discharge with air actuated rotary dump valve, lid top cover, unit no.SANKA -6 (Located on the upper
1233A	1	[Lot] Rapat Buhler Rotary Valve Distribution System, (2) gerber rotary distribution system complete with (2) screw feed conveyors, rotary magnet, Buhler dedusting equipment, type B size 9, s/n 74-130 (located on the top floor)	1242A		11th level) [Lot] Green Bean Scale Blending Components, including (1) HAG TCM receiving hopper, 8'L x 3'W 4'H ribbon blender, carbon steel through, with feed hopper, Probat / ITR green been scale hoppers with
Paddle Mix	ers, Levels	8 through 12, Bldg 22			feed screw conveyor, rotary air locks, gear drives, slide gates dump valves, associated digital read outs,
1234	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, s/n 86-1069, twin shaft stainless steel, removable top cover with (6) inspection windows with 25hp			measuring instruments, valves process from 8000 to 16000lbs/hr (includes items numbered as 1242B (11th to 12th level building 22)
		gear drive, approx 18'L x 4'W x 36"H (Level 8)	Rotary Dryers	s, Located	d in 3 rd Level Building 19
1235	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, twin shaft stainless steel, removable top cover with (6) inspection windows with 25hp gear drive, approx 18'L x 4'W x 36"H (Level 8)	1243	2	Link belt Rotary Dryers, approx 14'dia x 22'L roto shell, with discharge air lock, associated parts/drive motors and parts on pallets, (NOTE: Highly recommended that interested buyer inspect with
1236	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, s/n 86-1065, twin shaft stainless steel, removable top cover with (6) inspection windows with 25hp gear drive, approx 18'L x 4'W x 36"H (Level 9)	1244	2	rigger) Feed Screw Conveyors, approx 55-L x 12"dia, carbon steel through with gear drives, associated measuring instruments /bindicators on floor, manual open
1237	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, twin shaft stainless steel, removable top cover with (6) inspection windows with 25hp gear drive, approx	1245	2	discharge gates (located on the upper 3rd level beside cyclone lot bldg 17 exit door) AB Controllers, model Powerflex 70, inside stainless
1220		18'L x 4'W x 36"H (Level 9)			2-door cabinet (beside building 17 exit to building 18)
1238	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, s/n 861067, twin shaft stainless steel, removable top	Rulk Storago	Tanks Lo	ocated in West Yard of Facility
		cover with (6) inspection windows with 25hp gear drive, approx 18'L x 4'W x 36"H (Level 10)	_		•
1239	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, s/n 861068, twin shaft stainless steel, removable top	1246	1	SS Vert Storage Tank, approx 12' dia x 30'H with 20"dia side MH, corrugated GI wrapped, multiple bottom port discharge
		cover with (6) inspection windows with 25hp gear drive, approx 18'L x 4'W x 36"H (Level 10)	1247	1	Gould Centrifugal Pumps, model MTX-3196, size 2 x 3 -13-316ss, 100hp
1240	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, twin shaft stainless steel, removable top cover with	1248	1	Gould Centrifugal Pumps, model MTX-3196, size 2 x 3 -13-316ss, 100hp
		(6) inspection windows with 25hp gear drive, approx 18'L x 4'W x 36"H (Level 11)	1249	1	Gould Centrifugal Pumps, model MTX-3196, size 2 x 3 -13-316ss, 100hp
1241	1	Sprout Waldron SS Paddle Mixer, model DA40-20/10, s/n 861064, twin shaft stainless steel, removable top cover with (6) inspection windows with 25hp gear drive, approx 18'L x 4'W x 36"H (Level 11)	1250	1	Taylor SS Storage Tank, 9' dia x 10' h on straight side with 12" dia MH, stianless filter basket

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1251	1	Taylor SS Horizontal Storage Tank, s/n 2066, 27,800	1267	1	Poly Tank, approx 8'dia x 10'H with lid cover
		gal., 13'6" dia x 26' on straight side, 20psig @ 220 deg F (caffine recovery tank)	MVR Evapo	orator, Lots	1268 to 1287
1252	1	Taylor SS Horizontal Storage Tank, 27,800 gal., 13'6" dia x 26' on straight side, 20psig @ 220 deg F (caffine recovery tank)	1268	1	Aqua Chem Mechanical Vapor Recompression Evaporator, model VTFF, 3 effect vertical tube, falling film unit, product out capacity of 1560lbs/hr, 55%
1253	1	Gould Centrifugal Pumps, model MTX-3196, 15hp, size 4 x 6-10,			SCS, 6.0%ss CoSO4, 1.24SG, @ 1663 deg F, complete with section A B distillation columns@ 5580 distill/5540 lbs/hr vapor, vapor separator vessel @
1254	1	SS Storage Tank, approx 14'dia x 15'H, dome top/cone bottom, with carbon steel inspection platform on top (sucrose storage)			26090lbs/hr capacity, vent condenser, barometric condenser/drain, air/vapor vent, 2nd 3rd effect evaporation column, approx 4'dia x 60'H straight side, distillate tank, mist eliminator, associated
1255	1	Sundyne Pump Centrifugal Pump, model LMV311, s/n 86110255, gear driven, vertical mount, 400gpm/headsto 6,300ft max, 150hp/3076rpm			control valves, sprays, process intruments such as level indicator/temp measuring/transmitters, control valves, pipe/duct works, support structures work/inspection platform as tagged plus (3) Taylor
1256	1	Union High Pressure Pump, triplex plunger high capacity single stage pump, 10hp, falk gear box @ 6.319 ratio, with fluid kinetics pulsation damper			cone bottom feed, liquor, product tanks, MAWP @ 20psig/200 to 212 deg F (NOTE: Pumps not included will be sold Separately)
1257	1	Union High Pressure Pump, triplex plunger high capacity single stage pump, 10hp, falk gear box @ 6.319 ratio, with fluid kinetics pulsation damper (disassembled)	1269	1	Allis Chalmer Centrifugal Vapor Compressor, model D20JR, s/n 163411352, single stage, 36110ACFM @ 166.2 deg F, 4.75PSIA inlet/7.52PSIA decompression pressure, with 600hp/1775rpm Siemens induction
1258	1	Union High Pressure Pump, triplex plunger high capacity single stage pump, 10hp, falk gear box @ 6.319 ratio, with fluid kinetics pulsation damper			motor, Western Gear Corp. model 10905,s/n 0546 @ 1/4.543 ratio, 27790 lbs/hr capacity plus (1) hydraulic power pack, 24"dia vapor duct, 4160V
Green Bea	ın Unloading	g, Located in Bldg 21A	1270	1	Allen Bradley ITE Compressor Panel, s/n 79305C, 1 section, 5000V max 3ph, 1200/660 Amp bus ratings,
1260	1	Hydraulic Truck Dumper, 18'L x 10'W with 8'W dump hopper, hydraulic power pack	1271	1	nema 1, Gould 3rd Effect Recirculating Pump, model XLT-X-
1261	1	Spencer Vacuum Collector, with vertical collection bin			3196, s/n 234C140-2, 6x8-15, 316ss, impeller dia. 13.875,with 40hp/1180rpm, 230/460V, 3ph/60hz, frame-364T, gear motor
1262	1	Fairbanks 100 Ton Truck Scale, model 87270-11, s/n 59420, 100 tons nominal capacity, 70'L x 10'W, with cardinal scale mechanical component.	1272	1	Gould 2nd Effect Recirculating Pump, model XLT-X-3196, s/n 234C140-1, 6x8-15, 316ss, impeller dia. 13.875, with 40hp/1180rpm, 230/460V, 3ph/60hz,
1263	1	Vaughan Waste Water Pump 1, model STSP6K, s/n 67656C -5/02, 20 hp /1140rpm, 700gpm, unit no. Pump-1	1273	1	frame-364T, gear motor Gould Secondary Distillate Pump, model XLT-X-3196, s/n 733E690, 1.50x3-13, 316ss, impeller dia. 11.50,
1264	1	Vaughan Waste Water Pump 2, model STSP6K, s/n 67656B-5/02, 20 hp /1140rpm, 700gpm, unit no.			with 15hp/1800rpm, 230/460V, 3ph/60hz, frame- 254T,
1265	1	Pump-2 Vaughan Waste Water Pump 3, model STSP6K, s/n 67656A-5/02, 20 hp /1140rpm, 700gpm, unit no.	1274	1	Tuthill Secondary Vacuum Pump-1, model 300-FA2, s/n 3242461412, with 25hp/1775rpm, 460V, 3ph/60hz, frame-284 gear motor
1266	1	Pump-3 Vertical Waste Water Tank, s/n O90841, approx 12' dia x 25'H with 15hp/1175rpm vertical mount	1275	1	US Vacuum Pumps Secondary Vacuum Pump-2, model 16, s/n 03-06431, liquid ring, with 20hp/1760rpm gear motor
		centrifugal pump, 30"dia side MH (Ph neutralization mixing tank)	1276	1	SIHI Pumps LTD A/Q Skid Vacuum Pump, model LPHR-3708AB0014B4, s/n CA1652497-01, with

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
		40hp/1765rpm, 460V, 3ph/60hz, frame-L0215T gear motor	1292		[Lot] Centifugal Pump, (1) Gould SS, (3) Hydraulic pumps
1277	1	Gould Effect 1A Pump, model 3196, s/n 787C118.71, 11.8"dia impreller, size 1-1/2 x 3-13, 275gpm, 3600rpm, Fthead@ 508' with 10hp gear motor	1293	1	SRS SS Cone Bottom Tank, theo blow down tank, approx 6'dia x 14' total tank height, 8'H straight x 5'cone on legs support, center bottom discharge
1278	1	Gould Effect 1A Pump, model 3196, s/n 755B861.1, 6.62"dia impreller, size 1 x 2-10, 40gpm, 3500rpm, with 5hp/1750rpm, frame - 114T gear motor	1294	1	port, pneumatic slide gate dump valve SS Balance tank, approx 30" dia x 4'H, cone bottom, with 15hp/ 1770,gould 3196, size 1.5 x 3-13
1279	1	Gould Recirculating Pump, model 3196, s/n 733D-332-1, 12" dia impeller, size 1.50 x 3-13, with 15hp, 230/460V, 3ph/60hz gear motor	1295	1	centrifugal pump with associated pipework Gould Centrifugal Pump, model 3196, with 25hp /3560 rpm, gear motor
1280	1	Gould Recirculating Pump, model 3196, with gear motor	1296	1	Fiberglass Recovery Tank, 7'dia x 7'H, with 24"dia MH,
1281	1	Gould Chill Water Recirculating Pump, model 3196, s/n 771D177, size 1x2-10, with 25hp, 460V, 3ph/60hz gear motor	1297	1	Generac Diesel Gen Set, model QT15068KNSN, s/n 5004658/2008, 187.5KVA, 150KW, 277/480, 3600rpm, 3ph/60hz
1282	1	Gould Tower Water Recirculating Pump, model 3196, with gear motor	1298		[Lot] Instrumentation Room, Lot of interesting stuff in here. Call Ronnie Angeles at 419 999 0863 for
1283	1	Gould Liquor Pump, model 3196, with 5hp/1750rpm, plus (1) gould feed pump size 1-1/2 x 3-13, 11-1/8 dia impeller, with gear motor, incomplete unit	1299	1	more info Babcock Wilcox Bio-Mass Boiler, model contract no. S-10203, s/n NBN 22526, 150,000lbs /hour capacity
1284	1	Gould Product Pump, model 3196, s/n 771D178, size 1x2-10, 10"dia impeller, with 20hp/3510rpm, 460V, 3ph/60hz			250psig, 400 deg F steam, 11068sqft heating surface, with associated, pumps and motors, pipeworks, measuring sensors/instruments, valves, control room, plus belt manlift floor to floor access,
1285	1	APV Distillate Plate Hex, model SR2MS12/98, s/n 345911, with 104 packed plates, 150psig/300 deg F, 12-5/8" max, NBN-2129, plus (1) Xylem Inc standard	1300		steam drum, (1) Graver Water system horizontal LSC deaeretor hot water feed vessel [Lot] Extraction Column, stainless steel, with 50hp
1286	1	Xchange, 1.4/1.5 min/max, with s/n 238009-0T Allen Bradley Evaporator MCC, model Centerline Bull			/3550rpm, vertical (1) gould 3196, 20hp centrifugal pump
		2100, s/n K867633ZT, 7 sections with 20 disconnect switches, 15 spare, approx 35 total buckets,	1301	1	Moyno Progressive Cavity Pump, model 9J065G1SJEAAA, s/n As2150997AA, approx 6"dia OD
1287	Lot	BULK, from lot 1268 to 1287 Complete MVR Decaf Evaporation equipment			x 14'L with connected jacketed pipe as tagged, 11.37 ratio Maxus DCRG gear box, 75hp/1780 gear motor, 460V
1289	1	Overhead Crane Hoist, single girder, manual push/pull chain hoist with I-beam /column, 4tons capacity	1302	1	Vertical Screw Press, with stainless screen separator, carbon steel frame, gear drive, plus (1) stainless hopper approx 20" dia x 8'H, 20" dia top mount
Proceed t	to East End of	Yard along Fence			sludge feed flange /tube
1290	1	Offenhauser SS Supply Tank, approx 1400 gal, dome	1303	1	Horiz Screw Press, approx 5'L with top sludge feed,
		top/dish bottom, 6'dia x 6'H with 18" dia MH, top mount agitator, legs support (fenced area)	1304		[Lot] SS Discharge Screw Conveyors, (3) approx 10"dia x 17'L, 25'L, 30'L incline with gear drives, lid
1291	1	Taylor SS Neutralization Tank, s/n 96-163-1996, 96"diax 12'H, 603cft volume, approx 3700 gallons capacity, 20"dia side MH with legs support cage access ladder, inspection platform.	1305	1	cover SS Liquid Extract Tank, approx 8' dia x 10'H straight dome top/cone bottom, with top mount agitator, top MH, 11'H legs support, associated valves vessel within the tank

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1306		[Lot] SS Incline Screw Conveyors, (2) approx 10" dia x 30'L with gear drives, with multiple discharge ports	1322	1	Joy Air Compressor 3, model Turbo Air 18, s/n F07835, with Quad 2000 touch control panel, 100
		Stainless Bins, 65,000 lbs capacity, approx 60 to 70'H x 10' dia	1323	1	psig discharge pressure, 600 hp/3580rpm Joy Air Compressor 2, model Turbo Air 18, s/n F07430, with Quad 2000 touch conteol panel, 400 hp
1309	1	SS Sodium Hydraulic Tank, approx 10'dia x 11'H with side MH	1324	1	Joy Air Compressor 1, with cameron control box, 450-hp (out of service, some parts removed out on
1310	1	Gould Feed Tank Pump, model 3196, s/n 722D311, 6.9" impeller, size 2 x 3 -10, 316ss, 3600rpm, 140' fthead, 300gpm, 50hp	1325	1	cart) GDI regenerative desiccant compressed air dryer, s/n
1311	1	Bob Johnson Water Softener Set, bank of 4 carbon steel tanks, 4'dia x 6.5'H with associated pipeworks			3205A/B, approx 34"dia x 65"H, MAWP @ 150psig/450 deg F, with Spencer reactivation blower, cat no. 2016-11, s/n 264069, 10hp/3500rpm,
		Brine Storage Tank, approx 10'dia x 16' fiberglass tank plus (1) small open top			700cfm, cycling valve, pressure gauges, desiccant removal port / inspection fill hole, relief /repressuring valves, reactivation inlet thermometer
1313	1	SS Soft Water Tank, approx 10'dia x 12'H, side MH,			/heater, throttling valve
1314	1	Gould Soft Water Pump, model 3196, s/n 7330000, size 2x3-8, 316ss, 3600rpm, 250gpm with 30hp/3520rpm, 460, 3ph/60hz gear motor	1326	1	GDI regenerative desiccant compressed air dryer, s/n 4657A/B,approx 30"diax 8'h, MAWP @ 150psig/500 deg F, with control panel, spencer reactivation blower, cat no. 2005, s/n 276378, 5hp/3500rpm,
1315	2	Patterson Enviro Flo HVAC Vertical Pumps, model V5B9A-RC, in-line, impeller size@ 9.1250, 575gpm, with 15hp/1770 gear motor			325cfm, cycling valve, pressure gauges, desiccant removal port / inspection fill hole, relief /repressuring valves, reactivation inlet thermometer
1316	1	Evapco Cooling Towers, model USS-19-512, s/n 16-786822, approx 12'L x 9'W x 12'H, single fan, AT series, induced draft, approx 280 tonnage, single cell (2 years old)	1327	1	/heater, throttling valve Anderson regenerative desiccant compressed air dryer, model BP2380, s/n H-27177,approx 34"dia x 6- 1/2'h, MAWP@ 125psig/350 deg F, with spencer
1317	1	Nebraska Package Boiler, s/n NBN R2318, 30,000 lbs per hr, with economizer approx 18'L x 12'W x 10'H, with, quantum low nox burner,	1328	1	blower cat no. 2007-H, 7.5hp/3500rpm, 470cfm with associated valves instruments OTM Inc. regenerative desiccant compressed air
1318	1	TFS Industries Boiler Deareator, s/n NBN9171, with associated controls, pipework, inspection platform			dryer, s/n K8A-18-0035M5,approx 34" dia x 6'H, 40kw, 460V, 3ph/60hz, with spencer reactivation blower, associated valves instruments
1318A	1	Ebara Pumps Vertical Pump, model EVMuG/C32-8-3, s/n 3286000308L, 30hp/3520rpm with switch panel, plus (2) tanks approx 30"dia x 5 H 36"dia x 4.5'H,	1329		[Lot] Spare Parts, on 1 section, 2 tier metal rack, including, bearings, valves, seals, filters
1319		125psig/650deg F [Lot] Chem-treat Poly tanks, including (4) horizontal	1329A	1	Spare HEX, s/n SA-516-70, shell in tube, approx 5'L x 10" dia OD, 1.125" thk end flange (in crate)
		poly tanks, approx 36"dia x 6'L with (4) rectangular 6'L x 4'W x 2'H	1329В		[Lot] Parts Cabinets, including (2) 9 4 drawers parts cabinet with partitions, (2) single door storage cabinets with parts included
Plant Air Systo		Joy Air Compressor 5, model Turbo Air 2000, s/n	1329C		[Lot] Table Cabinets, (1) steel work bench with vise, (2) flammable cabinets
		F12156, with Quad 2000 touch control panel, discharge pressure @ 125psig, 175hp Beezomotor 2230,	1330	2	Vertical Air Receivers, approx 5'dia x 9'H, with side MH,
1321	1	Joy Air Compressor 4, model Turbo Air 18, s/n 108794, with Quad 2000 touch control panel, 100psig discharge pressure, 450hp	1331	2	Vertical Air Receivers, approx 6'dia x 20'H compressed air tank (blue, located outside of plant near Nebraska boiler)

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
		Air Compressor Bldg,			instrument, (1) Labconco hood, (1) AB Panelview 600, (1) Orbisphere Lab oxigen monitor, (1) AB 1771
Sludge Tow	er, Structu	re 25			Rack (located beside green soft water tanks)
1333	1	Taylor Stainless Feed Tank, s/n 96-0208-1997, 5'dia x 7'H, cone bottom, top MH feed port, center bottom discharge, multiple depositing arms	1348		[Lot] Theo Drive Controllers, including banks of (8)1336 plus AC drives, cat no. 1336S-BRF50AN-ENA-L6, 1336LGE-115Vac, Powerflex 700 20B-D-014-A0-AyNaNBO, (1) 18 slots 1771 plc rack, (NOTE: only
1334	1	Taylor Krofta SS Tank, supra cell DAF clarifier with rotary carriage drive, spiral sludge scoop - 1/3hp drive, approx 12' dia x 30"H, 390+/- gpm capacity,			Drives PLC, MCC panels not included - located in the ground floor by shop area bldg 17)
1225	1	with analog switch-J- box,	1349	1	Sludge Tower Structure, approx 30 $^{\circ}$ L x 25 $^{\circ}$ W x 14-1/2 $^{\circ}$ H, structural steel components, with stairways
1335	1	Gould Centrifugal Pump, model 3196, s/n 703E801, air desolving pump, 7.5 impeller, 1x2-10, 316ss, 15hp/3530rpm	1350	1	Water Storage Tank, carbon steel tank for fire suppression use, approx 100,000 gallons capacity, 20'dia x 20'H (subject for approval)
1336	1	SS HEX, shell tube, approx 10"dia x 4'L	1251	4	
1337	1	Decanter Feed Tank, s/n 96-207/1997, approx 36"dia x 36"H straight x 24"cone bottom, with associated	1351	1	FMC Link belt Furnace, natural gas with fan, ducting, burner, trunnion, filter (located on ground floor between bldg 24 22)
1338	1	pump, pipework,control valve/actuator Westfalia Decanter, model CB-300-00-02, s/n 800- 538 /1996, double phase unit with 12" bowl dia (1352	1	FMC Link belt Furnace, natural gas with fan, ducting, burner, trunnion, filter (located on ground floor
		300/167mm) @ 4400rpm, carbon steel frame, stainless contact parts, mfg 1996	1353	1	between bldg 24 22) SS Agitated Tank, disposal of caffeine
1339	1	Bauer Hydrosieve, dewatering screen, 40"W x 40"H	Located in D	ock Area c	of Bldg 20
		on legs support			Balemaster baler, mod. 372A-APFUM2X9291, s/n
1340	1	Thomas Conveyor SS Screw Conveyor, approx 10"dia	1334	т	493004
		x 18'L ribbon mixing screw, with gear drive, (2) bottom discharge with pneumatic slide gate dump	1355	1	Quick Draft blower unit, mod. Size 4, s/n 60034
40.44		valve,	1356	23	Aluminum totes, 40" x 45" x 60"
1341	1	Crepaco DAF Equalize Tank, s/n A2152, stainless, approx 5'dia x 40"Hstraight x 12" cone, dome	1357	61	Aluminum totes, 40" x 45" x 60"
		top/cone bottom, steam jacketed, top MH, top/bottom discharge ports, on legs support	1358	50	Aluminum totes, 40" x 45" x 60"
13/12	1	Gould Daf Discharge Pump, model 3196, s/n	1359		[Lot] (9) Trailer stands, (mobile)
1542	1	708E637, 13" impeller, size 1.5 x 3-13, 316ss,	1360		[Lot] (9) Trailer stands, (mobile)
		20hp/1760 rpm	1361		[Lot] (9) Trailer stands, (mobile)
1344	1	Gould Daf Feed Pump, model 3196, 13" impeller, size 1.5 x 3-13, 316ss, 20hp/1760 rpm	1362	1	Theurer chassis with 20' container, EMCZ 421744-3, 57,500 GVW, VIN: 1432-8-EI-112304, Lic. # TN
1345	1	SS Caustic Tank, approx 9'dia x 11'H, side MH			U208342, Asset # 5627, (1984)
1346	1	BCS Chem Storage System Poly Storage Tank, approx 4'dia x 7'H, top MH	1363	1	Theurer chassis with 20' container, EMCZ 420125-7, VIN: 14232-3-EI-110685, Lic. # TN U208340, Asset # 5624, (1984)
1346A		[Lot] (3) Metering pumps, (1) centrifugal pump, chemical spill pallets, associated pipings measuring instruments/valves within	1364	1	Theurer chassis with 20' container, EMCZ 421824-4, VIN: 14232-5-E3-205186, Lic. # TN U208345, Asset # 5623, (1984)
1347		[Lot] Boiler Lab Equipment, including (1) Rosemount model 54 conductivity sensor, (1) Endress + Hausser Liquilline M-CM42 ph/ORP monitor, (1) Orion 1800 pure water monitor, (1) Grace dearborn Dr200	1365	1	Theurer chassis with 20' container, EMCZ 420767-7, VIN: 14232-4-EI-111327, Lic. # TN U208341, Asset # 5622, (1984)

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1366 _	1	Theurer chassis with 20' container, EMCZ 421819-9, VIN: 14232-6-E3-205181, Lic. # TN U208398, Asset # 5628, (1984)	1382	1	Theurer chassis with 20' container, EMCZ 421910-6, 57,500 GVW, VIN: 14232-9-E3-205212, Lic. # TN U208310, Asset # 5604, (1984)
1367 _	1	Theurer chassis with 20' container, EMCZ 421973-9, 57,500 GVW, VIN: 1432-7-E3-205335, Lic. # TN U20835, Asset # 5629, (1984)	1383	1	Theurer chassis with 20' container, EMCZ 4211414-6, VIN: 14232-9-E3-111974, Lic. # TN U208, Asset # 5602, (1984)
1368 _	1	Theurer chassis with 20' container, EMCZ 421034-6, VIN: 14232-T-DI-111594, Lic. # TN U208311, Asset # 5603, (1984)	1384	1	Theurer chassis with 20' container, EMCZ 420539-7, VIN: 14232-8-DI-111099, Lic. # TN U208313, Asset # 5614, (1984)
1369 _	1	Theurer chassis with 20' container, EMCZ 420170-3, VIN: 14232-4-EI-110730, Lic. # TN U208318, Asset # 5601, (1984)	1385	1	Theurer chassis with 20' container, EMCZ 421832-6, VIN: 14232-4-E3-205194, Lic. # TN U208319, Asset # 5613, (1984)
1370 _	1	Theurer chassis with 20' container, EMCZ 421873-2, VIN: 14232-3-E3-205235, Lic. # TN U208347, Asset # 5620, (1984)	1386	1	Theurer chassis with 20' container, EMCZ 421871-1, VIN: 14232-X-E3-205233, Lic. # TN U208309, Asset # 5605, (1984)
1371 _	1	Theurer chassis with 20' container, EMCZ 421710-3, VIN: 14232-6-E1-11270, Lic. # TN U208306, Asset # 5611, (1984)	1387	1	Theurer chassis with 20' container, EMCZ 421867-1, VIN: 1432-8-E3-205229, Lic. # TN U208308, Asset # 5606, (1984)
1372 _	1	Theurer chassis with 20' container, EMCZ 421769-6, 57,500 GVW, Lic. # TN U208343, Asset # 5619, (1984)	1388	1	Theurer chassis with 20' container, EMCZ 421409-0, VIN: 14232-5-E3-111969, Lic. # TN U208312, Asset #
1373 _	1	Theurer chassis with 20' container, EMCZ 421857-9, VIN: 14232-5-E3-2052129, Lic. # TN U208346, Asset # 5625, (1984)	1389	1	5612, (1984) Theurer chassis with 20' container, EMCZ 421932-2, VIN: 14232-8-E3-205294, Lic. # TN U208348, Asset #
1374 _	1	Theurer chassis with 20' container, EMCZ 420697-9, VIN: 14232-E9-EI-1111257, Lic. # TN U208353, Asset # 5609, (1984)	1390	1	5630, (1984) Theurer chassis with 20' container, EMCZ 421019-8, VIN: 14232-0-EI-111379, Lic. # TN U208315, Asset #
1375 _	1	Theurer chassis with 20' container, EMCZ 421685-3, VIN: 14232-7-E1-112245, Lic. # TN U208354, Asset # 5610, (1984)	1391	1	5621, (1984) Theurer chassis with 20' container, EMCZ 421964-1, VIN: 14232-6-E1-205326, Lic. # TN U208349, Asset #
1376 _	1	Theurer chassis with 20' container, EMCZ 420205-8, Lic. # TN U208352, Asset # 5618, (1984)	1392		5626, (1984) [Lot] Elway Industry super sack, (6) pallets, 36 x 36 x 59, 250 per, fill spout, discharge spout, (1500 total)
1377 _	1	Theurer chassis with 20' container, EMCZ 421357-7, 57,500 GVW, VIN: 14232-8-E3-119117, Lic. # TN U208317, Asset # 5617, (1984)	1393		[Lot] Elway Industry super sack, (8) pallets, 36 x 36 x 59, 250 per, fill spout, discharge spout, (2000 total)
1378 _	1	Hyundai chassis with 20' container, EMCZ 620034-7, VIN: 145C242S1GL002134, Lic. # TN U208320, Asset	1394		[Lot] Elway Industry super sack, (8) pallets, 36 x 36 x 59, 250 per, fill spout, discharge spout, (2000 total)
1379 _	1	# 5607, (1986) Theurer chassis with 20' container, EMCZ 421974-4,	1395		[Lot] Elway Industry super sack, (8) pallets, 36 x 36 x 59, 250 per, fill spout, discharge spout, (2000 total)
1200		VIN: 14232-9-E3-205336, Lic. # TN U208351, Asset # 5608, (1984)	1396		[Lot] Elway Industry super sack, (8) pallets, 36 x 36 x 59, 250 per, fill spout, discharge spout, (2000 total)
1380 _	1	Theurer chassis with 20' container, EMCZ 421225-1, VIN: 14232-1-EI-111785, Lic. # TN U208316, Asset # 5616, (1984)	1397		[Lot] Super sack, (8) pallets, 36 x 36 x 59, 250 per, fill spout, discharge spout, (2000 total)
1381 _	1	Theurer chassis with 20' container, EMCZ 420820-4, VIN: 14232-8-E1-111380, Lic. # TN U208314, Asset # 5615, (1984)	1398		[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 70, 70 per, (560 total)

LOT	QTY DESCRIPTION	LOT	QTY DESCRIPTION	
1399	[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 70, 5 @ 70 per, 3 @ 65 per, (545 total)			
1400	[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 70, 70 per, (560 total)			
1401	[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 70, 7 @ 70 per, 1 @ 65 per, (555 total)			
1402	[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 70, 2 @ 70 per, 6 @ 65 per, (530 total)			
1403	[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 70, 6 @ 70 per, 2 @ 65 per, (550 total)			
1404	[Lot] John Pac lined super sack, (7) pallets, 38 x 38 x 70, (490 total)			
1405	[Lot] John Pac lined super sack, (3) pallets, 37 x 37 x 43, 130 per, (390 total)			
1406	[Lot] John Pac lined super sack, (4) pallets, 37 x 37 x 43, 130 per, (520 total)			
1407	[Lot] John Pac lined super sack, (4) pallets, 37 x 37 x 43, 130 per, (520 total)			
1408	[Lot] John Pac lined super sack, (4) pallets, 37 x 37 x 58, (1) 105 per, (3) 110 per, (435 total)			
1409	[Lot] John Pac super sack, (3) pallets, 36 x 36 x 48, (1) 135 per, (2) 110 total, (355 total)			
1410	[Lot] John Pac lined super sack, (8) pallets, 38 x 38 x 78, 50 per, (400 total)			
1411	[Lot] John Pac lined super sack, (4) pallets, 37 x 37 x 37, 50 per, (200 total)			
1412	[Lot] (10) Aluminum totes with instant coffee			
1413	[Lot] (10) Aluminum totes with instant coffee			
1414	[Lot] (10) Aluminum totes with instant coffee			
1415	[Lot] (10) Aluminum totes with instant coffee			
1416	[Lot] (8) Aluminum totes with instant coffee			
1417	[Lot] (20) Aluminum totes, 40" x 45" x 60" H			

Auction

Houston, TX - February 14, 2019

Day 3 - Atlantic Coffee Solutions

Thursday, February 14, 2019 Starting at 10:00 am

Atlantic Coffee Solutions 3900 Harrisburg Blvd. Houston, TX 77003

Lots - 1501 to 2142

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
Day 3 – E	Electrician Sho	pp near 1st Floor Case Palletizing	1523	1	Miller welder, mod. Dialarc 250, s/n JC650727
1501	1	Gastech carbon dioxide detector, mod. CTC02, s/n	1524	1	Miller welder, mod. Thunder Bolt
		0019012	1525	1	Welding cart with hose and gauges (no tanks)
1502	1	Tekknow pressure calibrator, mod. PC705, s/n 3651	1526	1	Texan Electric electric pipe bender
1503	1	[Lot] Amtek testers, (1) mod. T-750 portable vacuum tester, s/n 10300302, (1) mod. T-730 portable	1527	1	Greenlee manual pipe bender, mod. 1800
		pneumatic tester	1528		[Lot] (7) Manual conduit benders
1504	1	Amprobe advance tracer, mod. T4000, with T4000	1529	1	General electric snake, mod. Mini Rooter
		transmitter, s/n 99740033 and T4000 receiver, s/n 99740031	1530	1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile
1505		[Lot] Test equipment, (1) MC mod. DA4000 digital	1531	1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile
		anemometer, (1) Shimpo mod. DT301 digital stroboscope, (1) Pasar current tracer probe, (1)	1532	1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile
		Dynasonics mod. UFX doppler flow meter, (1) Extech mod. 407026 light meter	1533	1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile
1506		[Lot] Vintage test equipment, (1) Baker mod. ST112E	1534	1	Proto tool chest, mod. Black Hawk, 6-drawer, mobile
1500		oscilloscope, (1) Pennwalt pressure tester, (1)	1535	1	Kennedy tool chest, mod. Versa Bench, 10-drawer
		Simpson volt ohm meter, (1) Amprobe with printer, (1) Versacal digital TC/mV test set			with 2-door storage cabinet, mobile
1507	1	Precision weights			Stanley Vidmar parts cabinet, 14-drawer, mobile
1508		[Lot] Brady label printers, (1) mod. XPS 2501			Stanley Vidmar parts cabinet, 9-drawer, mobile
		IDXPERT, (1) BMP 21 Plus	1538	1	Stanley Vidmar parts cabinet, 6-drawer, mobile
1509		[Lot] Rigit equipment, (1) 960 portable electric pipe	1539		[Lot] Electrician safety gear, suits, gloves, shields
		threader, (4) manual threaders, (1) cutter, (1) vise, (1) tripod and dies			[Lot] (2) Strong Hold 2-door storage cabinets
1510	1	Hilti ramset, mod. DXA40	1541	1	HD 2-door storage cabinet
1511	1	Hilti roto hammer	1542		[Lot] Retractable reels and tanks, (3) hose reels, (2) compressed air tanks
1512	1	Skill angle grinder, mod. 970, 9"	1543		[Lot] Air circulators with (3) strap barriers
1513		[Lot] Bolt cutters, cable cutters, wire strippers	1544		[Lot] Shop equipment, (3) fiberglass ladders, (1) 14'
1514	1	Irwin tap and die set			extension, (1) 6', (1) 4' step, (2) shop vacuums, (2)
1515	1	Greenlee knock out set, mod. 767	1545		heaters [Lot] Shelving with contents, wire, ballast, parts
1516	1	Greenlee knock out set, (not complete)	1546		[Lot] (3) Work tables, (1) with vise
1517	1	Enerpac knock out set			
1518		[Lot] Knock out set and hyraulic pump, (1) Greenlee	1547		
		rachet knock out set, (1) Enerpac hydraulic pump with jack	1548		[Lot] (2) Fire King fireproof file cabinets, 2-drawer legal
1519	1	Riggs flange spreader, mod. Safety Box	1549	1	Knaack job box
1520		[Lot] Rigid wrenches, (2) pipe, 36" and 18", (2) chain	1550	1	Knaack job box
1521		[Lot] Chain hoist and comealong, (5) chain hoists, (1)	1551	1	Knaack job box
4522		comealong	1552	1	Knaack job box
1522		[Lot] Wrenches, rachets and fish tapes			

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1553	1	Delta job box	1571	_ 1	Sweeper
1554	1	[Lot] Carolina hydraulic boomlift, mod. Shop Hand	1572	_ 1	EZ-GO golf cart, model TXT-48, s/n 2718035,
		5000, 3-ton cap.	1573	_ 1	EZ-GO golf cart, model TXT-48, s/n 2717184,
Material Ha	ndling Tru	cks	1574	_ 1	EZ-GO golf cart, model TXT-48
1555	1	Hyster LPG forklift, model H60FT, s/n L177V01716F, 5300 lb cap, 3 stage 189" mast, side shifter,	1575	_ 1	EZ-GO golf cart, model TXT-48, s/n 2700188,
		pneumatic tires	1576	_ 1	Ez-Go electric utility cart, model TX875, s/n 8363
1556	1	Hyster LPG forklift, model H50FT, s/n L177V01691F, LPG, 3900 lb cap, 3 stage 189" mast, side shifter, pneumatic tires	Warehouse Rackin	•	Push back racks 560 pallet positions, configured for 4
1557	1	Hyster walk behind stacker, model W25-ZC, s/n B454N01961F, 2300 lb cap, 24 volt, 2 stage 104" mast, side shifter, with charger	<u> </u>	_ *	deep x 5 tier pallet storage, with approx 25' heavy duty uprights, 8' wide cross beams per section, 15 sections in total, two of which are single pallet wide.
1558	1	Hyster walk behind stacker, model W25-ZC, s/n B454N01958F, 2300 lb cap, 24 volt, 2 stage 104" mast, side shifter, with charger	1578	_ 1	Push back racks 420 pallet positions, configured for 4 deep x 5 tier pallet storage, with approx 25' heavy duty uprights, 8' wide cross beams per section, 11 sections in total, one being single pallet wide
1559	1	Hyster walk behind stacker, model W25-ZC, s/n A454N02144Y, 2300 lb cap, 24 volt, 2 stage 104" mast, side shifter, with charger	1578A	_ 1	Push back racks 80 pallet positions, configured for 2 deep x 4 tier pallet storage, with approx 25' heavy duty uprights, 8' wide cross beams per section, 5
1560	1	Hyster walk behind stacker, model W20-XTC, s/n A454M02143Y, 1800 lb cap, 24 volt, 2 stage 104" mast, side shifter, with charger	1579	_ 1	sections in total Push back racks 310 pallet positions, configured for 3 deep x 5 tier pallet storage, with approx 25' heavy
1561	1	Hyster walk behind stacker, model W20-XTC, 1800 lb cap, 24 volt, 2 stage 104" mast, with charger			duty uprights, 8' wide cross beams per section, 10 sections in total
1562	1	Hyster walk behind stacker, model W20-XTC, s/n A454N02142Y, 1800 lb cap, 24 volt, 2 stage 104" mast, with charger	1580	_ 1	Push back racks 204 pallet positions, configured for 3 deep x 4 tier pallet storage, with approx 25' heavy duty uprights, 8' wide cross beams per section, 9 sections in total
1563	1	Hyster walk behind stacker, model W20-XTC, s/n A454N02140Y, 1800 lb cap, 24 volt, 2 stage 104" mast, with charger	1581	_ 1	Standard racks 44 sections total with approx 25' high uprights and 8' wide crossbeams, one group of double wide configuration, two additional against
1564	1	Hyster walk behind stacker, model W25-ZC, s/n B454N01960F, 2300 lb cap, 24 volt, 2 stage 104" mast, side shifter (dead battery)	1582	_ 1	Push back racks 400 pallet positions, configured for 3 deep x 5 tier pallet storage, with approx 25' heavy
1565	1	Hyster electric pallet mover, model W40-Z, s/n B218N22033J, 4000 lb cap, 24 volt			duty uprights, 8' wide cross beams per section, 10 sections in total
1566	1	Hyster electric pallet mover, model W40-Z, s/n B218N22027J, 4000 lb cap, 24 volt	1583	_ 1	Push back racks 246 pallet positions, configured for 4 deep x 5 tier pallet storage, with approx 25' heavy duty uprights, 8' wide cross beams per section, 10
1567	1	Hyster electric pallet mover, model W40-Z, s/n A218H07770Y, 4000 lb cap, 24 volt			sections in total, 3 of which are 2 deep x 4 tier high
1568	1	JLG lift pod, model FS-80, 330 lb cap	1584	_ 1	Standard racks 35 sections (approx) with 25' high uprights and 8' wide load beams (8 sections against
1569	1	JLG man lift, s/n 020B033558, 20' high reach, 750 lb cap	1585	1	wall in next warehouse)
1570	1	Advance floor scrubber, 36 volt, with charger	1303	_ 1	Push back racks 440 pallet positions, configured for 4 deep x 5 tier pallet storage, with approx 25' heavy

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
		duty uprights, 8' wide cross beams per section, 11 sections in total	1600	1	Aker Wade Fast Charger, model Unimax U30 C, dual port fast charger, 460V/3/60 input; 24/36,48VDC out
1586	1	Push back racks 440 pallet positions, configured for 4 deep x 5 tier pallet storage, with approx 25' heavy duty uprights, 8' wide cross beams per section, 11	Rebuilt Gra	anulater He	ads
1507	4	sections in total	1601	1	Modern Process Equipment granulator exchange head, mod. 999, 30/30 fine grind cuts
1587	1	Standard racks approx 31 sections in total with 20'H uprights and 8' wide load beams (some or all may be disassembled by auction time)	1602	1	Modern Process Equipment granulator exchange head, mod. 999, 30/30 fine grind cuts
1588	1	Ohaus 3000 Series platform scale (located in shipping warehouse)	1603	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1589	1	Aker Wade Fast Charger, model Unimax U30 C, dual port fast charger, 460V/3/60 input; 24/36,48VDC out	1604	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1590	1	Aker Wade Fast Charger, model Unimax U30 C, dual	1605	1	Modern Process Equipment granulator exchange head, mod. 888F, 20/20 standard cuts
1501		port fast charger, 460V/3/60 input; 24/36,48VDC out put	1606	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1591	1	Aker Wade Fast Charger, model Unimax U30 C, dual port fast charger, 460V/3/60 input; 24/36,48VDC out put	1607	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1592	1	Aker Wade Fast Charger, model Unimax U30 C, dual port fast charger, 460V/3/60 input; 24/36,48VDC out	1608	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1593	4	put Aker Wade Fast Chargers, model Unimax U30 C, dual	1609	1	Modern Process Equipment granulator exchange head, mod. 888F, 20/20 standard cuts
		port fast charger, 460V/3/60 input; 24/36,48VDC out put	1610	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1594	2	Aker Wade Fast Chargers, model Unimax U30 C, dual port fast chargers, 460V/3/60 input; 24/36,48VDC out put	1611	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1595	2	Aker Wade Fast Chargers, model Unimax U30 C, dual port fast chargers, 460V/3/60 input; 24/36,48VDC	1612	1	Modern Process Equipment granulator exchange head, mod. 888F, 20/20 standard cuts
1596	2	out put Aker Wade Fast Chargers, model Unimax U30 C, dual	1613	1	Modern Process Equipment granulator exchange head, mod. 888F, 20/20 standard cuts
		port fast chargers, 460V/3/60 input; 24/36,48VDC out put	1614	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1597	1	Aker Wade Fast Charger, model Unimax U30 C, dual port fast charger, 460V/3/60 input; 24/36,48VDC out	1615	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1598	1	Aker Wade Fast Charger, model Unimax U30 C, dual port fast charger, 460V/3/60 input; 24/36,48VDC out	1616	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1599	1	put Aker Wade Fast Charger, model Unimax U30 C, dual	1617	1	Modern Process Equipment granulator exchange head, mod. 888E, 20/20 standard cuts
1333	1	port fast charger, 460V/3/60 input; 24/36,48VDC out	New Spare	Parts on D	ock
		put	1618		[Lot] (9) Roto Metrics rotary cutters, mod. RO50065252

LOT QTY	DESCRIPTION	LOT	QTY D	DESCRIPTION
1619	[Lot] (4) Roto Metrics rotary cutters, mod. S0065766	1645		Lot] Sensors and pressure transmitters (contents on
1620	[Lot] (5) Roto Metrics rotary anvils, mod. R50065765	4646		pallet)
1621	[Lot] (6) Roto Metrics rotary anvils, mod. R50065765	1646		Lot] (7) Rosemount RTD sensors (contents on pallet)
1622	[Lot] (4) Roto Metrics rotary anvils, mod. R50065765	1647		Lot] (3) Krohne master flow 1/2", mod. Optiflux 6000 (contents on pallet)
1623	[Lot] (6) Roto Metrics rotary anvils, mod. R50065251	1648	[Lot] Copper, brass, stainless, bronze fittings and
1624	[Lot] (9) Roto Metrics rotary anvils, mod. R50065251		t	ubings (contents on 3 pallets)
1625	[Lot] (9) Roto Metrics rotary anvils, mod. R50065251			Lot] Stainless flex hose (contents on 2 pallets)
1626	[Lot] (3) Roto Metrics pouch dies, mod. R50065353	1650	1 R	RAS rotary air lock, mod. RV08
1627	[Lot] (2) Roto Metrics pouch dies, mod. R50065353	1651		Roots rotary lobe blower, mod. 412 RAM, s/n .206953281
1628	[Lot] (2) Roto Metrics pouch dies, mod. R50065353	1652	1 R	Roots rotary lobe blower, mod. 409 RAMJ, s/n
1629	[Lot] (2) Roto Metrics pouch dies, mod. R50065353			308963949
1630	[Lot] Allen Bradley electrical, automation (contents on 12 pallets)	1653		Roots rotary lobe blower, mod. 406 RAMJ, s/n .002999383
1631	[Lot] Foxboro/Siemens process control parts,	1654	[Lot] (2) Blowers with vacuum pump motor
	(contents on 6 pallets)	1655	[Lot] Vibratory motors and parts (contents on pallet)
1632	[Lot] Electrical, (contents on 5 pallets)	1656		Lot] (6) Vibratory motors (contents on pallet)
1633 1	Markem coder, mod. Smart Lasello, s/n 130727	1657		Lot] Level probes with rotary unions, pneumatic
1634 1	Lepel capper, mod. CSplus			ribrators (contents on pallet)
1635	[Lot] Video Jet parts, nozzles, photo cells, power supplies, ink cores, ink pumps, miscellaneous (contents on pallet)	1658	t	Lot] Thermometers and gauges, Ashcroft hermometer, Dwyer magnehelic gauges (contents on 2 pallets)
1636	[Lot] Marsh parts, controllers, heads, miscellaneous	1659	[Lot] Bearings (contents on 40 pallets and 1 cart)
	(contents on 2 pallets)	1660	[Lot] (5) Maxon shut off valves, 1", 2 1/2", 3"
1637	[Lot] Nordson parts, hoses, glue guns, filters, switches, miscellaneous (contents on 3 pallets)	1661	[Lot] Actuator valves (contents on 2 pallets)
1638	[Lot] Electrical, controls, amplifiers, relays, circuit	1662	1 B	Bettis actuator valve
	boards, small motors, miscellaneous (contents on 15 pallets)	1663		Lot] Pneumatic cylinders (contents on 8 pallets and box)
1639	[Lot] Solenoid valves and parts (contents on 6 pallets)	1664		Lot] (3) DeZurik pneumatic gate valves, mod. 9417263, 8"
1640	[Lot] Fuses (contents on pallet)	1665		Lot] (3) Masoneilan pneumatic valves, mod. Camflex
1641	[Lot] Servo motors (contents on pallet)			1, 3"
1642	[Lot] Electrical, ballast, thermo couples, controls, (contents on 2 pallets)	1666		Lot] (3) Masoneilan pneumatic valves, mod. Camflex I, (1) 4", (2) 3"
1643	[Lot] Flow meters and variable speed drives (contents on 5 pallets)	1667		Lot] (6) Masoneilan pneumatic valves, mod. Camflex I, (3) 1 1/2", (3) 1"
1644	[Lot] Weigh cells (contents on pallet)	1668	[Lot] (6) Masoneilan pneumatic valves, mod. Camflex

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
Electric Motors			1690	1	Reliance motor, 50 hp, 460V, 60 hz, 55.5 amp, 3560 rpm, 3 ph
1669	1	Siemens induction motor, 350 hp, 2300V, 60 hz, 108 @ FL120 @ 1.15 amp, 444 rpm, 3 ph	1691	1	Motor, 50 hp, 460 V, 56.5 amps, 60 hz, 3560 rpm, 3 ph with 5 hp motor in box
1670	1	General Electric induction motor, 300 hp, 440V, 60 hz, 391 amp, 885 rpm, 3 ph	1692	1	Baldor motor, 50 hp, 460 V, 58.4 amps, 60 hz, 1775 rpm, 3 ph
1671	1	Baldor/Reliance motor, 250 hp, 460V, 60 hz, 276 amp, 1785 rpm, 3 ph	1693	1	General Electric motor, 50 hp, 280/460V, 60 hz,
1672	1	Baldor/Reliance motor, 200 hp, 2300V, 60 hz, 45 amp, 1790 rpm, 3 ph	1694	1	110/55 amp, 3545 rpm, 3 ph Baldor motor, 50 hp, 460 V, 56 amps, 60 hz, 3560
1673	1	Reliance motor, 200 hp, 460V, 60 hz, 217 amp, 3565 rpm, 3 ph	1695	1	rpm, 3 ph Baldor motor, 50 hp, 230/460 V, 118/59 amps, 60 hz, 1770 rpm, 3 ph
1674	1	Louis Allis motor, 200 hp, 460V, 60 hz, 240 amp, 1775 rpm, 3 ph	1696	1	Baldor motor, 40 hp, 230/460 V, 96/48 amps, 60 hz, 1775 rpm, 3 ph
1675	1	US Electrical motor, 200 hp, 4000 - 2300V, 60 hz, 26 - 45 amp, 1785 rpm, 3 ph	1697		[Lot] (2) Motors, 40 hp, (1) Allis Chalmers 220/440 V, 98/48 amp, 60 hz, 3530 rpm, 3 ph, (1) 220/440 V,
1676	1	General Electric induction motor, 200 hp, 440V, 60 hz, 237 amp, 1770 rpm, 3 ph	1698		108/54 amp, 60 hz, 1785 rpm, 3 ph [Lot] (2) Reliance motors, 30 hp, (1) Allis Chalmers
1677	1	Teco-Westinghouse inverter motor, 150 hp, 460V, 60 hz, 170 amp, 3566 rpm, 3 ph, frame mounted	1030		230/460 V, 68/34 amp, 60 hz, 3540 rpm, 3 ph, (1) 460 V, 33.9 amp, 60 hz, 3540 rpm, 3 ph
1678	1	XE motor, 150 hp, 460V, 60 hz, 160 amp, 1765 rpm, 3 ph	1699		[Lot] (4) Motors, 30 hp, (2) Baldor 208-230/460 V, 78-68/34 amp, 60 hz, 3520 rpm, 3 ph, (1) Reliance
1679	1	Reliance motor, 150 hp, 460V, 60 hz, 140 amp, 1780 rpm	3	208-230/460 V, 78.5-71/35.5 amp, 60 hz, 1760 rpm, 3 ph, (1) 230/460 V, 70/35 amp, 60 hz, 3535 rpm, 3 ph	
1680	1	US Motors motor, 125 hp (no info plate)	1700		[Lot] (5) Motors, 25 hp, various mfg., 460 V, 29.5
1681	1	Westinghouse motor, 100 hp, 208-220/440 V, 248 - 234/117 amps, 60 hz, 1780 rpm, 3 ph	1701		amp, 60 hz, 1760 - 1775 rpm, 3 ph [Lot] (6) Motors, 20 hp, various mfg., 230/460 V,
1682	1	Reliance motor, 100 hp, 230/460V, 60 hz, 232/116			47/28.5 amp, 60 hz, 1770 rpm
1602	1	amp, 1780 rpm, 3 ph XE motor, 100 hp, 460V, 60 hz, 111 amp, 1765 rpm, 3	1702		[Lot] (8) Motors, 15 hp, various mfg., 230/460 V, 36-40 amp, 60 hz, 875-3535 rpm, 3 ph
1003	1	ph	1703		[Lot] (23) Motors, 10 hp, 460V, 60 hz, 3 ph
1684	1	Reliance motor, 100 hp, 230/460V, 60 hz, 232/116 amp, 1780 rpm, 3 ph	1704		[Lot] (12) Motors, 7.5 hp, 460V, 60 hz, 3 ph
1685	1	US Motors motor, 100 hp, 460V, 60 hz, 144 amp,	1705		[Lot] (12) Motors, 5 hp, 460V, 60 hz, 3 ph
		3575 rpm, 3 ph	1706	1	Tuthill kinney liquid ring pump, mod. 525CD3, s/n 2209030903
1686	1	Baldor motor, 60 hp, 460 V, 68 amps, 60 hz, 1760 rpm, 3 ph	1707	1	Roots rotary lobe blower, mod. 412RAMJ, s/n
1687	1	WEG motor, 460 V, 56.1 amps, 60 hz, 3550 rpm, 3 ph	4700		030958985
1688	1	Baldor motor, 50 hp, 460 V, 54 amps, 60 hz, 3540 rpm, 3 ph			Tuthill rotary lobe blower, mod. 470646L3, s/n 114L96
1689	1	US Motors motor, 50 hp, 230/460V, 60 hz, 116/58 amp, 1775 rpm, 3 ph	1709		[Lot] (2) Rotary lobe blowers, (1) Roots mod. 4096VRCS Whispair, s/n 8897130, (1) Roots mod. 412RAM, s/n 090588058

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
1710		[Lot] (2) Rotary lobe blowers, mod. 409JVRCS	1736	[Lot] Change parts, filler and capper
1711	1	Whispair, s/n 822518120 and 852458020 Roots rotary lobe blower, mod. 406RAMJ, s/n	1737	[Lot] (2) Belt lacers, 20" with (2) crimpers and fasteners, (contents on cart with cart)
	*	0903986015	1738	1 Refrigeration coil
1712	1	Prater Industries rotary air lock, mod. PAV12C 304SS, s/n 5002365		[Lot] Belting, table top, link (contents on 4 pallets)
1713	1	Buhler rotary air lock	1740	1 Vac-U-Max vacuum pump
		·	1741	[Lot] Gear drive motors and gears
		Leybold vacuum pump	1742	[Lot] Lubrication system
			1743	[Lot] Exair super air amplifiers
		Sew Eurodrive gear drive motor, mod.	1744	[Lot] Gears and sprokets (contents on 27 pallets)
	÷	K37D26EFDT1002S4	1745	[Lot] Shelving, table, cabinets with contents (parts,
1718		[Lot] (2) Sew Eurodrive gear drive motors, (1)		metal, miscellaneous, merchandise in room)
		RXF87DRE180M4, (1) RXF87DRE132M4	1746	
		Gear reducers, various sizes (contents on 8 pallets)	1747	cabinet
1720		[Lot] (11) Gear drive motors	1747	
1721		[Lot] (6) Gear drive motors		[Lot] (24) Boxes strapping band, polyester 750L
1722		[Lot] (5) Planetary reducers		[Lot] (23) Boxes strapping band, polyester 750L
1723	1	Lufkin gear reducer, mod. S85CH, s/n 5816	Located on	1 st Floor behind Case Palletizers
1724		[Lot] (9) Quad gear reducers	1750	2 Baldor 20 hp, 1765 RPM, 460/3/60
1725		[Lot] Gear drives, motors, various types (contents on 8 pallets)		2 Baldor 20 hp, 1180 3510 RPM, 460/3/60
1726		[Lot] (7) Servo motors		4 7.5 hp, 460/3/60, on one pallet
1727		[Lot] Clutches and parts (contents on 4 pallets)		17 3 hp, 460/3/60, contents of two pallets)
1728				20 2 hp, 460/3/60, contents of two pallets)
1729		[Lot] Mechanical seals and parts (contents on 2	1755	30 1 to 1.5 hp, 460/3/60, contents of four pallets)
		pallets)	1756	26 1 hp motors, on (4) pallets
1730	1	Reliance motor, 50 hpm 230/460 V, 119/59.6 amps,	1757	50 3/4 - 1/2 hp motors, on (6) pallets
		60 hz, 1775 rpm, 3 ph (frame mount)	1758	36 Assorted gear drives with motors, various hp
		[Lot] Sprockets, gears, sieves (contents on 4 pallets)	1759	1 Big Lot of assorted gear drives on (10) pallets
Proceed to	2 nd Floor, E	Bldg 10	Continues o	utside of Spare Parts Room
1732		[Lot] Loma drop through metal detector, mod. Loma IQ, s/n KFF07281, 7 1/2" diam., w/ Industrial	1760	[Lot] Conveyor belting, table top, on (4) pallets
		Magnetics reject	1761	[Lot] (36) Henkel boxes of hot melt
1733		[Lot] (4) Global vacuum pumps	1762	[Lot] (51) Henkel boxes of hot melt
1734		[Lot] (5) Vibratory screens, 32" diam.	1763	[Lot] (26) Henkel boxes of hot melt
1735	1	IFD Clour filler wheel	1764	[Lot] (9) Boxes of intertape

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1765	1	ITE circuit breaker, model K-8, frame size, 600 amp,	1790	1	Knaack job box, (mobile)
		voltage 600, 60 CYC, rating 25000 amps	1791	1	Dayton job box, (mobile)
1766	1	ITE circuit breaker, model K-600, 600 amp, 50/60 CY, 800 amps DC, short circuit current DC, 250V, 25,000	1792	1	Dayton job box, (mobile)
		amps	1793		[Lot] (2) Dump hoppers, forkable/mobile
1767	1	ITE circuit breaker, model K-600, 600 amp, 50/60 CY, 800 amps DC, short circuit current DC, 250V, 25,000	1794	1	CM electric chain hoist, 1/2 ton max.
		amps	1795	1	Harrington electric chain hoist, 1 ton max.
1768		[Lot] (10) Boxes of 3M taping heads (new)	1796	1	CM electric chain hoist, 1 ton max.
1769		[Lot] 3M taping heads, on (2) pallets, (1) cart	1797	1	CM electric chain hoist, 1/2 ton max.
1770		[Lot] Assorted parts, filters, belts, shafts, on (6)	1798	1	Ikar retracting lifeline with tripod
1771		shelving units (no shelving)	1799	1	Ikar retracting lifeline with tripod
-		[Lot] (12) Metal shelving units	1800	1	Dayton 24-volt electric walk-behind floor scrubber
1//2	1	Contents of Blue Fastenal shelving including: V-belts, carlock, conveyor parts, etc. Five rows of shelving,	1801		[Lot] (2) Electric walk-behind floor sweepers
		shelving not included	1802		[Lot] (4) Pallet jacks
1773		[Lot] (8) Pallets of miscellaneous motors, some electricial chain	1803	1	Dayton electric pallet jack, mod. 2LEB4
1774		[Lot] (2) Cutting dies	1804		[Lot] (4) Pallet jacks
1775	1	Lyons 10-drawer parts cabinet, (mobile)	1805		[Lot] (4) Pallet jacks
1776	1	Lyons 9-drawer parts cabinet, (mobile)	1806	1	8-step safety ladder (mobile)
1777		[Lot] (2) Belt lacers with fastener	1807	1	8-step safety ladder (mobile)
1778		[Lot] Lantech stretch wrapper parts, (2) pallets	1808		[Lot] (2) 6-step safety ladders (mobile)
1779		[Lot] Video Marsh parts with Dayton job box	1809		[Lot] (2) 6-step safety ladders (mobile)
1780		[Lot] 2-Door storage cabinet with electrical parts,	1810		[Lot] (3) 5-step safety ladders (mobile)
		modules, touch panel	1811		[Lot] (3) Safety ladders, (2) 5-step, (1) 4-step (mobile)
1781		[Lot] (3) Video Jet ink jet printers, mod. Excel 1701, (1) mobile	1812		[Lot] (4) 4-step safety ladders (mobile)
1782		[Lot] (2) Video Jet ink jet printers, mod. Excel 1701,	1813		[Lot] (5) Safety ladders, (2) 4-step, (3) 2-step (mobile)
_		mobile	1814	1	Cofkin bridge crane with battery lift bar, 2 ton max. (no rail part of building structure)
Proce	ed to Forklift Re	pair Shop	1815		[Lot] (3) Banding cart
1783	1	E260 12 volt electric 3-wheel cart	1816		-
1784	1	Knaack job box, (mobile)	1817		[Lot] Assorted hand tools, hammer, wrenches,
1785	1	Knaack job box, (mobile)	1017		sockets, drill bit, on (3) tables
1786	1	Knaack job box, (mobile)	1818		[Lot] (2) Metal work tables, (1) with (2) vise, (1)
1787	1	Knaack job box, (mobile)	1010		stainless table
1788	1	Industrial job box, (mobile)	1819		[Lot] (5) Fiberglass ladders, (1) 10', (1) 8', (1) 6', (1) 4', (1) 2'
1789	1	Industrial job box, (mobile)	1820		[Lot] (6) Fiberglass ladders, (2) 8', (4) 6'

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1821		[Lot] (6) Ladders, (9) fiberglass, (1) 12', (3) 8', (1) 6', (1) aluminum	1849		[Lot] Kennedy tool chest, (1) nibbler, (2) die grinders, (1) chain hoist
1822		[Lot] (5) Fiberglass ladders, (1) 10', (1) 8', (3) 6'	1850		[Lot] (12) Sections light-duty shelving
1823		[Lot] (7) Air circulators, (3) pedestal, (3) floor type, (1) wall mount	1851		[Lot] Westfalia parts, gaskets, piston ring, sleeves, plain bearing, (3) pallets
1824		[Lot] Contents of room, (2) sections pallet rack, (2) light duty shelving, pipes, fan blades, tarps, pe	1852		[Lot] Load cells with cart, (3) 500 lb, (1) 5,000 lb, (1) 2,500 lb, (1) 15 lb, (1) 2.5 K
1825		cases [Lot] 6-parts bin with fitting elbows, tee's, unions	1853		[Lot] (123) Rupture disks, from 2" - 6", 316 stainless/nickel
Located in Tooling	g Cag	e	1854		[Lot] Miscellaneous, gloves, helmets, hairnet, safety
1826	1	Tentec pneumatic tensioner pump unit, mod.			vest, disposable jumpsuits, plastic bags, tape, on 5- section racking
1827	1	HTT6271, 25,000 psi rating Integra pneumatic tensioner unit, mod. Rusk 7230,	1855		[Lot] Miscellaneous V-belts (hanging and on back wall)
		25,000 psi rating	1856		[Lot] Miscellaneous parts on shelving unit, shafts,
1828	1	Hytorc hydraulic unit			light bulbs, carlock seal, gaskets, (parts only)
1829		[Lot] (2) Hydraulic pumps	1857		[Lot] Miscellaneous parts on mezzanine, filter, O-
1830		[Lot] (6) Enerpac hydraulic jacks			ring, gaskets, conveyor belt, light fixture, bulbs (parts only)
1831		[Lot] (3) Sets Minuteman keyway/broach	1858		[Lot] (6) Light-duty racking, (4) 6' H x 24" W, (2) 6' H x
1832		[Lot] (5) Coffin 3/4 ton come along			36" W, (40) 6' crossbars, (12) uprights
1833		[Lot] (5) Chain hoists, 1/2 ton cap., (2) Coffin, (3) CM	1859		[Lot] (68) Sections metal shelving, 7' H x 18" W
1834		[Lot] (5) Chain hoists, 1/2 ton cap., (3) Coffin, (2) CM	1860		[Lot] (183) Metal shelving
1835		[Lot] (5) 3/4 ton cap. come along, (2) CM, (3) MRG	1861	1	Stanley Vidmar 10-drawer parts cabinet
1836		[Lot] (5) Come along, (4) 3/4 ton (1) 1/2 ton	1862	1	Stanley Vidmar 16-drawer parts cabinet
1837	1	CM electric chain hoist, 85 lb. max.	1863	1	Stanley Vidmar 10-drawer parts cabinet
1838		[Lot] (3) Retracting lifelines	1864	1	Stanley Vidmar 9-drawer parts cabinet
1839		[Lot] (3) CM chain hoists, 2 ton max.	1865	1	Stanley Vidmar 9-drawer parts cabinet
1840		[Lot] C-Clamps	1866		[Lot] (8) Sections light-duty racking, (6) 6' H x 24" W,
1841		[Lot] Chain, hooks, cleaves			(12) uprights, (2) 6' H x 36" W, (60) 6' crossbars, (4) uprights
1842		[Lot] Hand tools, benders, grease gun, torque wrench, wrenches, sockets,	1867		[Lot] Miscellaneous, food grade oil, motor oil, (1) pallet rack, (5) metal shelving unit
1843		[Lot] Pullers, fitting toolings	1868		[Lot] Miscellaneous, video, Marsh and Linx ink,
1844		[Lot] (3) Pipe wrench, (2) 36", (1) 24"			cleaning solution
1845		[Lot] (4) Rigit pipe cutters, (2) 44 X, (2) 1-2	1869	1	Yale 1/5 ton electric chain hoist with jib arm only
1846		[Lot] (5) Cable type come alongs	<u></u>		[Lot] (3) Acetylene cart with hose and gauge
1847		[Lot] Nylon slings, (2) pallets	1871		[Lot] (5) Hand trucks, (1) barrel
1848		[Lot] Safety harnesses	1872		[Lot] (4) Carts, (1) stainless

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1873		[Lot] (2) Safety ladders, (1) 7-step, (1) 5-step, mobile	1899	1	Semco rotary air lock, mod. 00852401
1874		[Lot] (2) Safety ladders, (1) 5-step, (1) 3-step, mobile	1900		[Lot] (2) Buhler rotary air locks, mod. MPSE 36/38
1875	_ 1	Securall 2-door flammable storage cabinet	1901		[Lot] (3) RAL rotary air locks, mod. PAV8
1876	_ 1	Eagle 2-door chemical storage cabinet, 45 gal. cap.	1902		[Lot] (3) RAL rotary air locks, mod. PAV8
1877		[Lot] (12) Spill containment, (10) outside	1903		[Lot] (2) RAL rotary air locks, mod. PAV6
1878		[Lot] Janitorial supplies, brooms, mops, rubber boot, dustpan	1904	1	Tuthill kinney liquid ring pump, mod. KLRX125CL3, s/n 2Z138R0903
1879		[Lot] (10) Sections pallet rack, (8) 8' H x 36" W, (12) upright, (2) 8' H x 42" W, (4) upright, (38) crossbars	1905	1	Bettis pneumatic actuator, mod. T820-Robotarm, s/n 880460AI
1880	1	Toledo platform scale, mod. 2181, s/n 519937, 400 lb. cap, (mobile)	1906	1	Bettis pneumatic actuator, mod. T416DA-Robotarm, s/n 118171
1881		[Lot] (70) Rolls stretch wrap	1907	1	Bettis pneumatic actuator
1882		[Lot] (20) Pallets stretch wrap, 0.63 mil, 29.5 width	1908	1	Bettis pneumatic actuator, mod. 167TR-Robotarm,
1883		[Lot] (20) Pallets stretch wrap, 0.63 mil, 29.5 width	1909		s/n 881096B
1884		[Lot] (30) Pallets stretch wrap, 0.63 mil, 29.5 width			[Lot] Bettis pneumatic actuators, mod. Robotarm II
1885		[Lot] (20) Poly strapping	1910		[Lot] Westfalia centrifuge parts, bowl, cover, rings, contents (5) pallets, 1 box
1886		[Lot] Forming tubes, augers, feeder hopper, (5) pallets, (2) crates	1911		[Lot] (18) CT 12 discs, stainless
1887		[Lot] Contents of room, roller, shaft, screen, guides, shelving, racking	1912		[Lot] Probes, transmitters, pressure switches, (contents on pallet)
1888	1	Pipe, bar stock, sheet metal, etc. (contents of room)	1913		[Lot] Electro-pneumatic converters and monitor
			1914		[Lot] Pressure gauges, (contents on 2 pallets)
Continues on Wes			1915		[Lot] Rosemont sensor gauges and parts (contents on
1993	_ 1	Lufkin transmission, mod. HF1007F, s/n 1121129401, for evaporator	4046		3 pallets)
1890	_ 1	Westfalia centrifuge, mod. KBRPX213, s/n 3530304	1916		[Lot] (7) MPS air boosters, mod. ROOS, (1) tank mounted
1891	_ 1	Westfalia centrifuge, (no motor)	1917		[Lot] (2) Allen Bradley controls, mod. SMC Flex
1892		[Lot] Westfalia centrifuge parts, bowls, rings, motor, (3) pallets	1918		[Lot] Electrical, control boxes, controls, drives, fuses, lights, switches, circuit boards, (contents on 17
1893	_ 1	Roots rotary lobe blower, mod. 616RAM, s/n 1110941045	1919	1	pallets) CEIA metal detector, mod. THS, 12" x 5" apeture
1894	_ 1	Roots rotary lobe blower, mod. 711URAI, s/n	1920	1	CEIA metal detector, mod. THS, 12" x 5" apeture
1005		004906579	1921	1	Lepel cap sealer, mod. ACC 725 155, s/n 1143003187
1895	1	Roots rotary lobe blower, mod. 68URAI, s/n 0401970956	1922	1	ID Technology labeler, mod. 250
1896	_ 1	Buhler rotary air lock, mod. MPSFA3688	1923	1	VM hot melt, mod. 941X610, s/n 15055
1897	1	Buhler rotary air lock, mod. USE 36/38, s/n 5970071	1924		[Lot] Marsh coder parts, mod. Patrion, (5) control
1898	1	Buhler rotary air lock, mod. MPSE 36/38	1925		pads, (2) printheads [Lot] Weldon diaphram pumps

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1926		[Lot] Pumps and parts, (4) dosing pumps, (1) drum	1953	1	Sew 3 hp gear motor
		pump, (1) condensate pump, (1) general pump	1954		[Lot] Fuses (2) pallets
1927	1	Pump Works centrifugal pump, mod. VCM, s/n OH00106A, size 3 x 4 x 11, 15 hp	1955		[Lot] (8) Fisher valves, 4"
1928		[Lot] (2) Titan centrifugal pumps, 2" x 2 1/2"	1956	1	Sweeco 20" sifter parts
1929		[Lot] (4) Goulds pump heads, mod. STX, (no covers)	1957	1	Sweeco 30" sifter
1930	1	Baldor motor, 7.5 hp, 230/460 V, 60 hz, 1770 rpm, 3	1958	1	Markem, mod. 9450, s/n 16280075, (mobile)
		ph (never installed)	1959	1	Nordson glue melter, mod. 3100
1931	1	Baldor motor, 20 hp, 460 V, 2.23 amp, 60 hz, 1520 rpm, 3 ph (never installed)	1960	1	Veab heating/cooling unit, mod. GA 60 509, s/n 20688A
1932	1	XE motor, 100 hp, 460 V, 111 amp, 60 hz, 1785 rpm, 3 ph	1961	1	RiceLake 48 x 48 platform scale, mod. 420 Plus 2A, s/n 1721100146, 5,000 lb. cap.
1933	1	Reliance motor, 75 hp, 460 V, 92 amp, 60 hz, 1775 rpm, 3 ph	1962	1	ISL 48 x 59 platform scale, mod. 4410K, s/n 0996, 10,000 lb. cap.
1934	1	Reliance motor, 75 hp, 460 V, 92 amp, 60 hz, 1775 rpm, 3 ph	1963		[Lot] (20) Test weights, (15) 50 lb., (2) 500 lb., (3) 1000 lb.
1935		[Lot] (2) Motors, 30 hp, 460 V, 60 hz, 3 ph	1964	1	Vimarc vibrator motor, mod. HXZ25008, s/n 6665,
1936		[Lot] (16) Motors, 1/6 hp - 20 hp, (contents on 2			with cart
1937		pallets)	1965	1	Vimarc vibrator motor, mod. HXZ25008, s/n 6665, with cart
1337		[Lot] Electrical wire, (contents on 6 pallets, 1 rack and 1 shelf unit)	1966		[Lot](3) Vibrator motors
1938		[Lot] Electrical fittings, control boxes, covers, boxes (contents on 4 pallets)	1967		[Lot] Goulds pump head with cart, mod. 3196
1939		[Lot] (4) Safety mirrors, 36"	1968	1	Roper pump, mod. 3
1940		[Lot] Casters	1969	1	Tuthill suction pump, mod. 75
1941		[Lot] Quick release clamps, stainless	1970	1	Goulds centrifugal pump, mod. 3196, 1 1/2" x 3/4" with 3 hp motor
1942		[Lot] Fristam and Graco pump parts	1971	1	Tital centrifugal pump, mod. T-4196, 3" x 1 1/2" with
1943		[Lot] Various sizes stainless ball valves			1.3 hp motor
1944		[Lot] (20) 1" stainless ball valves	1972	1	Roots rotary lobe blower, mod. 412JVRCS
1945		[Lot] Asst valves on (2) pallets	1973		[Lot] (2) Roots rotary lobe blowers, (1) 852-495-120,
1946		[Lot] Various sizes copper and bronze ball valves	197 <i>4</i>	1	(1) 852-495-220 Roots rotary lobe blower
1947	1	Kitz 10" valve, moc. Class 150, 285 psi @ 100 degrees	1975		[Lot] (2) Roots rotary lobe blowers, (1) 852-495-120,
1040		F	±3/3		(1) 852-495-220
		Lot of [2] 8" valves, rating 150 psi	1976	1	SMC 8" pneumatic actuator, mod. Limitorque, s/n
		Newco 8" valve, Class 300	4077		391433
		[Lot] (2) Smith 8" valves, 150 psi rating	1977		[Lot] (2) Endress Hauser flow meters, (1) 1 1/2, (1) 1/2, with cart
1951		[Lot] (4) 4" valves	1978		[Lot] (11) Butterfly valves
1952	1	C& C 16" butterfly valve			

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
1979		[Lot] (14) Ball valves, (7) 2", (4) 1", (3) 4", 150 psi	2002		[Lot] (2) Metal dump hoppers, forkable/mobile
1000		rating	2003		[Lot] (3) Metal dump hoppers, forkable/mobile
		[Lot] (2) 6" Ball valves, 150 psi rating	2004	1	Knnack job box
1981		[Lot] Assorted sight glass, traps, steam valve, (2) pallets	2005	1	Knnack job box
1982		[Lot] (8) Miscellaneous gear drives	2006	1	Knnack job box
1983	1	Sumitomo variation gear motor, mod HACS5190,	2007	1	Dayton job box
		ratio cycle 319, 1750 rpm	2008	1	Ruger 2000 lb. engine hoist
1984		[Lot] (23) Various H.P. motors, (7) pallets	2009	1	Aluminum 3-step mobile work platform
1985		[Lot] (2) Koch wire mesh mist eliminator, (2) crates	2010	1	2-step mobile work platform
1986		[Lot] Miscellaneous valves, (4) pallets	2011		[Lot] (6) Ladders, (3) fiberglass, (1) 10' with caster,
1987		[Lot] (2) Pressure relief valves, (1) 8", set rating 60			(1) 10', (1) 8', (3) aluminum, (3) step
1000	1	psi, (1) 6", set rating 150 psi	2012		
1300	1	Pressure relief valve, mod. SFV73, size 608, set rating 15 psi	2013		[Lot] (6) Hand trucks, (3) barrel/drum
1989		[Lot] (3) Pressure relief valves, (1) 1.5J + 2.5, set psi	2014		[Lot] 7-step safety ladder, (mobile)
		1150, (1) 3J4 @ 970 psi, (1) 3KA @ 1870 psi	2015		[Lot] (4) Safety ladders, (1) 7-step, (1) 3-step, (2) 2- step
1990		[Lot] (2) Pressure relief valves, size 4 x 6, (1) 3", set rating 1100 psi, (1) size 4LG @ 1000 psi	2016		[Lot] (2) Stainless cart, (1) metro rack, (1) stainless
1991		[Lot] (4) Pressure relief valves, (1) size 1.5D 2.5, set	2010		stand, (mobile)
		psi 5200, (1) size 1.5D 2.5 @ 4930 psi, (1) size 1.5 @	2017		[Lot] (3) Shop vacs, (1) retractable hose reel with cart
1002		4930 psi, (1) size 1/2 @ 5200 psi	2018		[Lot] (5) Rubbermaid carts
1992		[Lot] (3) Pressure relief valves, (1) size 4M8 @ 1170 psi, (1) size 4L6 @ 1215 psi, (1) size 4M8 @ 940 psi	2019		[Lot] (2) Flatbed carts, (4) step stool, (2) 2-tier cart
1993		[Lot] (4) Pressure relief valves, (1) 191230601XDA 1	2020		[Lot] (8) Mobile stands
		1/2 @ 960 psi, (1) size 1.5 x 2 @ 1165 psi, (1) size 1.5D 2.5 @ 5150 psi, (1) size 105D 205 @ 4920 psi	2021		[Lot] (8) Stands
1994		[Lot] (4) Pressure relief valves, (1) 1912HCI @ 1180	2022		[Lot] (2) Crossovers, (1) 3-step, (1) 2-step
		psi, (1) size 1.5 x 2 @ 1165 psi, (1) size 1.5D 2.5 @ 5150 psi, (1) size 105D 205 @ 4920 psi	2023		[Lot] (17) Metal racks
1005		[Lot] (5) Pressure relief valves, (1) 1912HCI @ 1180	2024		[Lot] Assorted totes, dollies
1995		psi, (1) size 3 @ 55 psi, (1) size 1.5D 2.5 @ 4930 psi,	2025		[Lot] (1) Rotary air lock, (1) magnetic chute
		(1) size 2 @ 60 psi, (1) 19123CHCIXDJI @ 980 psi	2026		[Lot] Parts for extraction system, (2) stainless tube,
		[Lot] (8) Pressure relief valves			(2) pulleys
		[Lot] (8) Pressure relief valves, set rating @ 15 psi	Proceed to	7 th Floor, B	lldg 20
		[Lot] (30) Pressure relief valves, (2) pallets	2027		[Lot] Stainless braided hose, augar, heat exchanger plate, screen, (12) pallets, (2) crates
1999	1	SPX high pressure pump, mod. P113, size 0.750 x 2750 MAWP 6000 psi	2028		
2000	1	BBK labeler, mod. Rapid S, with cart	2020		gear drive, (12) pallets
		[Lot] (48) Techno hot melt	2029		[Lot] Miscellaneous shaft, pump, bucket, valve, coil
			2029A	1	Gaulin homogenizer frame, type 2400HP KF12 05PA

LOT	QTY DESCRIPTION	LOT QTY DESCRIPTION	
2030	[Lot] (8) Mogas valves, heat exchanger, tube type	2053 1 Mobile cable lift	
2031	1 Enerpac hydraulic unit	2054 [Lot] Mobile pipe rack with angle iron, metal sh	eet,
2032	[Lot] Assorted valves, (6) pallets	flat bar, (1) pallet sheeting	
2033	[Lot] (2) Rebuilt rotors for Fitzmill	2055 1 Mobile rack with teflon sheet, plexiglass sheet	- (4)
2034	[Lot] (8) Sections pallet racking with contents, valves, cables	2056 [Lot] Miscellaneous parts, fitting gauge, seal ring metal shelving included	ıg, (4)
2035	1 11-step safety ladder, (mobile)	2057 [Lot] (4) Work tables with butcher block top, (2) with vise, (3) 6' L x 28" W, (1) 6' L x 36" W) table
2036	1 7-step safety ladder, (mobile)	Proceed to 5 th Floor, Bldg 20	
2037	1 6-step safety ladder, (mobile)	2058 [Lot] (1) 9-step safety ladder, (2) carts, (1) shop	vac.
2038	[Lot] (2) Fiberglass ladders, (1) Dayton heater	(1) 5' fiberglass ladder	,
2039	1 Scaffolding	2059 [Lot] (2) Metal work tables, (1) 8' L x 4' W, (1) 4' W	'Lx3'
Proceed to 6 th	Floor, Bldg 20	Proceed to 4 th Floor, Bldg 20	
2040	Lufkin gear motor, mod. D0250 CH, s/n 120494, ratio 8.054.1, rpm 1775, catalog rating 8.9 hp		
2041	1 Lufkin gear motor, mod. D0250 CH, s/n 4883, ratio 10.04.1, rpm 1775, catalog rating 625 hp, service	2061 1 Reliance 250 hp motor, frame 449 TS, volt 2800/4000, 3 ph, rpm 3575	
2042	rating 230 1 Sumitomo gear motor, mod. CHHJS-6265 DAX195,	2062 [Lot] (1) Justrite flammable storage cabinet, (1) Justrite oil rag container with flatbed cart	
2042	s/n 0441623, ratio 195, rpm 1750, input hp 61.3, HDSF 1.0	2063 [Lot] Miscellaneous parts, compressor head, pu heat element, (3) section light duty rack, valve	ımp,
2043	[Lot] Brass sleeve	coupling, filter	
2044		2064 [Lot] Miscellaneous parts in cage with (3) sectio light duty racking, motor, valve, fan blade, radia	
2045	[Lot] Miscellaneous parts, pump head, gear motor, light fixture, valve, shaft, blower (fenced area)	with cart 2065 [Lot] (2) Metal work tables, (1) 8' L x 40" W, mo	bile.
2046	Lot] (15) Sections pallet racking, (12) 9' H x 42" W, (16) uprights, (3) 8' H x 48" W,(6) uprights, (68) 8'	(1) 4' L x 3' W with vise, safety cage	,
	crossbars	2066 [Lot] (5) Pallets spill containment	
2047	[Lot] Miscellaneous parts, with metal shelving,	Proceed to 3 rd Floor, Bldg 20	
2048	regulator, probe, electrical box [Lot] Miscellaneous parts, buckets, belting, screens,	2067 [Lot] (3) Sections push back pallet rack, 28 palle position	et
2049 [Lot] (11) Sect	magnetic drum, relief caps, gear drive, pump part tions pallet racking, (2) 12' H x 42" W, (20) 9' crossbars, (2) 9' H x	2068 [Lot] (5) Sections pallet rack, 12' x 42" W with w shelf, (8) uprights, (4) 10' crossbars, (16) 8' cross	
	42" W, (22) 8' crossbars, (3) 6'H x 36" W, (18) 6' crossbars, (4) 8' H x 42" W	2069 [Lot] (1) Stainless deck, 6' x 7', (1) Super Sack ho forkable	
2050	1 Dayton job box with contents, seal ring	2070 [Lot] (2) Sections push back pallet rack, 16 palle	et
2051	[Lot] Miscellaneous parts, heat probe, seal ring, valve, ger shaft, nut, bolt, (no shelving)	position, (1) section pallet rack, 10' H x 42" W, (uprights, (4) 9' crossbars	
2052	[Lot] (18) Sections pallet racking, (1)light duty rack, (1) section pallet rack, 9' H x 48" W, 104" crossbars	Proceed to 2 nd Floor, Bldg 20	

Page 60 Descriptions not guaranteed

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
2071		[Lot] (7) Sections push back pallet rack, 56 pallet position	2094		[Lot] Audio cart with JVC color tv, Sony DVD/VHS recorder, Panasonic cassette recorder
2072		[Lot] (5) Sections pallet racking, 93' H x 42" W, (5)	2095		[Lot] Conference table, 12' x 4', (6) chairs
2272		uprights, (12) 8' crossbars	2096		[Lot] (3) Microwaves, (1) coffee maker, (8) tables,
		Elliott case sealer	2007		(16) chairs
		[Lot] (2) Pallets roll plastic, 12 mill, 66 x 36 x 96	2097		[Lot] (2) Cherry wood desk, credenza, (2) swivel chair, (1) cushion chair
2075		[Lot] (4) Shop vacs, (1) 4' fiberglass ladder, (3) hand trucks	2098		[Lot] (2) Desks, (1) credenza, (4) swivel chair, (3) lateral file cabinets
		Dayton pallet jack, 5500 lb. cap.	2099	1	RO Tap shaker, model RX 22, s/n 22461
2077		[Lot] Janitorial supplies, mops, broom, waste can, shovel, bucket, vaccum, (5) sections metal shelving			Haug pack vac leak detector, mod. PVEL 181210, s/n
2078		[Lot] (3) Microwaves, (6) coffee makers, (3) ice tea			585601
		canisters			Sympatec dry disperison, mod. Rodos Sr, s/n 468
2079		[Lot] (5) Sections light duty racking, (10) 10' x 3' uprights, 5' crossbars	2102		[Lot] (4) Microwaves, (2) Avanti, (1) Sanyo, (1) MCC
2080	1	Aker Wade 48 volt battery charger, mod. Unimax	2103		[Lot] (4) Sharp microwaves, model 1000 W/R-21LC
2000	1	U30C, s/n LJ100744C, 30 KW fast charge	2104		[Lot] (4) Sharp microwaves, model 1000 W/R-21LC
2081	1	Aker Wade 48 volt battery charger	2105		[Lot] (4) Sharp microwaves, model 1000 W/R-21LC
2082	1	Goulds centrifugal pump, mod. MCC, size 1 x 1 with	2106		[Lot] (4) Microwaves, (3) Magic Chef, (1) Sanyo
		1/2 hp motor, imp. dia. 4-7/16	2107		[Lot] (3) Bunn coffee makers, (1) Sanyo mini
2083	1	Enerpac hydraulic unit	24.00		refrigerator, (1) Mr Coffee coffee maker
2084		[Lot] Miscellaneous motor hoses, filter, V-belts, iron rack with angle iron, (3) metal shelving units	2108		[Lot] (10) Black armchairs with casters
2085	1	Strong Hold 2-door storage cabinet	2109		[Lot] (10) Black armchairs with casters
2086	1	-	2110		[Lot] (15) Black armchairs with casters
		[Lot] (12) Shop vacs	2111		[Lot] (14) Tables, (17) chairs
2087	1	Aker Wade 48 volt battery charger, mod. Unimax U30C	2112		[Lot] (2) Scales, (1) Mettler, (1) Fischer, (1) Blue M stabil-therm gravity oven
2088	1	Aker Wade 48 volt battery charger, mod. Unimax U30C	2113		[Lot] (13) Sieves
2089	1	Aker Wade 48 volt battery charger, mod. Unimax	2114		[Lot] (60) Folding chairs
		U30C	2115		[Lot] Allen Bradley automation panel view touch
2090	1	Aker Wade 48 volt battery charger, mod. Unimax U30C, s/n LJ100782C			screen, (3) 600, (3) 550, menu display programmable control, Servo control, module with metro rack, (Electrical Shop)
2091	1	Aker Wade 48 volt battery charger, mod. Unimax U30C	2116		[Lot] (3) Desks, (3) file cabinets, (3) swivel chairs, 3-door storage cabinet, (Electrical Shop)
2092		[Lot] Janitorial supplies, mops, brooms, waste barrel, shovel, buckets	2117	1	Fire King 4-drawer fire proof file cabinet
2093	1	Aker Wade 48 volt battery charger, mod. Unimax	2118	1	Fire King 4-drawer fire proof file cabinet
		U30C, s/n LJ100787C	2119	1	Fire King 4-drawer fire proof file cabinet

LOT	QTY	DESCRIPTION	LOT	QTY DESCRIPTION
2120		[Lot] L-Shape modular desk with over head cabinet,	2143	[Lot] (2) Lenovo ThinkPad laptops, mod. T440
		credenza, 2-door wood cabinet, round table, (2) swivel chair	2144	[Lot] (2) Lenovo ThinkPad laptops, mod. T440
2121		[Lot] Modular desk, (2) bookcase, 2-door cabinet, (3)	2145	[Lot] (3) Lenovo ThinkPad laptops, (2) T540, (1) T440
		swivel chair, paper shredder	2146	[Lot] (2) Lenovo ThinkPad laptops, mod. T440
2122		[Lot] HP Designjet blue print printer, model T2500, with cutting table	2147	[Lot] (2) Lenovo ThinkPad laptops, mod. T440
2123		[Lot] HP Laserjet printer, (1) Pro 400 color M451DN,	2148	[Lot] (2) Lenovo ThinkPad laptops, mod. T440
		(1) CP2025	2149	[Lot] (2) HP Elite Book laptops, mod. Folio 9480M
2124		[Lot] HP Laserjet printer, (1) Pro 400 color M451DN,	2150	[Lot] (3) Lenovo ThinkPad laptops, mod. T440
2125		(1) CP2025 [Lot] (2) HP Laserjet printer Pro 400 color M451DN	2151	
			24.52	Series, (5) monitors, (5) keyboards, (5) mouse
2126		[Lot] Conference table, 8' L x 3' W and (8) wood arm cushion chairs	2152	[Lot] Lenovo (5) ThinkCentre computers, (5) monitors, (5) keyboards, (5) mouse
2127		[Lot] Miscellaneous office supplies, folder, Xerox paper, stapler, binders, labels	2153	[Lot] Lenovo (5) ThinkCentre computers, (4) M-Series, (5) monitors, (5) keyboards, (5) mouse
2128	1	Sharp 42" color television HDMI, WiFi Dolby digital plus	2154	[Lot] Lenovo (5) ThinkPad computers, (5) monitors, (5) keyboards, (5) mouse
2129	1	Samsung 42" color television	2155	
2130	1	Samsung 50" color television	2450	(5) keyboards, (5) mouse
2131	1	Samsung 40" color television	2156	[Lot] Lenovo (5) ThinkPad computers, (5) monitors, (5) keyboards, (5) mouse
2132	1	Samsung 50" color television	2157	
2133	1	Panasonic 45" color television		monitors, (15) keyboards, (15) mouse
2134		[Lot] Optoma (2) projectors and (2) screens	2158	[Lot] Lenovo (15) ThinkCentre computers, (8) M- Series, (15) monitors, (15) keyboards, (15) mouse
2135		[Lot] Allen Bradley automation PLC-3 panel view, terminal tester, programmable module control	2159	
2136		[Lot] Vision engraving system series 3, model 1624, with PLC	2160	
2137		[Lot] (3) Printer, (1) over-head projector, fax machine	2161	[Lot] Lenovo (15) ThinkCentre computers, (15)
2138	1	Ricoh Lasejet printer, model SP C320DN		monitors, (15) keyboards, (15) mouse
2139		[Lot] Wood desk, credenza with over-head cabinet bookcase, wood cabinet, (2) wood arm cushion chair, (2) swivel chair	2162	[Lot] Lenovo (15) ThinkCentre computers, (15) monitors, (15) keyboards, (15) mouse
2140		[Lot] (2) Desks, (1) L-shape, (3) file cabinets, boocase,	2163	Lot] (2) HP LaserJet Pro 400 color printers, mod. M451NW, s/n's 123347, 318752
2140		printer table, HP printer, (2) swivel chair, (2) cushion chair	2164	
2141		[Lot] Bun-O-Matic coffee grinder and Black Decker coffee maker	2165	
2142		[Lot] (1) Under-counter refrigerator and (1) Sanyo microwave	2166	1 HP color laserjet fax/scan/copier, mod. CM2320NFMFP, s/n 988PTCY

LOT	QTY	DESCRIPTION	LOT	QTY	DESCRIPTION
2167	1	Dell laser printer, mod. 3000 CN	2190	1	Manitowoc under counter ice maker
2168		[Lot] (5) HP LaserJet printers, mod. P1606DN	2191	1	Brauilor bonmat coffee maker
2169		[Lot] (2) LaserJet printers, (1) Dell 1710, (1) HP 2300DN	2192		[Lot] Wood desk, credenza round table, swivel chair, (4) cushion arm chairs, bookcase, (2) monitors, (1) HP Laserjet Pro 400 color printer M451 ON
2170		[Lot] (2) Sato label printers, mod. Clan X	2193		[Lot] (20) Lenovo Think Centre computers, (2) monitors
2171		[Lot] (2) Sato label printers, mod. Clan X			
2172		[Lot] (3) Label printers, (2) Sato Clan X, (1) Zebra 110 x 14, 230 ppi	2194		[Lot] (20) Lenovo Think Centre computers, (2) monitors
2173		[Lot] (6) Intermecbar code scanners, model CK70/CK71, with easy coder PX61 label printer	2195		[Lot] (20) Lenovo Think Centre computers, (2) monitors
2174		[Lot] (21) 2-Way radio, model MT-107, with headset	2196		[Lot] Conference room: (3) section conference table,
2175		[Lot] (2) Optoma projectors			(2) 4x4, (1) 8x4, (13) leather arm chairs, table credenza, (3) leather arm chairs, round table
2176		[Lot] (3) Optomaprojectors			(FURNITURE ONLY)
2177	1	Vizio42" color television, model 1080PHDMI	2197		[Lot] (2) Sofas, (1) love chair, (1) wood coffee table (FURNITURE ONLY)
2178	1	Samsung 48" television	2198		[Lot] (8) Lateral file cabinets
2179	1	Samsung 48" television			[Lot] (8) Lateral file cabinets
2180	1	LG 32" color television			[Lot] (8) Lateral file cabinets
2181		[Lot] Office furniture, (3) wood desks, (3) wood credenza, (3) swivel chairs			Shop built shelf unit
2182		[Lot] Conference room: wood credenza 8' x 36", (6) black leather swivel chairs, (2) wood credenza, (1) with top mount glass cabinet, corner table			
2183		[Lot] (19) Modular style work station with cloth partition, (1) swivel chairs			
2184		[Lot] (2) Offices with (2) wood desks, (1) round table, (3) fil cabinets, (1) wood, (4) leather swivel chairs, (2) chair with caster			
2185		[Lot] Cherry wood desk, cherry wood credenza, (1) 4-drawer file cabinet, book case corner table, cushion arm chair			
2186		[Lot] Conference table 8' x 4', (8) black leather swivel chairs, (2) leather chairs with caster			
2187		[Lot] Wood desk, (2) wood file cabinet, credenza with top mount glass case/bookshelf, swivel chair, round table with oval marble top, (5) cushion arm chairs			
2188		[Lot] Conference table 8 x 44", (6) stackable chairs, (3) lateral file cabinet bookcase, table			
2189	1	Turbo Air deluxe 2-door stainless refrigerator/freezer, model TSR35SD			

BIDDER NO:

