

Auction

Solon, OH – July 17, 2019

Schwebel's Baking Co.

Wednesday, July 17th

Starting at 10:00 am

Schwebel's Baking Company

6250 Camp Industrial Road

Solon, OH 44139



1 415.522.5700 Fax 1 415.522.5701

www.rabin.com



asset maximization services

1 847.499.7049

www.hyperarms.com

AUCTION:

Wednesday, July 17th

starting at 10:00 am EST

FACILITY:

Schwebel's Baking Company

6250 Camp Industrial Road

Solon, OH 44139

INSPECTION:

July 15th & 16th

from 9:00 am to 4:00 pm or

earlier by appointment

OTHER DETAILS:

Removal Dates

Small items must be removed by Friday, July 19, 2019.

All items must be removed by Friday, August 9, 2019.

Attention Riggers

General Liability Insurance for \$2,000,000 required to Rabin Worldwide, Hyperams, LLC and Schwebel's.

For check out info

Please contact Rick Hope

1.415.254.9252 | rick.hope@rabin.com

An 18% buyer's premium will apply to all items sold.

Schwebel's Baking Company Auction Schedule:

Day 1 – Wednesday, July 17th

starting at 10:00 am

Lots: 101 to 568

Live & Online Auction

Day 2 – Timed Online Auction

Lots: 601 to 872

Lots open for bidding Monday, July 15th

Lots begin closing Thursday, July 18th

Starting at 10:00 am EST

www.bidspotter.com – to register

Sales Tax

Rabin Worldwide is required by law to collect the applicable sales tax on all items sold unless at the time of purchase the buyer provides the appropriate resale certificate, properly completed, together with some identification which proves the individual is in the business of buying and selling such merchandise within the state.

Sales tax will be refunded to out of state buyers when one of the following is provided:

Dealers must provide a properly executed bill of lading showing shipment by a third party carrier to an out-of-state location, designating Rabin Worldwide as the shipper accompanied with a properly completed resale certificate from their state, together with some identification which proves the individual is in the business of buying and selling such merchandise within that particular state.

Where the state allows exemption from sales tax for buyers who runs a manufacturing business which is known to make use of the kind of equipment being purchased, the buyers must also provide proof that the items will be used for manufacturing within the particular state, and a properly executed bill of lading showing shipment by a third party carrier to an out-of-state location, designating Rabin Worldwide as the shipper.

Out of state buyers who are taxable in their state, must show proof that payment of sales tax was made on the merchandise purchased and a properly executed bill of lading showing shipment by a third party carrier to an out-of-state location, designating Rabin Worldwide as the shipper.

As designated shipper, Rabin Worldwide is not responsible for any damages to shipment in-transit or any other expenses related to the shipping.

Buyers from the State of California must provide resale exemption number at the time of purchase to avoid paying California sales tax.

Equipment being used within California is subject to California Use Tax which must be collected at the time of purchase, regardless of the state of purchase.

Without appropriate paperwork, all sales tax must be collected at the time of purchase. However, sales tax will be refunded in full at such time as proper documentation has been provided to the auctioneer.

Cash Payment of \$10,000 or Greater

For any purchase paid in cash, with a value of \$10,000 or greater, the buyer is required to complete United States Treasury Department form number 8300. These forms are available from the auctioneer and must be completed and returned to the auctioneer at the time of purchase.

The items in this catalog will be sold by a licensed auctioneer, in accordance with local laws governing public auctions, and according to posted "Terms of Sale". Anyone else soliciting merchandise that is not listed in this catalog will be asked to leave the premises

TERMS AND CONDITIONS OF SALE

These Terms and Conditions of Sale (“Sale Terms”) govern all items which are offered for sale by RABIN WORLDWIDE, INC. (“Rabin Worldwide”) and any of its employees, agents, designees, affiliates, joint venture partners, and co-auctioneers (together with Rabin Worldwide, collectively, “RABIN”) to a buyer (the “Buyer”) of any machinery, equipment or other personal property items offered by RABIN and purchased by Buyer (collectively, the “Purchased Items”). The owner of the items upon which Buyer will be bidding may be owned either by Rabin or by another entity who has retained RABIN to sell such items (the “Owner”). RABIN reserves the right to modify these Sale Terms at any time and any such modification shall become part of these Sale Terms. By registering at the auction, onsite or online, the Buyer agrees that it has read and fully understands these Sale Terms and agrees to be bound by these Sale Terms.

1. Payment. If Buyer is the winning bidder for the Purchased Items, full payment of the purchase price for the Purchased Items due to RABIN (the “Purchase Price”), must be made in United States Dollars, and must be made on the day of sale as set forth in the invoice sent to Buyer at the end of the auction (the “Invoice”). Payment is due and payable in cash, by cashier’s check, wire transfer, company check, VISA, MasterCard, or American Express credit card payable to Rabin Worldwide. For any Purchased Items paid in cash with a value of \$10,000 or greater, Buyer is required to complete United States Treasury Form Number 8300 and return it to RABIN at the time of purchase. Buyer shall pay RABIN a late penalty on all amounts over 30 days past due computed at the greater of (i) 18% per annum, and (ii) the maximum rate permitted by applicable California law. If Buyer fails to pay the Purchase Price in accordance with these Sale Terms, Buyer agrees that it remains responsible for payment of the Purchase Price and RABIN shall have the right to commence all legal actions against Buyer for collection of the entire Purchase Price amount. Buyer shall also be liable for any and all costs and expenses incurred by RABIN arising out of or in connection with RABIN’s efforts to collect any unpaid amounts hereunder including, without limitation, attorney or collection agency fees and expenses. No forbearance, indulgence, or delay by RABIN in taking any action hereunder shall be deemed a waiver of any rights of RABIN hereunder. Until RABIN has received payment in full of the Purchase Price, the Rigger Equipment Removal and Site Access Agreement executed by the rigger named therein, Rabin Worldwide, the owner of the Real Property and Buyer (the “Rigger Removal Agreement”), if applicable, and any other documents required by RABIN, Buyer shall have no right to dismantle or remove any of the Purchased Items

TERMS AND CONDITIONS OF SALE

from the real property located at the auction site (the "Real Property").

2. Taxes. Prices do not include any federal, state or local taxes, which are in addition to the Purchase Price and must be paid by Buyer where applicable and may be added by RABIN to the Invoice unless Buyer furnishes RABIN with an acceptable tax exemption certificate. In addition, any and all foreign duties and taxes are also the responsibility of Buyer and Buyer hereby indemnifies and holds RABIN harmless from any and all claims, costs, expenses and liability incurred by RABIN resulting from Buyer's failure to pay any foreign duties and taxes. If an acceptable tax exemption certificate is not submitted at the time of payment, Buyer may submit said exemption certificate within ten (10) business days to RABIN, and the tax originally paid will be refunded back to the Buyer. The failure of RABIN to include any such federal, state or local taxes does not excuse the Buyer from responsibility for paying any such taxes and Buyer hereby indemnifies and holds RABIN harmless from any and all claims, costs, expenses and liability incurred by RABIN resulting from Buyer's failure to pay any federal, state or local taxes.

3. Buyer's Premium. RABIN will charge and retain a non-negotiable buyer's commission ("Buyer's Premium") on the proceeds of any sale based on the final and accepted bid for the Purchased Items. The Buyer's Premium will be 15% for onsite bidders and 18% for online bidders. There will be an additional 4% handling charge on the total invoice for all credit card transactions. The Buyer's Premium will be posted on the Real Property and announced prior to the auction.

4. Title. Title shall pass to Buyer upon the satisfactory completion of all of the following: (i) RABIN's receipt of full payment for the Purchased Items in accordance with these Sale Terms; (ii) the Purchased Items have been removed from the Real Property in compliance with the Rigger Removal Agreement, if applicable; (iii) all damage, if any, to the Real Property and to any other personal property located at the Real Property caused by removing the Purchased Items has been repaired to the satisfaction of RABIN and the owner of the Real Property; (iv) Buyer shall not be in breach of any of items set forth in these Sale Terms.

5. INSPECTION. BUYER SHALL BE DEEMED TO HAVE RELIED ENTIRELY UPON ITS OWN INSPECTIONS AND INVESTIGATIONS OF ALL OF THE ITEMS UPON WHICH BUYER WILL BE BIDDING AND/OR PURCHASING. BUYER HEREBY ACKNOWLEDGES THAT BUYER AND BUYER'S AGENTS OR REPRESENTATIVES HAVE HAD THE

TERMS AND CONDITIONS OF SALE

OPPORTUNITY TO INSPECT, OR HAVE INSPECTED, ALL OF THE ITEMS UPON WHICH BUYER WILL BE BIDDING AND/OR PURCHASING. BUYER AGREES THAT BY SUBMITTING A BID FOR ANY ITEM, BUYER SHALL BE DEEMED TO HAVE INSPECTED ALL OF THE ITEMS UPON WHICH BUYER WILL BE BIDDING AND/OR PURCHASING. AFTER A SALE OF PURCHASED ITEMS HAS BEEN CONFIRMED, THE BUYER SHALL BE DEEMED TO HAVE INSPECTED ALL PURCHASED ITEMS AT THE TIME OF SALE CONFIRMATION.

6. Acceptance by Buyer. Buyer agrees that its acceptance of the Purchased Items shall constitute an acknowledgment by Buyer that the Purchased Items satisfies any and all obligations of RABIN hereunder. Buyer may not revoke its acceptance for any reason whatsoever.

7. Safety Standards. Buyer expressly assumes all responsibility to obtain all safety equipment and to meet all applicable local, state federal and foreign laws, regulations and standards, including but not limited to laws relating to remediation, restoration or protection of the environment or natural resources, the storage, treatment, management, generation, transportation, or disposal of any toxic materials or waste material, whether hazardous or not, the conservation of natural resources and resource allocation or exposure of persons or property to Hazardous Materials (“Environmental Laws”) in removing any of the Purchased Items. Buyer further agrees to comply with the Rigger Removal Agreement, if applicable.

8. Removal of Purchased Items. Purchased Items can only be removed from the Real Property within the removal time as announced at the sale and as indicated on the Invoice (the “Removal Deadline”). No Purchased Items can be removed, segregated, or dismantled by Buyer before the conclusion of the auction. Prior to removal of any Purchased Items, the entire Invoice for all Purchased Items must be paid in full in order to gain access to the Real Property. Buyer must present a representative of RABIN with an original Invoice marked “PAID” and a fully executed Rigger Removal Agreement, if applicable.

9. Failure to Remove Purchased Items/Bankruptcy. If Purchased Items are not removed by the Removal Deadline (i) such Purchased Items will be deemed abandoned by the Buyer, (ii) Buyer shall forfeit all monies paid to RABIN for such Purchased Items, and (iii) Buyer shall forfeit any rights to such Purchased Items. In addition, Buyer shall be responsible for all damages suffered by RABIN, including, but not limited to, any dismantling, transportation, storage or other costs, including attorneys’ fees and expenses incurred by RABIN as a consequence of Buyer’s failure to remove such

TERMS AND CONDITIONS OF SALE

Purchased Items. Buyer hereby grants to RABIN a security interest in the Purchased Items to secure Buyer's obligation to remove the Purchased Items from the Real Property not later than the Removal Deadline and in compliance with the terms of the Rigger Removal Agreement, if applicable. Buyer hereby authorizes RABIN the right to file and/or record such documents and financing statements as are necessary or useful to perfect such security interest in the Purchased Items as provided in this Section 9, and Buyer shall execute and deliver to RABIN such documents as requested in connection therewith. In the event Buyer fails to remove the Purchased Items on or before the Removal Deadline, RABIN shall have the right to foreclose its security interest in the Purchased Items by a public or private sale in accordance with applicable law. In addition, in the event any one or more of the following shall occur, any and all obligations of RABIN hereunder, including without limitation, any obligations to Buyer in respect of the Purchased Items shall immediately terminate and without further action by RABIN: (a) Buyer files a voluntary petition in bankruptcy or a bankruptcy petition is filed against Buyer; (b) Buyer becomes insolvent or makes an assignment for the benefit of its creditors; or (c) Buyer discontinues its business or a receiver is appointed for Buyer or its business.

10. Integration; Modifications. Buyer acknowledges that these Sale Terms, the Invoice, the Rigger Removal Agreement, if applicable, a bill of sale, if applicable, and all attachments and exhibits hereto and thereto, (a) are the only terms and conditions of sale for the Purchased Items, (b) are intended by the parties as a complete and exclusive statement of the terms of their agreement in respect of the Purchased Items, and (c) supersede all prior agreements, written or oral in respect of the auction and Purchased Items, except for any and all announcements made by the auctioneer on the day of the auction concerning the Sale Terms, which Buyer acknowledges and agrees to be bound. Any variation from the terms hereof contained in the Buyer's acceptance of the Purchased Items is hereby rejected.

11. Auction Registration; Deposit. To register for any live auction onsite, bidders must provide a refundable deposit in the amount determined by RABIN and either posted onsite or requested by a RABIN representative, in the form of cash, cashier's check, wire transfer, company check, VISA, MasterCard, or American Express credit card payable to Rabin Worldwide. To register for the online component of any live auction conducted by bidspotter.com, bidders will be required to submit a valid VISA, MasterCard, or American Express credit card and complete the online registration information. Whether onsite or online, RABIN reserves the

TERMS AND CONDITIONS OF SALE

right to request a refundable deposit or an increased deposit in an amount warranted by the value of the sale, but in no event greater than 25% of the Purchase Price, if Buyer is the successful bidder of the Purchased Items which shall be paid at the time Buyer becomes the winning bidder of the Purchased Items. If Buyer is the winning bidder for the Purchased Items, the refundable deposit set forth in this Section 11 shall become non-refundable and such amount together with the increased deposit set forth in the second sentence of this Section 11, shall be applied toward payment of the Purchase Price and the provisions of Section 1 will control. The credit card will not be charged except in the event of failure to pay.

12. Online Bids. RABIN will accept bids from Buyers who wish to bid, but cannot attend the auction. The bids must be placed online at www.bidspotter.com. All bids will be recorded and synced with those bids received onsite in real time, with the highest bid price, winning the item(s), regardless of being placed online or onsite. Any taxes and/or Buyer's Premium will be added to the winning bid price. Buyers who choose to bid at any auction online using bidspotter.com shall do so at their own risk. RABIN cannot guarantee the transmission of online bids when situations or circumstances beyond RABIN's control interfere with the normal operation of bidspotter.com. RABIN has no responsibility or liability for items lost at auction due to any system malfunction of bidspotter.com. It is the responsibility of the Buyer to follow instructions of bidspotter.com to properly operate the online bidding system.

13. Bidding. If any dispute arises between two or more bidders, the auctioneer has the right in its sole and absolute discretion to determine the winning bidder or to re-offer and resell the item or lot in dispute. RABIN shall have no liability arising from any dispute between two bidders. RABIN reserves the right to group one or more lots into one or more selling items or lots, or to add to or delete items or lots at its sole discretion. RABIN reserves the right to set the bidding increments. RABIN also reserves the right to reject any bid which is only a fractional advance over the preceding bid. RABIN, or the owners, reserves the right to set and/or to modify a minimum price.

14. Hazardous Materials. Buyer acknowledges that Purchased Items may contain Hazardous Materials. **BUYER HEREBY INDEMNIFIES, DEFENDS, PROTECTS AND HOLDS HARMLESS, THE INDEMNIFIED PARTIES FROM AND AGAINST ANY AND ALL CLAIMS, DAMAGES, LIABILITIES, ACTIONS, CAUSES OF ACTION, COSTS AND JUDGMENTS, INCLUDING WITHOUT LIMITATION, ATTORNEYS' FEES, ARISING FROM OR RELATING TO ANY RELEASE OF**

TERMS AND CONDITIONS OF SALE

ASBESTOS, PCBS OR OTHER HAZARDOUS MATERIALS IN CONNECTION WITH THE REMOVAL AND TRANSPORTATION OF THE PURCHASED ITEMS FROM THE REAL PROPERTY AND ANY USE OR FUTURE SALE OF THE PURCHASED ITEMS BY THE BUYER OR ANY THIRD PARTIES.

As used in these Sale Terms “Hazardous Materials” means (a) substances that are defined or listed in, or otherwise classified pursuant to, any applicable laws or regulations, including but not limited to Environmental Laws, as “hazardous substances,” “hazardous materials,” “hazardous wastes,” “toxic substances,” or any other formulation intended to define, list, or classify substances by reason of deleterious properties such as ignitability, corrosivity, reactivity, carcinogenicity, reproductive toxicity, or “EP toxicity,” (b) oil, petroleum, or petroleum derived substances, natural gas, natural gas liquids, synthetic gas, drilling fluids, produced waters, and other wastes associated with the exploration, development, or production of crude oil, natural gas, or geothermal resources, (c) any flammable substances or explosives or any radioactive materials, and (d) asbestos in any form or electrical equipment that contains any oil or dielectric fluid containing levels of polychlorinated biphenyls in excess of 50 parts per million. As used in these Sale Terms, “Indemnified Parties” means collectively RABIN, the owner of the Real Property, the Owner and their respective managers, officers, directors, shareholders, members, agents, attorneys, employees, successors and assigns.

15. Buyer’s Responsibility and Indemnity. Buyer acknowledges the Real Property where items upon which Buyer may be bidding are located, held or presented for inspection, may be potentially dangerous places which may include noxious, corrosive or pressurized substances or Hazardous Materials being present, heavy equipment being operated, and live electric circuits. Buyer and its agents and representatives present at the Real Property before, during or after an auction shall be deemed to be present at their own risk. Buyer further acknowledges that RABIN shall have no liability for any injuries sustained to Buyer and its agents and representatives, nor damages to or loss of property which may occur from any cause whatsoever. Removal of Purchased Items shall be at the sole expense, risk and liability of the Buyer. In addition, all freight and insurance charges are the responsibility of Buyer unless otherwise agreed by RABIN and Buyer in writing. Buyer shall be responsible for and pay all expenses, losses and damages that may arise from the removal and transportation of the Purchased Items from the Real Property, and all losses, damages, debts and liabilities incurred by Buyer in connection with Buyer’s purchase and removal of the Purchased Items and all other expenses relating or incidental

TERMS AND CONDITIONS OF SALE

thereto. **BUYER HEREBY INDEMNIFIES, DEFENDS, PROTECTS AND HOLDS HARMLESS, THE INDEMNIFIED PARTIES FROM AND AGAINST ALL SUITS, CLAIMS, COSTS, DAMAGES AND EXPENSES, INJURIES TO ANY PROPERTY OR PERSONS (INCLUDING DEATH) INCLUDING, WITHOUT LIMITATION, ATTORNEYS' FEES, ARISING OUT OF OR IN CONNECTION WITH BUYER'S ATTENDANCE AT THE AUCTION, VISITS TO THE REAL PROPERTY, PURCHASE, OWNERSHIP, DISMANTLING, REMOVAL FROM THE REAL PROPERTY, TRANSPORTATION, REASSEMBLY, USE AND/OR RESALE OF THE PURCHASED ITEMS, OR THE PERFORMANCE OF ANY OF THE OBLIGATIONS OF BUYER.**

16. No Warranties. Neither RABIN nor the Owner make any representations, warranties or guarantees, expressed or implied, as to the genuineness, authenticity, quantity, quality, condition, usability, salability, weight, measure, count, make, model, year, age, mechanical condition, performance, description, or other specifications of any items upon which Buyer will be bidding or in any lot(s). Neither RABIN nor the Owner shall be liable for any fault or defect in any lot(s). RABIN shall not be held liable for any inaccurate, incomplete or incorrect description, of any items or lot(s) upon which Buyer will be bidding, or in any media pertaining to the auction, whether in a catalog, advertisement, website listing, or otherwise. Descriptions of items are prepared FOR GUIDE PURPOSES ONLY and shall not be relied upon by the Buyer for accuracy or completeness.

BUYER ACKNOWLEDGES THAT NO REPRESENTATIVE OF RABIN HAS AUTHORITY TO MAKE ANY REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE PURCHASED ITEMS.

THE PURCHASED ITEMS SOLD BY RABIN HEREUNDER ARE SOLD "AS IS", "WHERE IS", AND WITHOUT REPRESENTATION, WARRANTY OR RECOURSE OF ANY KIND OR NATURE. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, ALL IMPLIED OR EXPRESS WARRANTIES ARISING UNDER THE UNIFORM COMMERCIAL CODE OR UNDER ANY OTHER APPLICABLE LAW INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, EVEN IF THAT PURPOSE IS KNOWN TO RABIN OR OWNER, ARE HEREBY DISCLAIMED BY RABIN AND OWNER IN THEIR ENTIRETY. IN ADDITION, RABIN AND OWNER MAKE NO REPRESENTATIONS OR WARRANTIES AS TO THE TITLE, POSSESSION, QUIET ENJOYMENT, LOCATION OR COMPLETENESS OF THE PURCHASED ITEMS. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

TERMS AND CONDITIONS OF SALE

17. Default/Non-Compliance. In addition to the matters set forth in Section 1 above, if Buyer fails to pay the Purchase Price for any of the Purchased Items, RABIN may resell such items at a public or private sale without further notice. If, at such a sale, such item(s) is sold for a lesser price; the defaulting Buyer will be responsible to pay for the difference together with all charges, fees and/or expenses, including but not limited to, the cost of removal and resale of the abandoned item(s), commissions, and legal fees incurred by Rabin as a result of resale.

18. Limitation of RABIN's Liability. RABIN shall not be liable to Buyer for any damages, including, without limitation, incidental, consequential, exemplary, punitive, statutory, treble or special damages or damages for breach of contract, tort (including negligence), strict liability, patent infringement or otherwise arising out of or in any way related to the (i) auction, (ii) Purchased Items or any act or omission of RABIN concerning the Purchased Items, (iii) removal and/or delivery of any Purchased Items from the Real Property, or (iv) dismantling, removal, transport, reassembly, use, operation, maintenance, or repurchase and/or resale of the Purchased Items by any person.

19. Acts of Others. RABIN is not responsible for the acts or omissions of (i) of any party who provided any items to the auctioneer for sale, (ii) owner or lessor of the Real Property, or (iii) any party who provides services to the auctioneer and/or Buyer, including, but not limited to telecommunication, internet bidding services, removal, rigging, or shipping, of Purchased Items.

20. Headings. The section headings in these Sale Terms are inserted for convenience only and are not intended to modify or define any term or provision of these Sale Terms.

21. Governing Law; Jurisdiction. THESE SALE TERMS SHALL BE DETERMINED UNDER, GOVERNED BY, AND CONSTRUED IN ACCORDANCE WITH THE LAWS OF THE STATE OF CALIFORNIA WITHOUT GIVING EFFECT TO PROVISIONS FOR CHOICE OF LAW THEREUNDER. EACH OF THE PARTIES HERETO AGREES THAT ALL ACTIONS OR PROCEEDINGS ARISING IN CONNECTION WITH THESE SALE TERMS SHALL BE TRIED AND LITIGATED ONLY IN THE STATE COURTS AND, TO THE EXTENT PERMITTED BY APPLICABLE LAW, FEDERAL COURTS LOCATED IN THE SAN FRANCISCO COUNTY, CALIFORNIA.

22. Severability. If any provision of these Sale Terms is deemed illegal, invalid or unenforceable, the legality, validity and enforceability of the remaining parts, shall not be affected.

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
Start of Sale		
101 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, Lot of (2) .5 hp 22B-DaPAN104
102 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, Lot of (8) 1 hp including: (2) 25B-B5PON104, (1) 22B-B5PON104, (2) 22B-D2P3N104, (2) 22A-D2P3N104, (1) 22A-VAP5N104
103 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, Lot of (5) 2 hp including: (2) 25B-B8PON104, (2) 22B-D4PON104, (1) 22B-B8PON204
104 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, Lot of (5) 2 HP including: (3) 22A-D4PON104, (1) 22A-B8PON104, (1) 20A-B6P8AYNANC
105 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, lot of (12) 3 hp, 25B-B011N104
106 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, lot of (2) 3 hp including: (1) 22B-B012N104, (1) 22A-D6PON104
107 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, lot of (5) 5 hp including: (4) 22B-B17N104, (1)
108 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, lot of (2) 7.5 hp including: (1) 22B-B024N104, (1) 20A-D011AO
109 _____	1	Allen Bradley Variable Speed Drive, model PowerFlex, lot of (3) 10 hp including: (2) 25B-B032N104, (1) 22F-B033N104
110 _____	1	Air Actuators, lot of (10) including: (6) Bi-Torq model 1S3TC1075SRPN, with valves, (2) Flowsolve model B100D, (1) Denox, (1) Dynaquip
111 _____	1	CIP Nozzles, lot of (4) assorted
112 _____	1	Stainless Fittings, lot which includes (190) assorted size clamps, covers, connectors, threaded connectors, T's and elbows
113 _____	1	OK Supersealer Bag Sealer, model SSI, Asset #3
114 _____	1	OK Supersealer Bag Sealer, model SSI, Asset #4
115 _____	1	OK Supersealer Bag Sealer, model SSI, Asset #2
116 _____	1	OK Supersealer Bag Sealer, model SSI, Asset #1
117 _____	1	Domino Injet Printer, model A320i, s/n AST000101681, Asset #5

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
118	1	Domino Injet Printer, model A320i, s/n AST000101383, Asset #12
119	1	Domino Injet Printer, model A320i, s/n AST000101687, Asset #6
120	1	Domino Injet Printer, model A320i, s/n AST000101680, Asset #1
121	1	Domino Injet Printer, model A320i, s/n AST000101685, Asset #10
122	1	Domino Injet Printer, model A320i, s/n AST000101387, Asset #9
123	1	Videojet Injet Printer, model Excel 2000, s/n 07107102WD
124	1	Videojet Injet Printer, model Excel 2000, s/n 060321042WD
125	1	Videojet Injet Printer, model Excel 2000, s/n 060321043WD
126	1	Burford Twist Tyer, model 2100EP, s/n 17982
127	1	Metler Toledo Checkweigher, model High Speed Checkmate, s/n S970557-14
128	1	Loma Checkweigher, model 7000 Series
129	1	Burford Seeder, model 9350-1, s/n 9525
130	1	Burford Seeder, model 9100, s/n 13799
131	1	Topos Mondial Corp. Piston Depositor, single piston, (2013)
132	1	Spray Dynamics Liquid Applicator, s/n 4754, 6' X 30" dia., drum, mobil
133	1	International Multi Foods Crumbing Machine, s/n 73, 38" X 36" dia. With interior conveyor
134	1	Dough Pump, model 15DP10, s/n 10019, 6' x 40" x 22" deep, mobile, (1994)
135	1	Dough Pump, 6' X 36" X 30" deep, mobil
136	1	Comas Filling Injector, model D1, s/n 3426, with 9' x 6" flow through cleeted belt conveyor, (2002)
137	1	Gorring Kerr Metal Detector, model Tektamet, s/n 5090/1088, 24" W X 6" H aperture
138	1	Sew Eurodrive Gear Drive, model A97, with 5 hp motor, (used for cooler main drive)
139	1	Peerless Mixer Motor, s/n 402-05467-01, 150 hp, frame 445TST

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
140	1	Sew Eurodrive Mixer Gear Drive, model R167AD8, s/n 870169253.09.09.001
141	1	Baldor Electric Motor, s/n 09E970X926G1, 5 hp, frame 256T, (combo oven main drive)
142	1	Sew Eurodrive Motor Drive, model R87, 7.5 hp, (pocket divider main drive)
143	1	Gardner Denver Air Compressor Motor, s/n 170001, 70 kw
144	1	Baldor Electric Motor, model Super E, 5 hp, frame 256T with Revland magnetic brake, (bun proof box main drive)
145	1	SPX Flow Technology Mixer Motor, model X5Q500, s/n 2879308, drive only , (2013)
146	1	Sew Assorted Motors, lot of (5) including: (1) model R77 motor and gear, 5 hp, (1) model KF47 motor and gear, 1 hp, (1) model AAF3 motor and gear, 1/2 hp, (1) model DRN90 motor with brake, 2hp, (1) model DRE11, 5 hp
147	1	Stainless Tables, lot of (5) assorted (without contents)
148	1	Stainless Tables, lot of (3) tables plus stainless 2 tier cart (no contents)

Brew Room

151	1	Walker Brew Tank, 1000 gal, jacketed, dome top, 4' straight side X 6' dia., with Aliance top mount agitator on 39" stainless legs
152	1	Walker Brew Tank, 1000 gal, jacketed, dome top, 4' straight side X 6' dia., with Aliance top mount agitator on 39" stainless legs
153	1	Triclover Positive Pump, s/n 549341-01, 10 hp, 3" X 3"
154	2	Alfa Laval Centrifugal Pumps, 1 1/2" X 2 1/2", 2 hp
155	1	Brew Tank, 1000 gal, jacketed, 53" straight side X 6' dia., dome top, on stainless 24" tall legs with SPX model X5Q500 top mount agitator, s/n 2879294
156	1	Ingredient Hopper, cone bottom, 76" tall X 52" wide with Mac air lock
157	1	Triclover Positive Pump, model TSR5NLS-30MDUOOL-A, s/n 139488-01, 2 1/2 x 2 1/2 positive displacement, transfer

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
158	1	Brew Tank, 1000 gal, jacketed, 53" straight side X 6' dia., dome top, on stainless 24" tall legs with top mount agitator
159	1	Triclover Positive Pump, model TSR5NLS-0701-41, s/n 112116-01, Stainless 2 1/2" X 2 1/2" positive displacement, 5 hp
160	1	Brew Tank, 1000 gal, jacketed, 53" straight side X 6' dia., dome top, on stainless 24" tall legs with top mount agitator
161	1	Centrifugal Pump, Stainless 2 1/2" X 2 1/2", centrifugal
162	1	AGC Heat Exchanger, model AR56-S, s/n 2015156, 60" T x 16" W, (76) plates, max temp 250 degree F, max pressure 200 psi, (2015)
163	1	Lesson Centrifugal Pump, model C215T17WK9A, s/n 14082100, Watt saver
164	1	EcoLab CIP System, PLC Controlled with Emmerson 1056 touch screen, 4' x 22" x 35" deep holding tank, 2' x 22" x 35" deep holding tank, (6) assorted air actuated valves, 3 way diverter plate, tube-n-shell heat exchanger, (2016)
165	1	Allen-Bradley PLC Control Panel, model 1250, with touch screen
166	1	Stainless Pipework, approx. 400 feet, assorted diameters, (5) actuator valves

Flour Silo Room

167	2	Flour Silos, 100,000-lb, vertical, welded steel, cone bottom, 43' total ht, 30' straight side x 10' dia.
168	2	Flour Silos, 100,000-lb, vertical, welded steel, cone bottom, 43' total ht, 30' straight side x 10' dia.
169	2	Flour Silos, 100,000-lb, vertical, welded steel, cone bottom, 43' total ht, 30' straight side x 10' dia.
170	2	Flour Silos, 100,000-lb, vertical, welded steel, cone bottom, 43' total ht, 30' straight side x 10' dia.
171	1	Flour Silo, vertical, welded steel, cone bottom, 43' total ht, 30' straight side x 10' dia.
172	1	Trubuilt Sifter / Screener, stainless, 1 1/2 hp, 3' dia., 32" tall

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
173 _____	1	AZO Sifter / Screener, model H650-B1896, s/n 1206, includes cyclone feed hopper and bottom mount valve
174 _____	1	MAC Positive Blower, model 424, s/n 95-PDBH-02-025
175 _____	1	Roots Positive Blower, model 406, s/n 401971719, 20Hp
176 _____	1	Sutorbilt Positive Blower, model CAC-HDP-A, s/n U86082, 15 Hp
177 _____	1	Duraflow Positive Blower, model 4504-VT, s/n R99623, 30 Hp
178 _____	1	Sutorbilt Positive Blower, model 7HP-RHC, s/n R026838, 25Hp
179 _____	1	Sutorbilt Positive Blower, model 7H, s/n A3136, 15 Hp

Use Tank Area

180 _____	1	BIT Corp PLC Control Panel, with Allen-Bradley Panel View 1250 touch screen
181 _____	1	Schick Use Bin, cone bottom, 10' overall height, 74" straight side with Schick model T-225-1 bottom mount rotary valve
182 _____	1	Metalfab Use Bin , cone bottom, 116" overall height, 78" straight side X 7' dia. With Pfening model 10E bottom mount air valve
183 _____	1	Roots Positive Blower, model 56 U-RAI
184 _____	1	Roots Positive Blower, model 36-U-RAI, s/n 401971562, 5 hp motor
185 _____	1	Pfening Bag house, 115" overall height, 40" X 40" housing with Pfening model 10D bottom mount air valve
186 _____	1	Tuthill Vacuum Blower, model 4609-4612, s/n 1610720709, 60 hp
187 _____	1	Pfening Pressure Sifter, Stainless, 18" X 3' dia.
188 _____	1	Control panel, wall mounted with AB PanelView 600 touch screen
189 _____	1	GSE Scale, 4' X 4' drive on with GSE 350 digital read out

Fermenting Tanks

190 _____	1	Mueller Yeast Tank, stainless, dome top, approx. 7500 gallon cap., 12'6" X 10' dia., top mount agitator
-----------	---	---

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
191 _____	1	Mueller Yeast Tank, stainless, dome top, approx. 7500 gallon cap., 12'6" X 10' dia., top mount agitator
192 _____	1	Holding Tank, stainless, jacketed, dome top, approx. 1500 gallon cap.,
193 _____	1	Grundfos Vertical Pumps, Lot of (2), skid mounted
194 _____	1	Centrifugal Pumps, Lot of (2) stainless, 2" X 1 1/2", 5 hp
195 _____	1	Stainless Pipework, approx. 200' total with stainless diverter plate
196 _____	1	Stainless Hopper, cone bottom, 4' T X 4' dia. At top of cone on 10'8" steel legs

Bread Line

197 _____	1	Peerless Sponge Mixer , 2500 lb, Cold bar mixer, 5' drum, 150Hp with Allen Bradley 1250 Panelview control
197A _____	1	Control Panel, 2 door PLC, used for sponge mixer
198 _____	1	Pfening Stainless Hopper, approx. 6' X 5' dia., cone bottom, pneumatic gate valve
199 _____	1	Dough Trough System, Lot including: (20) Troughs, 147" X 32" X 36" deep, custom built trough hoist and auto ram system
199A _____	1	Control Panel, 2 door PLC, used for trough room
200 _____	1	Alliance Bakery Systems Dough Chunker, Stainless, 60" X 30", dual bottom augers, mounted on 59" tall stainless legs, 12' X 2' bottom mount stainless frame conveyor
200A _____	1	Sponge Conveyor System, lot of (4) including: (1) presuuer belt 9' rise, 7' crossover 25" belt, (1) 14' X 25" bet and (2) 13' X 25" belt
200B _____	1	Control Panel, 2 door PLC, used for sponge chunker
201 _____	1	Shaffer Dough Mixer #1, model HS25-OF, s/n 081006, 2500 lb, triple roller bar, 6' bowl, (2008)
201A _____	1	Control Panel, 2 door PLC, used for bread mixer
202 _____	1	Shaffer Dough Mixer #2, model HS25-OF, s/n 081007, 2500 lb, triple roller bar, 6' bowl, (2008)
202A _____	1	Control Panel, 2 door PLC, used for bread mixer

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
203	1	APV FME Dough Chunker, model RDC2500, s/n 200, 2500 lb, rotary, 6' x 7'4" with dual bottom augers, 12' rise pressure conveyor and 5' dual magnets, (2014)
204	1	APV FME Dough Chunker, model RDC2500, s/n 201, 2500 lb, rotary, 6' x 7'4" with dual bottom augers, 12' rise pressure conveyor and 5' dual magnets, (2014)
205	1	Dough Conveyor System, lot of (3) conveyors from chunkers to divider including: (1) 21' X 25" belt, 23' X 25" belt and (1) 41' X 25" belt

Divider-Molder Area

206	1	AMF Bread Divider, model ADD, s/n 86202240, dual paddle, PLC Control, (2002)
206A	1	Control Panel, 2 door PLC, used for bread divider
207	1	Shaffer Bread Molder, model MPCG-80, s/n 81008, 6' x 1" flow through belt conveyor, stainless frame, pan indexer 13' x 20" belt conveyor, AB Panelview 700 touch screen control, (2008)
208	1	Shaffer Bread Molder, model MPCG-80, s/n 81009, 6' x 1" flow through belt conveyor, stainless frame, pan indexer 13' x 20" belt conveyor, AB Panelview 700 touch screen control, (2008)
209	1	AMF Divider/Molder Conveyor, model DLCH, s/n 98190, 12' X 39" belt conveyor, mobil
210	1	Mallet Pan Oiler, model 2001A, s/n 315-456, 30" x 5', (2004)
211	1	Conveyor System, lot of (2) conveyors including: (1) 34" X 2' box roller and (1) 16' X 2' interlock belt
212	1	Pan Switch , 4' X 56"
213	1	Pan Conveyor, lot of (4) including: (1) 7' X 18" magnetic belt, (1) 14' X 20" 180 degree turn bottle belt, (1) 15' X 26" dual bottle belt, (1) 7' X 16" interlock belt
214	1	Pan Conveyor, lot of (6) including: (1) 10' X 17" bottle belt, 25' X 16" dual bottle belt, (1) 7' X 22" box roller 90 degree turn, (1) 10' X 22" interlock belt, (1) 7' X 22" box roller 90 degree turn, (1) 19' X 8" bottle belt, (1) 7' X 1" interlock belt
214A	1	Control Panel, 2 door PLC, used for BMI bread conveyor

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
215	1	Transfer Conveyor, 26' 9" X 30 interlock belt
216	1	Proofer Infeed Conveyor, lot of (2) including: (1) 17' long with (2) 7 1/2" plastic belts, (1) 10' long with (2) 7 1/2" steel belts
217	1	AMF Flour Duster, model DL-FL, s/n 98191, dual lane, 6' X 44" with (2) 6' X 10" belts
218	1	Duster Conveyor, lot of (8) including: (1) 11'8" X 1' incline belt, (1) 12' X 1' incline belt, (2) 4 1/2' X 1' transfer belt, (2) 13' X 1' incline belt, (2) 10' 5" X 1' belt
219	3	Crossover Stairs

Proofer & Oven Circuit

220	1	Lanham Bread Proofer, continuous, single pass, 11 tier rotary, 85' X 25" X 13'6" tall box
220A	1	Control Panel, 2 door PLC, used for bread proofer
221	1	Proofer Exit Conveyor, 21' long 90 degree turn with (2) 4 1/2" steel belts
222	1	Transfer Conveyor , 34' 6" X 30 interlock belt
223	1	Oven Infeed Conveyor, 51' long 90 degree turn with (2) 7 1/2" steel belts
224	1	APV Tunnel Oven, model 960, s/n 55178, gas fired, 8-Zone, 191'L X 13'6" W, 500 degrees maximum temperature, 3 compartment PLC control panel
224A	1	Control Panel, 3 door PLC, used for bread oven
225	1	Newsmith Pan Cleaner, stainless, 39" X 61" X 11'4" tall
226	1	Pan Conveyor, lot of (2) including: (1) 23' X 20" and (1) 11' X 1' interlock belts
227	1	SIG Pan Stacker, model 42A-BO-527, 3' wide with 6' dual belt infeed conveyor
228	1	SIG Pan Unstacker, model 42A-BO-555, 6' dual belt exit conveyor
229	1	Pan Conveyor, 222' X 20" with (2) 7 1/2" bottle belt, (from unstacker to pan cleaner)
230	1	Pan Conveyor, lot including: conveyor from number B214 to unstacker, drop down at bypass for stacker/unstacker, 190' X 20" with (2) 7 1/2" bottle belt, 46' X 18" incline, 7' X 18" belt, 15' X 20" box roller

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
231 _____	1	SASIB Depanner, model 000300-B591, s/n 2101826, Includes pan exit conveyor, 46' X 18" incline conveyor, 7' X 18" belt conveyor and 15' X 20" box roller conveyor
231A _____	1	Control Panel, 3 door PLC, used for bread pan return conveyor
232 _____	1	Pan Conveyor, Lot of (3) conveyors from oven transfer to depanner: (1) 9' X 20" interlock, (1) 18' X 20" with (2) 7 1/2" steel bottle belt, (1) 5' X 20" belt

Bread Coolers

233 _____	1	Bread Pre-Cooler, 4 tier, ceiling mounted, approximately 740' long, includes 67' from depanner
234 _____	1	Stewart Systems Switch Conveyor, 6' 6" X 4'
235 _____	1	Stewart Systems Bread Cooler, 2,100'L, dual 48' long, (1) is 11 tier, (1) is 10 tier
236 _____	1	Stewart Systems Bread Cooler, 2,400'L, dual 52' long, (1) is 11 tier, (1) is 10 tier
236A _____	1	Control Panel, 4 door PLC, used for bread coolers and conveyors
237 _____	1	BMI Bread Cooler Conveyor, approx. 238' X 21", runs from pre cooler to switch at bread coolers
238 _____	1	Bread Infeed Conveyor, 120' X 20" wire belt, runs from switch to lot 236 bread cooler
239 _____	1	Bread Exit Conveyor, 207' X 22" wire belt runs from bread cooler lot 236 to metal detector, wire belt
240 _____	1	Bread Exit Conveyor, 157' X 21", runs fro bread cooler lot 235 to switch conveyor

Slicing & Bagging Lines

241 _____	1	AMF Bread Slicer #1, model 75, with AB panelview C400 touch screen
242 _____	1	UBE Bread Bagger #1, model 75-1, s/n 7500-160, with Burford model 2000L twist tyer, s/n 17271, (2001)
243 _____	1	Domino Ink Jet Printer, model A320i, s/n AST000103834, Line #1, asset #7
244 _____	1	AMF Bread Slicer #2, model 75, with AB panelview C400 touch screen

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
245	1	UBE Bread Bagger #2, model 75-1, s/n 7500-180, with Burford model 2000L twist tyer, s/n 17279, (2002)
246	1	Domino Ink Jet Printer, model A320i, Line #2, asset #13
247	1	AMF Bread Slicer #3, model 75, with AB panelview C400 touch screen
248	1	UBE Bread Bagger #3, model 75-1, s/n 7500-161, with Burford model 2100LE twist tyer, s/n 16007, (2001)
249	1	AMF Bread Slicer #4, model 75, with AB panelview C400 touch screen
250	1	UBE Bread Bagger #4, model 75-1, s/n 7500-159, with Burford model 2000LE twist tyer, s/n 17981, (2001)
251	1	Domino Ink Jet Printer, model A320i, s/n AST000101691, Line #4, asset #19
252	1	AMF Bread Slicer #5, model 75, with AB panelview C400 touch screen
253	1	UBE Bread Bagger #5, model 75-1, s/n 7500-162, with Burford model 2000LE twist tyer, s/n 17983, (2001)
254	1	UBE Bread Oversize Bagger #5, model WPB, s/n 1331, Located at end of orientor conveyor
255	1	Domino Ink Jet Printer, model A320i, s/n AST000101686, Line #5, asset #8
256	1	AMF Product Orientor Loader, s/n 86214264, Line #1, (2014)
257	1	AMF Product Orientor Loader, s/n 86214263, Line #2, (2014)
258	1	AMF Product Orientor Loader, s/n 86214265, Line #3, (2014)
259	1	AMF Product Orientor Loader, s/n 8214266, Line #4, (2014)
260	1	AMF Product Orientor Loader, s/n 8214267, Line #5, (2014)
261	1	AMF Orientor Conveyor, basket feed runs under orientor line 1 & 2, 37' X 24", interlock belt
262	1	AMF Orientor Conveyor, 66' X 24" interlock belt
263	1	AMF Orientor Conveyor, elevating conveyor, plastic belting

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
264	1	AMF Orientor Conveyor, lot of (2) including: (1) 100' X 28" with 2' 3 1/4" plastic belts, (1) 20' X 28" interlock belt
265	1	Infeed Conveyor, 10' 10" X 18" feed belt to line 1 orientor, interlock belt
266	1	Infeed Conveyor, 11' X 18" feed belt to line 2 orientor, interlock belt
267	1	Infeed Conveyor, 10' 6" X 18" feed belt to line 3 orientor, interlock belt
268	1	Infeed Conveyor, 14' X 18" feed belt to line 4 orientor, interlock belt
269	1	Infeed Conveyor, 14' 9" X 18" feed belt to line 5 orientor, interlock belt
270	1	Turkington Bread Switch Conveyor, 5' 6" X 43" for bread line 1 & 2
271	1	Turkington Bread Switch Conveyor, 5' 8" X 4' for bread line 3 & 4
272	1	Turkington Bread Conveyor , lot of (6) including: (1) 8' 7" X 18" Interlock belt, (1) 180 degree turn with wire belt 8' 8" X 21", (1) 90 degree turn 16' X 17" Interlock belt, (1) infeed to line 1 slicer 7' 10" X 18" Interlock belt, (1)90 degree turn 5' X 1
273	1	Switch conveyor, 5' 10" X 4'
274	1	Conveyor, lot of (5) assorted including: (1) Baker 90 degree turn 6'6" X 21" with wire belt, (1) Baker 180 degree turn 18' X 21" with wire belt, (1) Baker 180 degree turn 16' X 21" with wire belt, (1) 90 degree turn 5' 4" X 18" with wire belt, (1) infeed
275	1	Safeline Metal detector, model 410003, s/n 85074, 19" X 6" aperture with 5' X 18" Interlock flow through belt
276	1	Bread Switch Conveyor, 5' 4" X 4'
277	1	Bread Switch Conveyor, 6' X 4'
278	1	Conveyor, lot of (5) assorted including: (2) 90 degree turn 5' X 18" wire belt, (2) infeed 9' 8" X 18" with Interlock belt, (1) 4' 8" X 20" wire belt, (located between the two switch conveyors)
279	1	Aluminum Crossover Step, 5 step
280	1	Aluminum Crossover Step, 3 step
281	1	Steel Crossover Steps, lot of (2) including: (1) 4 step and (1) 3 step

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
Combo Line		
285	1	Shaffer Dough Mixer #4, model HS20, 2000 lb, triple roller bar, 5' wide drum, 125Hp, AB PanelView Plus 1250 touch screen, PLC Control with stainless liquid ingredient tank and cone bottom dry hopper, (2008)
285A	1	Control Panel, 2 door PLC, used for combo line mixer
286	1	Shaffer Dough Mixer #5, model HS20, 2000 lb, triple roller bar, 5' wide drum, 125Hp, AB PanelView Plus 1250 touch screen, PLC Control with stainless liquid ingredient tank and cone bottom dry hopper, (2008)
286A	1	Control Panel, 2 door PLC, used for combo line mixer
287	1	APV Dough Conveyor System, 35' X 20" dual directional belt, 20' X 20" bun feed, 44' X 20" bread feed, (2008)
288	1	AMF Bun Line , model KRD11E, s/n 97039, with KRD11E 6 lane divider, s/n 97039, 32" wide duster, Cimico 2150-EU-2 pan indexer and associated overhead proofer
288A	1	Control Panel, 1 door PLC, used for combo KRD
289	1	AMF Bread Divider, model 413-6, s/n 15175, 6-Pocket, with 66" dia rounder, and 30" wide X 7" incline discharge belt conveyor, (2008)
289A	1	Control Panel, 1 door PLC, used for combo divider
290	1	Bread Molder, with pan indexers
291	1	Bread Molder, with pan indexers
292	1	Mallet Bread Pan Oiler, model 2001, s/n 364-456, single nozzle, (2008)

Bread Conveyor (Lots 293 to 296)

293	1	Turkington Bread Conveyor , 120 degree turn bread conveyor, 11' X 1' with Interlock belt
294	1	Turkington Bread Conveyor , lot of (4) including: (1) 98' X 1', (1) 96' X 1', (1) 7' 4" X 10" and (1) 8' X 10", (from 120 degree turn to both bread moulders)
295	1	Turkington Bread Conveyor , lot of (2) including: (1) 26' 4" X 22", (1) 30" X 22", both with Interlock belts, (exits from molder)

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
296 _____	1	Turkington Bread Conveyor , lot of (2) including: (1) 23' 6" X 22", (1) 30" X 22", both with Interlock belts, (exits from molder)

Bun Conveyor (Lots 297 to 308)

297 _____ 1 Turkington Bun Conveyor, 5' 9" X 36" with 2 6"
Interlock belts, (exit from Pan-O-Mat)

298 _____ 1 Turkington Bun Conveyor, lot of (2) including:
15' X 36" and (1) 30" X 36"

299 _____ 1 Turkington Pan Conveyor, 72' X 30" with
Interlock belting

300 _____ 1 Turkington Pan Elevating Conveyor, 10' X 30"
with Interlock belt

301 _____ 1 Turkington Bun Pan Conveyor, 16' X 30"

302 _____ 1 Turkington Bun Pan Conveyor, 58" X 30"
magnetic plastic belting

303 _____ 1 Turkington Bun Pan Conveyor, 5' X 30" with (2)
6" plastic belts

304 _____ 1 Turkington Bun Pan Conveyor, 38" X 30" with
Interlock belt

305 _____ 1 Turkington Bun Pan Conveyor, 24" X 30" with
Interlock belt

306 _____ 1 Turkington Bun Pan Conveyor, 6' X 3' with
Interlock belt

307 _____ 1 Turkington Bun Pan Conveyor, 6' X 3' with
Interlock belt

308 _____ 1 Turkington Bun Pan Conveyor, 5' X 3' with 24"
mag belt

Bread Conveyor (Lots 309 to 315)

309 _____ 1 Turkington Bread Pan Conveyor, 28' X 18",
ceiling mounted

310 _____ 1 Turkington Bread Pan Conveyor, 4' X 20" with
magnetic plastic belt

310A _____ 1 Control Panel, 1 door PLC, used for combo line
conveyors

311 _____ 1 Turkington Bread Pan Elevating Conveyor, 6' 10"
X 22"

312 _____ 1 Turkington Bread Pan Conveyor, 21' X 22" with
Interlock belt

313 _____ 1 Turkington Bread Pan Conveyor, 5' X 22" with
16" plastic mag belt

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
314	1	Turkington Bread Pan Conveyor, 32' 22" with 12" Interlock bet
315	1	Turkington Bread Pan Conveyor, 58" X 22" with 16" platic mag belt
316	1	Mac Dust Collector, Cone bottom, 9' X 40" dia., bottom mount gate valve and (2) blowers
317	1	Mac Use Tank, Steel, 147" X 5' dia. With Mac model MD75 air lock, s/n 95-ALMD-02-087
318	1	Mac Use Tank, Steel, 147" X 5' dia. With Mac model MD75 air lock, s/n 95-ALMD-02-088
319	1	Mac Blower System, model 424, s/n 95-PDBH-02-025, 30 hp, (located in back room of main shop)

Combo Proofer & Oven

320	1	Turkington Proofer, model 993 Templex, s/n 1000M1400005319, 32-Rack, single pass, 57' x 20W, gas fired, chain driven, (1-Hr run time), 98% humidity, 102 degrees dry heat, PLC control, (Pit Mounted), (2008)
321	1	Turkington Transfer Conveyor, 14' X 36" with Interlock belt
322	1	Burford Pan Controller Conveyor, 5' 9" X 32" with (2) 6" plastic belts and center placement magnet
323	1	Turkington Transfer Conveyor, 26' X 36" with Interlock belt
324	1	Turkington Incline Feed Conveyor, 29' X 37" with (2) 6" plastic belts
325	1	Turkington Curve Conveyor , 90 degree turn 6' X 37" with (2) 6" plastic belts
326	1	APV Rack Oven , 41-rack, single pass, 6-zone, gas fired, 67' X 17', 550 degrees maximum temperature, chain drive, with infeed conveyor, PLC Control
327	1	Burford Topper, includes 6' X 36" flow through conveyor with (2) 4 1/2" plastic bottle belt
328	1	Turkington Oven Discharge Conveyor, lot of (2) including: (1) 14' X 36" with (2) 6" plastic belts, (1) 7'4" X 36" 90 degree turn with (2) 7 1/2" plastic belts
329	1	Turkington Pan Conveyor , 41' X 37" with (2) 6" plastic belts

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
330 _____	1	Turkington Pan Conveyor , 8' 7" X 37" 90 degree turn with (2) 7 1/2" plastic belts
331 _____	1	Turkington Depanner, model RCY, s/n 61168, 5' x 3' adjustable width infeed conveyor and PLC control panel, (2008)
332 _____	1	Mac Dust Collector, cone bottom, 100" over all ht., 78" straight side, 52" X 52" box, 67" legs, manual gate, bottom discharge

Pan Return Conveyor

333 _____	1	The Henry Group Stainless Pan Cleaner, model THG 2400C, s/n 13955, 10' X 3' with 28 1/2" rubber belt
334 _____	1	Turkington Transfer Conveyor, 7' X 3' 90 degree turn with (2) 4 1/2" plastic belts & (1) 8" belt
335 _____	1	Turkington Incline Conveyor, 14' X 28" Interlock belt
336 _____	1	Turkington Conveyor, 5' X 30" with 24" mag belt
337 _____	1	Turkington Pan Conveyor, 32' X 30" with 21" plastic belt
338 _____	1	Turkington Conveyor, 14' X 30" 90 degree turn with Interlock belt
339 _____	1	Turkington Incline Conveyor, 10' 8" X 30" with 21" Interlock belt
340 _____	1	Turkington Pan Infeed Conveyor, pan cleaner infeed, (1)14' X 30" 90 degree turn with 21" Interlock belt, (1) 12' X 30" incline with 21" Interlock belt
341 _____	1	Pan Glazer, s/n CB01-0430, dual belt flow through conveyor, 4 nozzle
342 _____	1	Turkington Incline Conveyor, exit conveyor from depanner, 14' X 36" Interlock belt
343 _____	1	Switch Conveyor, 6' X 6'
344 _____	1	Turkington Conveyor, 10' X 30" with Interlock belt
345 _____	1	Turkington Conveyor, lot of (2) including: (1) 2' X 30" plasitc belt, (1) 90 degree turn 28' 4" X 30" with Interlock belt
346 _____	1	Turkington Elevating Conveyor, 10' X 30" with Interlock belt
347 _____	1	Conveyors, lot of (2) including: (1) 20' X 30" 90 degree turn, (1) 25' 4" X 30", both with Interlock belts

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
348	1	Stewart Systems Pan Stacker, model UNBS080060A1, s/n 080060-B580, 77" x 38 1/2" opening, 6' 2 lane belt infeed conveyor, (2008)
349	1	Stewart Systems Pan Unstacker, model UNBS080060B1, s/n 080060-B583, 53" X 54" opening, 6' 2 lane belt infeed conveyor, (2008)
350	1	Turkington Pan Conveyor, 210' X 38" includes: (3) 90 degree turns, (1) elevating conveyor, 15' X 28" box roller with stainless table
351	1	Turkington Elevating Conveyor, (3) 32" X 30" with 21" belts
352	1	Turkington Conveyor, ot of (9) including: (1) 26' X 2' with 90 degree turn, (1) 11' X 20", (5) total length 60' X 26" with (2) 45 degree turns, (1) 40' X 30", (1) elevating 8' X 30"

Spiral Coolers

353	1	Stewart Systems Bread Cooler, 12-Tier, spiral, chain driven, 154" x 22' dia., with model 42A-BO-338 power unit, (2008)
354	1	Stewart Systems Bun Cooler, 12-Tier, spiral, chain driven, 154" x 22' dia., with model 42A-BO-338 power unit, (2008)
354A	1	Control Panel, 6 door PLC, used for spiral coolers and conveyors
355	1	Turkington Elevating Conveyor, 9' 8" X 30" Interlock belt
356	1	Turkington Conveyors, lot of (2) including: (1) 8' 8" X 30" plastic belt, (1) Stewart Systems 6' X 30" 90 degree turn wire belt
357	1	Turkington Conveyors, lot of (2) including: 5' X 30", (1) 13' 4" X 30" incline, both with Interlock belts
358	1	Turkington Elevating Conveyor, 10' X 30" with Interlock belt
359	1	Turkington Conveyors, lot including: 166' X 32" that contains (1) 180 degree turn and (1) 90 degree turn, Interlock belts
360	1	Turkington Elevating Conveyor, 10' X 32"
361	1	Turkington Bread Conveyor , lot of (4) including: (2) 10' X 40", (1) 6' X 40" with (2) 16" plastic belts, (1) 2' X 40" with (2) 16" plastic belts

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
-----	-----	-------------

Combo Bread Bagging Lines

362	1	Switch Conveyor
363	1	Mettler Toledo Metal Detector, model Safeline 410303, s/n 88209, 21" X 6 1/2" aperture
364	1	UBE Combo Bread Slicer A, model 90-75, s/n 1800-324, with auto feed
365	1	UBE Combo Bread Overwrap A, model 175, s/n 175031, (2003)
366	1	UBE Combo Bread Bagger A, model 1216AL
367	1	Burford Combo Bread Twist Tyer A, model 2000LE, s/n 17979
368	1	UBE Combo Bread Slicer B, model 2400, s/n 2400-020, with auto feed, (2007)
369	1	UBE Combo Bread Overwrap B, model 175, s/n 175-092, (2008)
370	1	UBE Combo Bread Bagger B, model 1216AL
371	1	UBE Combo Bread Slicer C, model 90-75, s/n 1800-388, with auto feed, (1994)
372	1	UBE Combo Bread Overwrap C, model 175, s/n 175-041, (2003)
373	1	UBE Combo Bread Bagger C, model 1216AL
374	1	Burford Combo Bread Twist Tyer C, model 2000LE, s/n 16005
375	1	Switch Conveyor, 6' X 6'
376	1	Turkington Conveyor, 26' X 18" with (2) 90 degree turns, Interlock belts
377	1	BMI Infeed Conveyor, 16' 8" X 18" Interlock belt, feed to line A slicer
378	1	Turkington Infeed Conveyor, 43' X 18" with (2) 90 degree turns, feed to Line B slicer, (no belt)
379	1	Turkington Infeed Conveyor, 56' X 18" with (2) 90 degree turns, infeed to line C slicer

Combo Bun Bagging Lines

380	1	UBE Hamburger Bun Bagging Line #1, with TS-85 slicing head, s/n 259; 1216AL bagger, s/n 1130; and Kwik Lok 872XLS bag closer, s/n 110026-2018
381	1	Domino Ink Jet Printer, model A320i, s/n AST000103836, Combo Line #1, asset #14

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
382	1	All-Fill Checkweigher, model ALPHA PW-12, s/n 980335, Combo Line #1 , (2008)
383	1	UBE Hamburger Bun Bagging Line #2, with TS-85 slicing head, s/n 260; 1216AL bagger, s/n 1131; and Kwik Lok 872XLS bag closer, s/n 11080-1811
384	1	Domino Ink Jet Printer, model A320i, s/n AST000101684, Combo Line #2 asset # 17
385	1	All-Fill Checkweigher, model ALPHA PW-12, s/n 980339, Combo Line #2 , (2008)
386	1	UBE Hamburger Bun Bagging Line #3, model S90, s/n 744, with S90 slicer, s/n 744; 90AL bagger, s/n 2293; and Kwik Lok model BGNRPVR bag closer; s/n 37510
387	1	Domino Ink Jet Printer, model A320i, s/n AST000103835, Combo Line #3, asset # 3
388	1	All-Fill Checkweigher, model ALPHA PW-12, s/n 980337, Combo Line #3 , (2008)
389	1	AMF Product Orientor Loader, model ALPHA PW-12, s/n 86208225, Combo Line #1, (2008)
390	1	AMF Product Orientor Loader, model ALPHA PW-12, s/n 86208226, Combo Line #2, (2008)
391	1	AMF Product Orientor Loader, model ALPHA PW-12, s/n 86208227, Combo Line #3, (2008)
392	1	AMF Orientor Conveyor, 32' x 27" with (2) 3 1/2" plastic belts, (runs under combo line orientors), (2008)
393	1	AMF Orientor Conveyor, lot of (3) including: (1) 29' x 29" with (2) 3 1/2" belts, (1) 5' 10" x 29" incline, (1) 20' x 29" plastic belt, (exit from orientors), (2008)
394	1	Turkington Bun Conveyor, 165' X 24" with Interlock belt
395	1	Turkington Conveyor, lot of (2) including: (1) 24' X 24" and (1) 7' X 26" with plastic belts
396	1	Turkington Switch Conveyor, 7' X 54"
397	1	Turkington Switch Conveyor, 7' X 54"
398	1	Turkington Conveyor, 5' X 2' with plastic belt
399	1	Turkington Conveyor, 15' X 25" 90 degree turn with wire belt, (feeds line 1 slicer)
400	1	AMF Conveyor, multi belt infeed
401	1	Turkington Conveyor, 15' X 25" 90 degree turn with wire belt, (feeds line 2 slicer)

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
402 _____	1	AMF Conveyor, multi belt infeed
403 _____	1	Turkington Conveyor, 27' X 25" 90 degree turn plastic belt, (infeed to line 3 slicer)
404 _____	1	Conveyor, 8' X 18" with Interlock belt, (infeed to line 1 orientor)
405 _____	1	Conveyor, 8' X 18" with Interlock belt, (infeed to line 2 orientor)
406 _____	1	Conveyor, 8' X 18" with Interlock belt, (infeed to line 3 orientor)

Dedicated Bun Line

410 _____	1	Peerless Dough Mixer #3, 2000 lb, Cold Bar 3 refrigeration system, 150Hp with top load ingredient hoppers (one stainless)
410A _____	1	Control Panel, 2 door PLC, used for bun mixer
411 _____	1	AMF Dough Chunker, 6' X 55", dual bottom mount augers, mobile
412 _____	1	Chunker Conveyor System, includes stainless frame vertical belt, 10'6" X 20" with 32" top transfer conveyor, mobile
413 _____	1	Chunker Crossover Conveyor, crossover dough conveyor, 19' X 24" belt, with 6' x 24" overhead belt
414 _____	1	AMF Bun Line A, with KRD 4 lane rounder, s/n 98018; 4-pocket overhead proofer; model SMP400 LH Pan-o-Mat, s/n 86214106; and 67" X 30" conveyor
414A _____	1	Control Panel, 2 door PLC, used for bun line Acc-U-Pan
414B _____	1	Control Panel, 1 door PLC, used for bun KRD
415 _____	1	AMF Bun Line B, with KRD 4 lane rounder, s/n 98019; 4-pocket overhead proofer; model SMP400 RH Pan-o-Mat, s/n 86214107; and 67" X 30" conveyor
415A _____	1	Control Panel, 2 door PLC, used for bun line Acc-U-Pan
415B _____	1	Control Panel, 1 door PLC, used for bun KRD
416 _____	1	APV Bun Proofer, model 993 Templex, 28-Rack, chain driven, single pass, 44' X 19'8" X 10' tall, PLC control (Pit-Mounted), (1997)
416A _____	1	Control Panel, 4 door PLC, used for bun line proofer and conveyors

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
417	1	Burford Pan Shaker, 6' X 33" with (2) 6" metal belts, (exit from Accupan)
418	1	Conveyor, 6' X 2' with 12" plastic belt and 18" rubber belt
419	1	Burford Pan Shaker, 6' X 33" with (2) 6" metal belts, (exit from Accupan)
420	1	Conveyor, 6' X 2' with 12" plastic belt and 18" rubber belt
421	1	Transfer Conveyor, 25' X 34" with Interlock belt
422	1	APV Conveyor, 39' X 37" with (2) 6" plastic bottle belts
423	1	APV Conveyor, 11' X 37" with (2) 7 1/2" stainless bottle belts, (infeed to proofer)
424	1	Baker Perkins Rack Oven, s/n 54198, 38-Rack, 5-zone, chain drive, single pass, 50' X 17" X 7'6" tall, gas fired, PLC control
424A	1	Control Panel, 2 door PLC, used for bun line oven
425	1	Burford Topper, 40" duster pan with (6) nozzles
426	1	APV Infeed Conveyor, 75' X 37" with (2) 7 1/2" stainless belts
427	1	APV Pan Stacker, model 60TS, s/n 61166, 38" wide with 80 exit
428	1	APV Pan Unstacker, model 42B, s/n 61127, 53" wide with 80" infeed
429	1	APV Conveyor System, lot including: 3 door PLC Control cabinet, 26' infeed conveyor from oven exit to depanner, 81' bun conveyor from depanner
429A	1	Control Panel, 3 door PLC, used for bun line pan return conveyor
430	1	Stewart Systems Bun Depanner, model CD-29, s/n UNAE060200B, with AB700 touch screen control
431	1	Torit Dust Collector, 148" overall height, cone bottom, bottom barrel fill, 72" legs
432	1	Stewart Systems Bun Cooler, ceiling mounted, 5 tier, approx. 95' long with Metal Wash chain washer
433	1	Lamatic Bakery System Pan brush, model BM100303, s/n BM1767295

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
-----	-----	-------------

Bun Line Bagging Area

434	1	Mettler Toledo Metal Detector, model Safeline 410303, s/n 17026, Power Phase Plus, 5' X 2' flow through conveyor, 25" W X 5 1/2" T aperture
435	1	Turkington Bun Conveyor, approx. 180' from cooling rack to metal detector, part wire belt and part plastic belt
436	1	Shaffer Vision System, 27' X 24" flow through 90 degree turn conveyor, computer controlled
437	1	UBE Bun Line #4 , with TS-90 hot dog and hamburger bun slicing segment, s/n 743; 90AL bagger; s/n 2292; Kwik Lok 872XLS bag closer; s/n 76726, mfg 2005
438	1	Domino Ink Jet Printer, model A320i, Line #4, Asset #4
439	1	All-Fill Checkweigher, model ALPHA PW-12, Bun line #4, (2008)
440	1	UBE Bun Line #5 , with TS-90 hot dog and hamburger bun slicing segment; 90AL bagger; Kwik Lok 872XLS bag closer
441	1	Domino Ink Jet Printer , model A320i, s/n AST000101682, Line #5, Asset #11
442	1	All-Fill Checkweigher, model ALPHA PW-12, s/n 980336, Bun line #5, (2008)
443	1	UBE Bun Line #6 , with TS-90 hot dog and hamburger bun slicing segment, s/n n.a.; 90AL bagger; s/n n.a.; Kwik Lok 872XLS bag closer; s/n n.a.
444	1	Domino Ink Jet Printer, model A320i, s/n AST000101677, Line #6, Asset #2
445	1	All-Fill Checkweigher, model ALPHA PW-12, s/n 980338, Line #6, (2008)
446	1	AMF Product Orientor Loader, s/n 86208228, Bun line #4, (2008)
447	1	AMF Product Orientor Loader, s/n 86208244, Bun line #5, (2008)
448	1	AMF Product Orientor Loader, s/n 86208245, Bun line #6, (2008)
449	1	Infeed Conveyor, 8' X 18" infeed to line 4 orientor
450	1	Infeed Conveyor, 8' X 18" infeed to line 5 orientor

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
451	1	Infeed Conveyor, 8' X 18" infeed to line 6 orientor
452	1	AMF Basket Conveyor, 27' x 27" with (2) 3 1/4" plastic belts, (runs under line 4, 5 and 6 orientors), (2008)
453	1	AMF Infeed Conveyor, lot of (2) including: (1) 28' x 27" and (1) 4' 6" x 27" incline, (2008)
454	1	AMF Exit Conveyor, lot of (4) including: (1) 22' x 29" with (2) 4 1/2" plastic belts, (1) 6' x 29" 90 degree turn with (2) 7 1/2" plastic belts, (1) 6' x 29" incline with plastic belt, (1) 25' x 29" packoff with plastic belt, (2008)
454A0	1	AMF Control Panel, 4 door panel with PLC controls, used for combo bun and bun line orientor conveyors, bun lines 1-6, (2008)
455	1	Turkington Switch Conveyor, 7' x 57"
456	1	Turkington Conveyor, 88' x 2' plastic belt, from metal detector to switch conveyor
457	1	Turkington Switch Conveyor, 7' x 54"
458	1	Conveyor, lot of (2) including: (1) 12' x 25" 90 degree turn with wire belt and (1) 8' x 24" with plastic belt located between 2 switch conveyors
459	1	Turkington Infeed Conveyor, lot of (2) including: 23' 8" x 24" 90 degree turn and (1) 2' x 26" plastic belt
460	1	Turkington Conveyor, lot of (2) including: (1) 21' 10" x 24" and (1) 54" x 24" with drop chute

Kaiser Roll Line

461	1	Gemini Kaiser Roll Line, (inclusive of Lots 462 to 469), (Located at Youngstown, Ohio facility)
462	1	MCS Kaiser Roll Stamper, model ST 8-110, s/n ST 0400-15/96, (1996), (Located at Youngstown, Ohio facility)
463	1	Gemini Stainless Dough Trough, 6' L x 28" W x 20" D, (Located at Youngstown, Ohio facility)
464	1	Tewwimat's Dough Divider, model TWS-HD, s/n 262839, 8 lane, with top mount stainless cone bottom hopper, (1995), (Located at Youngstown, Ohio facility)
465	1	Meccanica Overhead Proofer, 16' Long, 4 tier, 8 cup, (Located at Youngstown, Ohio facility)

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
466	1	Sheeter, 3 roll, 4 lane discharge, (Located at Youngstown, Ohio facility)
467	1	Moulding Duster, model MCS-MC-42, s/n 01/01/C, 42" width, (Located at Youngstown, Ohio facility)
468	1	Pressure Board Harness, 5' L x 42" W includes: sponge roller and duster, (Located at Youngstown, Ohio facility)
469	1	Zig-Zag Alignment gate, with conveyor, 7' long, (Located at Youngstown, Ohio facility)
470	1	Basket Loading System, model MCS-P/BCIC, s/n 01/01/D, includes stainless basket unstacker, 12' x 30" stainless belt conveyor with (3) 4" wide belts, 8' x 30" stainless belt conveyor with (2) 4" wide belts

Basket Wash Area

471	1	Peerless Mixer, model 20, 2000 lb. capacity, stainless 3 bar, jacketed bowl, 5', 100/50 hp motor, (this is stored at Shoemaker Rigging in Akron)
476	1	AMF Basket washer, model B30RH, s/n 15311, Stainless with control panel, (2008)
477	1	AMF Basket unstacker, s/n 86208222, Lot includes: infeed conveyor 18' 6" x 26" and stacker exit conveyor 15' x 26" , (2008)
478	1	Basket washer, stainless with control panel
479	1	Basket unstacker, s/n 86214262, Lot includes: infeed conveyor 18' 6" x 26" and stacker exit conveyor 15' x 26" , (2014)
480	1	AMF Basket return conveyor, Lot of (2) washer exit conveyors 226' X 26 to elevating conveyor, includes (1) 180 degree turn and (2) 90 degree turns
481	1	AMF PLC Control Panel, model System Panel EP-1, s/n 86214268, Used for washer conveyor and Orientor conveyors, (2014)
482	1	AMF Basket Return Conveyor, Approx. 310' X 27" from washer to elevating conveyor includes (2) 90 degree turns and (1) 180 degree turn

Facility Equipment

483	1	Gardner Denver Air Compressor, model VS45-70A, s/n S296052, 75 hp, (located in compressor room by bun packaging), (2008)
-----	---	--

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
484	1	Gardner Denver Air Dryer, model RCD500A4, s/n ES5004600809007
485	1	Puro Midi Oil/Water Separator
486	1	Gardner Denver Air Compressor, model VST55-90A, s/n 255012, 125Hp, with dual 45 KW motors (located in production dock area, currently not in Operation), (2007)
487	1	Ingersoll Rand Air Compressor, model SSR-XF125, s/n F37903U01030, 125Hp, with VSD Drive, (located in boiler room), (2001)
488	1	Gardner Denver Air Compressor, model VS45-70A, s/n S237095, 75 hp, (located in boiler room)
489	1	Gardner Denver Air Dryer, model RSD800A4, s/n 1000003058227
490	1	Vertical Air Receiver , Verticle, 82" T X 38" dia., located in boiler room
491	1	Gardner Denver Vertical Air Receiver , s/n H2747, 96" X 36" dia., with (3) Sullair air filters (located next to combo bread line packaging)

Ammonia Room

492	1	Vilter Ammonia Compressor, model VMC450XL, 100hp, 6 cylinder, skid mounted
493	1	Vilter Ammonia Compressor, model VMC450XL, 100hp, 6 cylinder, skid mounted
494	1	Vilter Ammonia Compressor, model 12A022E02R1VSSCN, s/n 544, 75hp, digital control panel, (1994)
495	1	Ammonia Tank, Insulated holding, 131" X 7' dia.
496	1	Ammonia Tank, Insulated holding, 110" X 5' dia., dome top
497	2	Centrifugal Pumps, 5 hp
498	1	Anhydrous Ammonia Tank, vertical, 86" straight side X 56" dia., dome top and bottom, 8800 lb. cap.
499	1	Holding Tank, water condensor holding tank, 101" T X 57" dia.
500	1	Allis Chalmers Centrifugal Pump, 4 X 4 X 11, 25 hp
501	1	Allis Chalmers Centrifugal Pump, 4 X 4 X 11, 26 hp

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
502 _____	1	Atlas Copco Centrifugal Pump, model 2000, 2 X 1 X 9, 3 hp
503 _____	1	Hansen Auto Purge System
504 _____	1	Glycol Holding Tank, rubber foam insulated, 12 X 8'3" X 100" tall
505 _____	[LOT]	(4) Glycol Pumps, centrifugal, (1) 2 hp, (1) 5 hp, (2) 15 hp
506 _____	1	Pulsatron Chemical Pumps, lot of (3)
507 _____	1	GE MCC Cabinet, model 8000 Line, lot of (21) assorted size breakers
508 _____	1	Chilled Water Tank , with (2) centrifugal pumps, (1) National 7.5 hp and (1) Summit 7.5 hp

Main Shop

509 _____ 1 APV Bun Pan Unloader, Asset # SB01-0507

Dock Area

510 _____	1	Bettendorf Stanford Bread Cuber, s/n CUB-10009R
511 _____	1	Loveshaw Box Sealer, model 16, s/n 309956 16A
512 _____	1	The Perfect Scoring Co. scoring machine, stainless, 80" X 29" plastic flow through conveyor
513 _____	1	Tank, stainless with weigh cells, 42" straight side, 5' dia., approx. 500 gal., convex bottom, dome top, on stainless legs
514 _____	1	Mixing Tank, stainless, with weigh cells, 30" straight side, 3' dia, approx. 130 gallon, convex bottom, dome top with Lightnin mixer, top mounted
515 _____	1	Conveyor, 4' X 21", (no belt), stainless frame with (2) positioning paddles
516 _____	1	Bosch Bagger, model Stratus, s/n 13-31337, stainless frame, single nslice, 10' infeed with (45) rolls of film
517 _____	1	Formost Bagger, model FW340A, s/n WA8713, single slice, 10' infeed
518 _____	1	The Henry Group bread pan cleaner, model THG4000BRPC, s/n BRPC0504A, stainless
519 _____	[LOT]	(2) Scales, including: (1) Dataweigh model ADW-713RB, SN 08314-0/910600, (1) Ishida multihead weigher, (parts machines only)

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
520	1	Hayseen Form Fill and Seal Machine, model CMB/12-16HR, s/n U83032, with (3) forms
521	1	Mac Bag House Dust Collector, model 19-AVRC14, s/n 95-AVRF-02-030, stainless, Cone bottom with rotary valve
522	1	Mac Bag House Dust Collector, model 19-AVRC14, s/n 95-AVRF-01-031, stainless, Cone bottom with rotary valve
523	1	Mac Bag House Dust Collector, model 18AVRC14, s/n 93-AVRF-03-001, stainless
524	1	Mac Blower, model 464 Blower, s/n 95-PDBH-02-022, 30 hp motor, No Duroflow unit
525	1	Mac Blower, model 464 Blower, s/n 95-PDBH-02-023, 30 hp motor
526	1	Mac Dust collector, cone bottom with rotary valve
527	1	Mac Dust collector, cone bottom with rotary valve
528		[LOT] (2) Sutorbuilt Blowers, assorted on pallet
529	1	Donaldson Torit Dust Collector, model DF024, s/n 1G925384-001, 5 hp
530	1	Gardner Denver Air Compressor, model 7000101, s/n 10-02-1997-1677, 5.5 hp
531	1	Sullair Compressor Filter, s/n 17-ELM-0093, (2017)
532		[LOT] Peerless Mixer Parts, consisting of assorted Peerless mixer including: couplings, hoses, air cylinders, shaft seals, gaskets, themometers, regulators, (contents on (3) pallets)
533		[LOT] Patern Former Parts, consisting of: chains, sprkets, control boards, (contents on (1) pallet)
534		[LOT] Combo Chunker Parts, consisting of: assorted motorized pullies and wing rollers, (contents on (1) pallet)
535		[LOT] Bulk flour System Parts, consisting of: reducers, belts, timers, connectors, gaskets, (contents on (1) pallet)
536		[LOT] Pan Oiler Parts, consisting of: mufflers, air cylinders, block stroke adjusters, piston assyibly, (contents on (1) pallet)

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
537		[LOT] Kwik Lock Parts, consisting of: motors, clutches, brushes, gaskets, sprockets, (contents on (2) pallets)
538		[LOT] Burford Tyer Parts, consisting of: circuit board, brush assembly with motors, misc electric, (contents on (2) pallets)
539		[LOT] Dust Collectors, (3) including (2) shop built, (not complete), (1) with blower unit
540		[LOT] Shaffer Mixer Parts, including: bowl turn hydraulic, hoses, support bearing, rotary seal, belt, (contents on (3) pallets and (1) crate)
541		[LOT] Bun Proofer Box Parts, consisting of: arm movable pawl drive connector, float valve, pivot bar supports, (contents on (1) pallet)
542		[LOT] Bread Proofer Parts, consisting of: pneumatic globe control valve, two way valve, cam followers, (contents on (2) pallets)
543		[LOT] KRD Parts, consisting of: stainless augers, rounder bar assemblies, 4 and 6 cup cylinders, vibrators, isolation can, (contents on (6) pallets)
544		[LOT] Pan-O-Mat and overhead Proofer Parts, consisting of: 4 and 6 cup trays, shaft, scrappers, shoots, (contents on (4) pallets and (2) receptacles)
545		[LOT] Depanner parts, (2) blower wheels
546		[LOT] Domino Ink Printer Parts, consisting of: (2) touch screen control, ink management block, light guide fiber optic, lens, (contents on (1) pallet)
547		[LOT] APV Oven Parts, model 960 and 970 including: scanner, drive motor, brake for main drive, valves, servo motors, electric, (contents on (6) pallets)
548		[LOT] APV Oven Parts, consisting of: (6) interior shelves, (2) rakes, (1) push arm rail
549		[LOT] (4) Bun Line Oven Racks
550		[LOT] Mixer Bowl Shafts, (2), 104" long
551	1	Mixer Bowl Shaft, 140" long
552		[LOT] Acc-u-pan Parts, (2) rollers
553		[LOT] Bun Line Chunker Parts, (4) blades
554		[LOT] Bread Divider Parts, consisting of: Brushes, belts, agitator shaft, electric, (contents on (2) pallets)

Schwebel's Baking Company – Solon, OH

LOT	QTY	DESCRIPTION
555		[LOT] Bread Pan Stacker Parts, consisting of: magnet assembly, thruster, hydraulic hoses, filters, solenoid valves, flow control valve, (contents on (4) pallets)
556		[LOT] Bread and Combo Slicer Parts, consisting of: feed screw rail, switches, pullies, lower clutch coils, digital indigater, scrapper blades, aluminum flights, (contents on (1) pallet)
557		[LOT] Bulk Packer Parts, consisting of: valve, power controls, contacts, brake disc caliper, belt film brake, belts, heater assembly, (contents on (1) pallet)
558		[LOT] Overwrap Parts, consisting of: clutch, clutch brake, tension assembly, pushers, (contents on (1) pallet)
559	1	Tank, stainless, jacketed, cone bottom, dome top, 47 1/2" straight side, 77" dia., approx. 1,000 gal. cap., stainless legs
560	1	Crepco Plate Heat Exchanger, stainless, 47" X 14" plates, (33) total plates
561		[LOT] Hoagie Bun Pans, (1925) total on (15) pan carts, 27 9/16" X 19 13/16, 32 buns per pan
562		[LOT] Hamburger Bun Pans, (685) total, 28 3/8" X 19 1/8", 24 buns er pan
563		[LOT] Hamburger Bun Pans, (2190) total on (10) pan carts, 24 15/16" X 17 7/16", 24 buns per pan
564		[LOT] Muffin Pans, (1450) total on (9) roller carts, 17 9/16" X 11 13/16", 24 muffins per pan
565		[LOT] (31) Pan Carts, assorted steel and aluminum
566		[LOT] (24) Ingredient Carts, assorted steel
567	1	MTC Tote lift, stainless, V-Mag type, 140" overall ht., 106" dump ht., mobile
568	1	MTC Tote lift, stainless, V-Mag type, 140" overall ht., 106" dump ht., mobile

BIDDER NO:

